






	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	EO-R36-AC-S EO-R36-BN-S	ROUND Tables;								Each table is constructed of a 1" thick top with a plastic laminate top surface. There are two edge profiles available:  Model "AC" Acrylic Edge Model "BN" 3/4" Bullnose Edge The metal frame is 3" High C-Channel 18 gauge steel with corner plates for leg attachment. 
		36" Diameter:	36" Diameter	29"		___ Lbs.	___ Cu Ft		\$ 1,030 \$ 1,130	
	EO-R42-AC-S EO-R42-BN-S	42" Diameter:	42" Diameter	29"		___ Lbs.	___ Cu Ft		\$ 1,090 \$ 1,275	
		Acrylic Edge; Boxy Frame								
	EO-R48-AC-S EO-R48-BN-S	48" Diameter:	48" Diameter	29"		___ Lbs.	___ Cu Ft		\$ 1,160 \$ 1,370	
		Acrylic Edge; Boxy Frame								
	EO-3636-AC-S EO-3636-BN-S	SQUARE Tables;								Model "S" Boxy Table Frame
		36" Width:	36"	36"	29"	___ Lbs.	___ Cu Ft		\$ 1,050 \$ 1,245	
	EO-4242-AC-S EO-4242-BN-S	42" Width:	42"	42"	29"	___ Lbs.	___ Cu Ft		\$ 1,115 \$ 1,345	
		Acrylic Edge; Boxy Frame								

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION	
		RECTANGLE Tables;								Each table is constructed of a 1" thick top with a plastic laminate top surface.	
		24" Depth:								There are two edge profiles available:	
	EO-3624-AC-S EO-3624-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	36"	24"	29"		___ Lbs.	___ Cu Ft	\$ 960 \$ 1,120	 	
	EO-4824-AC-S EO-4824-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	48"	24"	29"		___ Lbs.	___ Cu Ft	\$ 1,010 \$ 1,200		
	EO-6024-AC-S EO-6024-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	60"	24"	29"		___ Lbs.	___ Cu Ft	\$ 1,060 \$ 1,285	Model "AC" Acrylic Edge	
	EO-7224-AC-S EO-7224-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	72"	24"	29"		___ Lbs.	___ Cu Ft	\$ 1,105 \$ 1,365	Model "BN" 3/4" Bullnose Edge	
										The metal frame is 3" High C-Channel 18 gauge steel with corner plates for leg attachment.	
		30" Depth:								 Model "S" Boxy Table Frame	
	EO-4830-AC-S EO-4830-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	48"	30"	29"		___ Lbs.	___ Cu Ft	\$ 1,050 \$ 1,260		
	EO-6030-AC-S EO-6030-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	60"	30"	29"		___ Lbs.	___ Cu Ft	\$ 1,105 \$ 1,350		
	EO-7230-AC-S EO-7230-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	72"	30"	29"		___ Lbs.	___ Cu Ft	\$ 1,160 \$ 1,440		
			36" Depth:								
	EO-6036-AC-S EO-6036-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	60"	36"	29"		___ Lbs.	___ Cu Ft	\$ 1,145 \$ 1,405		
	EO-7236-AC-S EO-7236-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	72"	36"	29"		___ Lbs.	___ Cu Ft	\$ 1,205 \$ 1,500		
			42" Depth:								
	EO-7242-AC-S EO-7242-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	72"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,260 \$ 1,575		
	EO-8442-AC-S EO-8442-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	84"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,325 \$ 1,675		
	EO-9642-AC-S EO-9642-BN-S	Acrylic Edge; Boxy Frame Bullnose Edge; Boxy Frame	96"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,395 \$ 1,780		

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		TRAPEZOIDAL Tables;						Each table is constructed of a 1" thick top with a plastic laminate top surface.
	EO-TZ-4824-AC-S	48" Width:	48"	24"	29"	___ Lbs.	___ Cu Ft	
	EO-TZ-4824-BN-S	Acrylic Edge; Boxy Frame					\$ 1,030	There are two edge profiles available:
		Bullnose Edge; Boxy Frame					\$ 1,190	 
	EO-TZ-6030-AC-S	60" Width:	60"	30"	29"	___ Lbs.	___ Cu Ft	
	EO-TZ-6030-BN-S	Acrylic Edge; Boxy Frame					\$ 1,125	Model "AC"
		Bullnose Edge; Boxy Frame					\$ 1,330	Model "BN"
								³ / ₄ " Bullnose Edge
								The metal frame is 3" High C-Channel 18 gauge steel with corner plates for leg attachment.
								
								Model "S"
								Boxy Table Frame


	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	EO-R36-AC-R EO-R36-BN-R	ROUND Tables; 36" Diameter: Acrylic Edge; Round Leg Bullnose Edge; Round Leg	36" Diameter		29"	___ Lbs.	___ Cu Ft	\$ 925 \$ 1,080	Each table is constructed of a 1" thick top with a plastic laminate top surface. There are two edge profiles available:  Model "AC" Acrylic Edge Model "BN" 3/4" Bullnose Edge Leg style available:  Model "R" 2 1/2" Diameter Round Leg
		42" Diameter: Acrylic Edge; Round Leg Bullnose Edge; Round Leg	42" Diameter		29"	___ Lbs.	___ Cu Ft	\$ 965 \$ 1,150	
		48" Diameter: Acrylic Edge; Round Leg Bullnose Edge; Round Leg	48" Diameter		29"	___ Lbs.	___ Cu Ft	\$ 1,015 \$ 1,230	
	EO-3636-AC-R EO-3636-BN-R	SQUARE Tables; 36" Width: Acrylic Edge; Round Leg Bullnose Edge; Round Leg	36"	36"	29"	___ Lbs.	___ Cu Ft	\$ 930 \$ 1,125	
		42" Width: Acrylic Edge; Round Leg Bullnose Edge; Round Leg	42"	42"	29"	___ Lbs.	___ Cu Ft	\$ 975 \$ 1,200	


	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		RECTANGLE Tables;								Each table is constructed of a 1" thick top with a plastic laminate top surface.
	EO-3624-AC-R EO-3624-BN-R	24" Depth: Acrylic Edge; Round Leg Bullnose Edge; Round Leg	36"	24"	29"		___ Lbs.	___ Cu Ft	\$ 905 \$ 1,065	There are two edge profiles available:
	EO-4824-AC-R EO-4824-BN-R	Acrylic Edge; Round Leg Bullnose Edge; Round Leg	48"	24"	29"		___ Lbs.	___ Cu Ft	\$ 930 \$ 1,125	 
	EO-6024-AC-R EO-6024-BN-R	Acrylic Edge; Round Leg Bullnose Edge; Round Leg	60"	24"	29"		___ Lbs.	___ Cu Ft	\$ 960 \$ 1,185	Model "AC" Acrylic Edge Model "BN" 3/4" Bullnose Edge
	EO-7224-AC-R EO-7224-BN-R	Acrylic Edge; Round Leg Bullnose Edge; Round Leg	72"	24"	29"		___ Lbs.	___ Cu Ft	\$ 990 \$ 1,250	Leg style available:
										
	EO-4830-AC-R EO-4830-BN-R	30" Depth: Acrylic Edge; Round Leg Bullnose Edge; Round Leg	48"	30"	29"		___ Lbs.	___ Cu Ft	\$ 960 \$ 1,170	
	EO-6030-AC-R EO-6030-BN-R	Acrylic Edge; Round Leg Bullnose Edge; Round Leg	60"	30"	29"		___ Lbs.	___ Cu Ft	\$ 1,070 \$ 1,315	
	EO-7230-AC-R EO-7230-BN-R	Acrylic Edge; Round Leg Bullnose Edge; Round Leg	72"	30"	29"		___ Lbs.	___ Cu Ft	\$ 1,105 \$ 1,380	
	EO-6036-AC-R EO-6036-BN-R	36" Depth: Acrylic Edge; Round Leg Bullnose Edge; Round Leg	60"	36"	29"		___ Lbs.	___ Cu Ft	\$ 1,100 \$ 1,365	Model "R" 2 1/2" Diameter Round Leg
	EO-7236-AC-R EO-7236-BN-R	Acrylic Edge; Round Leg Bullnose Edge; Round Leg	72"	36"	29"		___ Lbs.	___ Cu Ft	\$ 1,145 \$ 1,440	
	EO-7242-AC-R EO-7242-BN-R	42" Depth: Acrylic Edge; Round Leg Bullnose Edge; Round Leg	72"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,180 \$ 1,495	
	EO-8442-AC-R EO-8442-BN-R	Acrylic Edge; Round Leg Bullnose Edge; Round Leg	84"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,230 \$ 1,580	
	EO-9642-AC-R EO-9642-BN-R	Acrylic Edge; Round Leg Bullnose Edge; Round Leg	96"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,275 \$ 1,660	


	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	EO-TZ-4824-AC-R EO-TZ-4824-BN-R	TRAPEZOIDAL Tables;								Each table is constructed of a 1" thick top with a plastic laminate top surface. There are two edge profiles available:  Model "AC" Acrylic Edge Model "BN" 3/4" Bullnose Edge Leg style available:  Model "R" 2 1/2" Diameter Round Leg
		48" Width:	48"	24"	29"		___ Lbs.	___ Cu Ft	\$ 910 \$ 1,070	
	EO-TZ-6030-AC-R EO-TZ-6030-BN-R	Acrylic Edge; Round Leg Bullnose Edge; Round Leg								
		60" Width:	60"	30"	29"		___ Lbs.	___ Cu Ft	\$ 1,045 \$ 1,250	
	EO-RT-7242-AC-R EO-RT-7242-BN-R	RACE TRACK Tables;								
		72" Width:	72"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,320 \$ 1,590	
	EO-RT-8442-AC-R EO-RT-8442-BN-R	Acrylic Edge; Round Leg Bullnose Edge; Round Leg								
		84" Width:	84"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,365 \$ 1,670	
	EO-RT-9642-AC-R EO-RT-9642-BN-R	96" Width:	96"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,415 \$ 1,750	
		Acrylic Edge; Round Leg Bullnose Edge; Round Leg								

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		ROUND Tables;							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	EO-R36-AC-P EO-R36-BN-P	36" Diameter: Acrylic Edge; Pedestal Base Bullnose Edge; Pedestal Base	36" Diameter		29"	___ Lbs.	___ Cu Ft	\$1,035 \$1,190	There are two edge profiles available:
									 
									Model "AC" Acrylic Edge Model "BN" 3/4" Bullnose Edge
	EO-R42-AC-P EO-R42-BN-P	42" Diameter: Acrylic Edge; Pedestal Base Bullnose Edge; Pedestal Base	42" Diameter		29"	___ Lbs.	___ Cu Ft	\$1,345 \$1,520	
	EO-R48-AC-P EO-R48-BN-P	48" Diameter: Acrylic Edge; Pedestal Base Bullnose Edge; Pedestal Base	48" Diameter		29"	___ Lbs.	___ Cu Ft	\$1,540 \$1,740	
		SQUARE Tables;							
	EO-3636-AC-P EO-3636-BN-P	36" Width: Acrylic Edge; Pedestal Base Bullnose Edge; Pedestal Base	36"	36"	29"	___ Lbs.	___ Cu Ft	\$1,035 \$1,225	
	EO-4242-AC-P EO-4242-BN-P	42" Width: Acrylic Edge; Pedestal Base Bullnose Edge; Pedestal Base	42"	42"	29"	___ Lbs.	___ Cu Ft	\$1,340 \$1,565	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		RECTANGLE Tables;								Each table is constructed of a 1" thick top with a plastic laminate top surface.
		24" Depth:								
	EO-6024-AC-T EO-6024-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	60"	24"	29"		___ Lbs.	___ Cu Ft	\$ 965 \$ 1,190	There are two edge profiles available:
	EO-7224-AC-T EO-7224-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	72"	24"	29"		___ Lbs.	___ Cu Ft	\$ 995 \$ 1,250	 
										Model "AC" Acrylic Edge
										Model "BN" 3/4" Bullnose Edge
	EO-6030-AC-T EO-6030-BN-T	30" Depth: Acrylic Edge; T-Leg Bullnose Edge; T-Leg	60"	30"	29"		___ Lbs.	___ Cu Ft	\$ 1,010 \$ 1,245	
	EO-7230-AC-T EO-7230-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	72"	30"	29"		___ Lbs.	___ Cu Ft	\$ 1,045 \$ 1,315	
										Model "T" T-Leg
		36" Depth:								
	EO-6036-AC-T EO-6036-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	60"	36"	29"		___ Lbs.	___ Cu Ft	\$ 1,050 \$ 1,305	
	EO-7236-AC-T EO-7236-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	72"	36"	29"		___ Lbs.	___ Cu Ft	\$ 1,095 \$ 1,380	
		42" Depth:								
	EO-7242-AC-T EO-7242-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	72"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,475 \$ 1,835	
	EO-8442-AC-T EO-8442-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	84"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,585 \$ 1,920	
	EO-9642-AC-T EO-9642-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	96"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,630 \$ 2,000	
		RACE TRACK Tables;								
		42" Depth:								
	EO-RT-7242-AC-T EO-RT-7242-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	72"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,745 \$ 2,000	
	EO-RT-8442-AC-T EO-RT-8442-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	84"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,795 \$ 2,080	
	EO-RT-9642-AC-T EO-RT-9642-BN-T	Acrylic Edge; T-Leg Bullnose Edge; T-Leg	96"	42"	29"		___ Lbs.	___ Cu Ft	\$ 1,840 \$ 2,160	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		RECTANGLE Workstations, Acrylic Edge;							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	EO-3024-AC-WS	24" Depth	30"	24"	29"	___ Lbs.	___ Cu Ft	\$ 960	There is one edge profile available:  Model "AC" Acrylic Edge
	EO-4824-AC-WS		48"	24"	29"	___ Lbs.	___ Cu Ft	\$ 1,055	
	EO-6024-AC-WS		60"	24"	29"	___ Lbs.	___ Cu Ft	\$ 1,095	
	EO-7224-AC-WS		72"	24"	29"	___ Lbs.	___ Cu Ft	\$ 1,265	
	EO-4830-AC-WS	30" Depth	48"	30"	29"	___ Lbs.	___ Cu Ft	\$ 1,080	
	EO-6030-AC-WS		60"	30"	29"	___ Lbs.	___ Cu Ft	\$ 1,130	
	EO-7230-AC-WS		72"	30"	29"	___ Lbs.	___ Cu Ft	\$ 1,305	
		CORNER Workstations, Acrylic Edge;							
	EO-C4224-AC-WS	24" Depth	42"	24"	29"	___ Lbs.	___ Cu Ft	\$ 1,075	
	EO-C4830-AC-WS	30" Depth	48"	30"	29"	___ Lbs.	___ Cu Ft	\$ 1,130	
		SQUARE Workstations, Acrylic Edge;							
	EO-2424-AC-WS	24" Width	24"	24"	29"	___ Lbs.	___ Cu Ft	\$ 940	
	EO-3030-AC-WS	30" Width	30"	30"	29"	___ Lbs.	___ Cu Ft	\$ 980	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	S-FA-S	Frosted Acrylic Screen - Small	20"		8"	2.5 Lbs.	0.5 Cu Ft	\$ 265	
	S-FA-L	Frosted Acrylic Screen - Large	32"		8"	2.5 Lbs.	0.5 Cu Ft	\$ 280	
	S-FAS	Frosted Acrylic Screen Surround	32"	13	8"	9.5 Lbs.	0.5 Cu Ft	\$ 545	
	S-WS	Wood Screen Surround	32"	7	8"	8 Lbs. 8 Lbs.	0.5 Cu Ft 0.5 Cu Ft	\$ 270	
	S-SWM-S	Wood Frame Perforated Metal Screen Small	20"		8"			\$ 500	
	S-SWM-L	Large	32"		16"			\$ 745	
	S-SWW-S	Wood Screen, Metal Posts Small	20"		8"			\$ 330	
	S-SWW-L	Large	32"		16"			\$ 495	
	S-SWA	Wood Frame, Metal Posts, Frosted Acrylic Screen	24"		16"			\$ 745	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	PD-BL	Pencil Drawer	20 ⁷ / ₈ "	18 ¹ / ₂ "	1 ⁷ / ₈ "	___ Lbs.	___ Cu Ft	\$ 140	Pencil & paper drawer. Includes roller slides and frame for under-desk mounting. Black finish.
	CD-250-PK	Pullout Keyboard	24"	11"		___ Lbs.	___ Cu Ft	\$ 510	
	CD-250-AK	Articulating Keyboard and Mouse	21"	10"		___ Lbs.	___ Cu Ft	\$ 510	
	PW-G2D	Plastic Grommet 2"	2"	2"	³ / ₄ "	0.1 Lbs.	___ Cu Ft	\$ 85	
	PW-G3D	Plastic Grommet 3"	3"	3"	³ / ₄ "			\$ 85	
	P-TC-V	Vertical Flex Wire Leg	3"	2"	32 ¹ / ₂ "	___ Lbs.	___ Cu Ft	\$ 165	32 ¹ / ₂ " Silver Plastic. Separates wire in different channels for easier maintenance. Kit includes: 1 top bracket, 15 spine wheels, 2 fixing clips for horizontal applications and 1 weighted base. Also comes in Black.
	P-TC	Table Connector	3"	2"		___ Lbs.	___ Cu Ft	\$ 40	
	PW-OWMT-30	Wire Manager	30"	2"		___ Lbs.	___ Cu Ft	\$ 85	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	PW-100-F	Flip-Up Power - 2 outlet, 2 data	9"		5 1/2"	___ Lbs.	___ Cu Ft	\$ 625	Black Metal
	PW-100-J	Jr. Flip-Up Power - 2 outlet, 2 data	5 3/4"		5 1/2"	___ Lbs.	___ Cu Ft	\$ 505	Black Metal
	DTP-BL	Desktop Power and Data	7"		3"	___ Lbs.	___ Cu Ft	\$ 230	Black Plastic
	P-PS-B	Power Sphere - 4 outlets - Black	3"		3"	___ Lbs.	___ Cu Ft	\$ 275	Black Plastic
	P-PDS-B	Power Sphere - 2 outlets, 2 data - Black	3"		3"	___ Lbs.	___ Cu Ft	\$ 215	
	P-PS-T	Power Sphere - 4 outlets - Translucent	3"		3"	___ Lbs.	___ Cu Ft	\$ 275	Translucent Plastic
	P-PDS-T	Power Sphere - 2 outlets, 2 data - Translucent	3"		3"	___ Lbs.	___ Cu Ft	\$ 215	
	PW-SPC-6	6 Outlet Power Bar	11"		2"	___ Lbs.	___ Cu Ft	\$ 125	White Plastic - 15 amp 120V

WOODS & FINISHES:

Natural Maple
Standard



Natural Clear – M-NA

Maple Finishes
The following stains are available, add 10% to list



Honey Oak – M-HO




Castle Oak – M-CO



Richmond Cherry – M-RC




Mahogany – M-MA




Victorian Cherry – M-VI



Java – M-JA



Wenge – M-WE



English Oak – M-EN

Natural Red Oak
Standard



Natural Clear – O-NA

Red Oak Finishes
The following stains are available, add 10% to list



Castle Oak – O-CO



Honey Oak – O-HO




English Oak – O-EN



Victorian Cherry – O-VI



Mahogany – O-MA



Richmond Cherry – O-RC




Java – O-JA



Wenge – O-WE

Natural Cherry
Add 20% to list



Natural Clear – C-NA

Cherry Finishes
The following stains are available, add 30% to list



Honey Oak – C-HO



Richmond Cherry – C-RC

Natural Walnut
Add 20% to list



Natural Clear – W-NA


Walnut Finishes
The following stain is available, add 30% to list



Java – W-JA

LAMINATES:

Melamine Laminate Options



Hardrock Maple – L303



Fidlar's Maple – L363



Cognac Cherry – L448




Cherry Blossom – L449



Almond Cherry – L457



Samba Cherry – L460



Lambada Cherry – L461



Shiraz Cherry – L472



Tuxedo – 477



Hot Cinnamon – L480



Caramel Maple – L490



Antigua – L498



Borneo – L500



Ginger Snap Fruitwood – L518



Very Chic – L666

METAL THERMAL PAINT COLOURS:



Sparkle Silver – S11



Beige – H23



Antique White – W11



White – PS-111-W374



Ruby – R7



Navy – B17




Blue – B11



Teal – HG266




Green – G58



Charcoal – A230



Grey – A16



Black – N49



Black Sandtex – N31
Textured Finish

HARDWOODS: All hardwood materials used in the manufacturing of P2 products shall be Northern grown hardwoods. Hardwoods will be air and kiln dried to a moisture content of 5-7%. All hardwoods shall be of grade “A” material, free of material stains, imperfections, conformity of grain, texture and color. Hardwood species shall be Northern grown Red Oak, Clear White Northern Maple and Birch. American Cherry and Honduras Mahogany and Walnut are available. Please inquire for pricing.

VENEER: Exposed face veneers shall be not less than 1/28" thick plain sliced veneers. Veneers are to be selected for conformity of grain direction and color. Veneers are to be stitched tightly in a book match, slip match or plain sliced configuration. Unexposed veneers are to be of hardwood but not selected for color, or grain quality. Veneers are not to be lap joined or reveal any tape or glue lines.

PARTICLE BOARD CORE: The particleboard shall be formed of wood chips, bonded with a water resistance adhesive. The particleboard material is to be of a high density 45 lbs/cu. ft. having a minimum average modules of rupture of 2400 psi and a minimum average modules of elasticity of 4,000,000 psi.

VENEER CORE: Veneer core is to be constructed with odd numbers of plies. Each ply is to be laminated in pairs and cross banded in opposite directions with grain direction at a 90 degree angle to the grain of the center core. All plies are to be free from knots, wrinkles, laps or other natural or manufacturing defects.

HIGH PRESSURE LAMINATE: Work surface laminate shall be .050" thick and used with balancing backer sheet of no less than .028" thick. Laminate shall conform to standards set by the National Electrical Manufactures' Association (NEMA).

FINISHING PROCEDURES: All materials shall be inspected and treated with a final sanding and polishing operation before any staining and final finishing can be performed. All machine and mill marks are to be removed. Once the polishing and sanding has been performed, the furniture will then undergo the following stain and finishing procedures:

- Step 1: A base stain will be uniformly applied, wiped and then allowed to dry under factory controlled conditions.
- Step 2: A uniform coat of sealer will be applied and allowed to dry.
- Step 3: Sealer will be lightly sanded using 240 grit silicon paper.
- Step 4: A catalytic lacquer of 34-45 degree sheen is evenly applied and allowed to dry under factory controlled conditions.

METAL FINISHING PROCEDURES: All metal components are thoroughly cleaned and coated electrostatically with an epoxy powder coat paint finish. The metal components are then oven baked and cured for a lasting finish.