### SPECIFICATION GUIDE & PRICE LIST

# END PANELS & TOPS

## **PALMIERII**

Table o	of Contents	2-3						
Produc	roduct Materials & Finishes							
Canop	by Tops:	6-15						
	Bannister	6-7						
	Beta	8-9						
	Delicato	10-11						
	Element	12-13						
	Ronda	14-15						
End Pa	anels:	16-41						
	Aspen	16-17						
Ì	Aspen II	18-19						
	Bannister	20-21						
	Beta	22-25						

End Panel	s (continued):	
	Delicato	26-29
	Element	30-31
	Fusion	32-33
	Princeton	34-35
	Ronda	36-39
	Vista	40-41
	Slatwall	42-53
	Slatwall - 1" Thick	54-65
Warranty		66
Terms & C	onditions	IBC



#### **WOODS & FINISHES:**

Natural Maple Standard



Natural Clear - M-NA

Maple Finishes

The following stains are available, add 10% to list



Honey Oak – M-HO



Victorian Cherry - M-VI





Wenge – M-WE



Mahogany – M-MA



English Oak – M-EN

Natural Red Oak Standard



Natural Clear - O-NA

Red Oak Finishes







Mahogany - O-MA

Java – M-JA

Honey Oak – O-HO



Richmond Cherry – O-RC



English Oak – O-EN





Victorian Cherry - O-VI



Wenge - O-WE

#### Natural Cherry Add 20% to list



Natural Clear - C-NA Natural Walnut



Natural Clear – W-NA

Cherry Finishes

The following stains are available, add 30% to list



Honey Oak - C-HO



Richmond Cherry - C-RC

Walnut Finishes

The following stain is available, add 30% to list



Java – W-JA

HARDWOODS: All hardwood materials used in the manufacturing of P2 products shall be Northern grown hardwoods. Hardwoods will be air and kiln dried to a moisture content of 5-7%. All hardwoods shall be of grade "A" material, free of material stains, imperfections, conformity of grain, texture and color. Hardwood species shall be Northern grown Red Oak, Clear White Northern Maple and Birch. American Cherry and Honduras Mahogany and Walnut are available. Please inquire for pricing.

VENEER: Exposed face veneers shall be not less than 1/28" thick plain sliced veneers. Veneers are to be selected for conformity of grain direction and color. Veneers are to be stitched tightly in a book match, slip match or plain sliced configuration. Unexposed veneers are to be of hardwood but not selected for color, or grain quality. Veneers are not to be lap joined or reveal any tape or glue lines.

PARTICLE BOARD CORE: The particleboard shall be formed of wood chips, bonded with a water resistance adhesive. The particleboard material is to be of a high density 45 lbs/cu. ft. having a minimum average modules of rupture of 2400 psi and a minimum average modules of elasticity of 4,000,000 psi.

VENEER CORE: Veneer core is to be constructed with odd numbers of plies. Each ply is to be laminated in pairs and cross banded in opposite directions with grain direction at a 90 degree angle to the grain of the center core. All plies are to be free from knots, wrinkles, laps or other natural or manufacturing defects.

LUMBER CORE: Lumber core is to be of the highest quality grade. Grade "A" select stock. Lumber core shall be constructed of solid random width strips not less than 2" wide nor more than 3 1/2" wide by 1" thick. Wood strips will be free from knots or other defects. All strips will be tightly joined using water resistance adhesives.

HIGH PRESSURE LAMINATE: Work surface laminate shall be .050" thick and used with balancing backer sheet of no less than .028" thick. Laminate shall conform to standards set by the National Electrical Manufactures' Association (NEMA).

FINISHING PROCEDURES: All materials shall be inspected and treated with a final sanding and polishing operation before any staining and final finishing can be performed. All machine and mill marks are to be removed. Once the polishing and sanding has been performed, the furniture will then undergo the following stain and finishing procedures:

Step 1 A base stain will be uniformly applied, wiped and then allowed to dry under factory controlled conditions. Step 2 A uniform coat of sealer will be applied and allowed to dry.

Step 3 Sealer will be lightly sanded using 240 grit silicon paper.

Step 4 A catalytic lacquer of 34-45 degree sheen is evenly applied and allowed to dry under factory controlled conditions.

METAL FINISHING PROCEDURES: All metal components are thoroughly cleaned and coated electrostatically with an epoxy powder coat paint finish. The metal components are then oven baked and cured for a lasting finish.



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Bannister - Canopy Top:							Canopy tops shall be 1-1/4" thick 3 ply high density particle core. Top shall receive a .050" thick plastic laminate surface
	CT-BA-14-36	Single Face, 14" Depth	36"	14"	1 1/4"	30 Lbs.		\$ 405	and a backer sheet of .020" thick for balanced construction.
	CT-BA-14-72		72″	14"	1 1/4"	60 Lbs.		\$ 565	The edges shall be banded with a 3/4" thick x 1-1/4" high solid
	CT-BA-14-108		108"	14"	1 1/4"	90 Lbs.		\$ 720	external band with the bottom edge chamfered forming a knife
	CT-BA-14-144		144"	14"	1 1/4"	120 Lbs.		\$ 1,010	edge detail. Edges shall be banded to top after the top and
	CT-BA-14-180		180"	14"	1 1/4"	150 Lbs.		\$ 1,120	bottom laminate sheets have been applied. Edges shall be butt
E2000	CT-BA-14-216		216"	14"	1 1/4"	180 Lbs.		\$ 1,275	joined together. Single face tops shall receive edges on 2 short
(5500)	CT-BA-14-252		252"	14"	1 1/4"	210 Lbs.		\$ 1,520	and 1 long edge and double face tops shall receive edges on
	CT-BA-14-288		288″	14"	11/4"	240 Lbs.		\$ 1,675	2 long edges and short edges banded on end units only. Tops longer than 108" shall be joined together using tight joined fasteners.
	CT-BA-26-36	Double Face, 26" Depth	36"	26"	1 1/4"	60 Lbs.		\$ 655	
	CT-BA-26-72	, ,	72″	26"	1 1/4"	120 Lbs.		\$ 930	NOTES:
	CT-BA-26-108		108"	26"	1 1/4"	180 Lbs.		\$ 1,255	
	CT-BA-26-144		144"	26"	1 1/4"	240 Lbs.		\$ 1,555	*Canopy tops do not include any hardware.
	CT-BA-26-180		180"	26"	1 1/4"	300 Lbs.		\$ 1,880	
	CT-BA-26-216		216"	26"	1 1/4"	360 Lbs.		\$ 2,210	*When ordering tops exact dimensions must be specified,
	CT-BA-26-252		252"	26"	1 1/4"	420 Lbs.		\$ 2,510	nominal dimensions are inadequate.
	CT-BA-26-288		288″	26"	1 1/4"	480 Lbs.		\$ 2,835	
	CT-BA-30-36	Double Face, 30" Depth	36"	30″	1 1/4"	75 Lbs.		\$ 710	
	CT-BA-30-72	, 1	72″	30"	1 1/4"	150 Lbs.		\$ 1,025	
	CT-BA-30-108		108"	30"	1 1/4"	180 Lbs.		\$ 1,295	
	CT-BA-30-144		144"	30"	1 1/4"	255 Lbs.		\$ 1,750	
	CT-BA-30-180		180"	30"	1 1/4"	330 Lbs.		\$ 2,020	
	CT-BA-30-216		216"	30"	1 1/4"	405 Lbs.		\$ 2,295	
	CT-BA-30-252		252"	30"	1 1/4"	480 Lbs.		\$ 2,755	
	CT-BA-30-288		288"	30"	1 1/4"	555 Lbs.		\$ 3,010	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Beta - Canopy Top:							Canopy tops shall be 1-1/4" thick 3 ply high density particle core. Top shall receive a .050" thick plastic laminate surface
CT-BT-14-36	Single Face, 14" Depth	36"	14"	1 1/4"	30 Lbs.		\$ 270	and a backer sheet of .020" thick for balanced construction.
CT-BT-14-72	· ·	72"	14"	1 1/4"	60 Lbs.		\$ 375	The edges shall be banded with a 1/4" thick x 1-1/4" high solid
CT-BT-14-108		108"	14"	1 1/4"	90 Lbs.		\$ 505	internal band. Edges shall be banded to top before laminate
CT-BT-14-144		144"	14"	1 1/4"	120 Lbs.		\$ 755	sheets have been applied, all edges shall be eased. Single
CT-BT-14-180		180"	14"	1 1/4"	150 Lbs.		\$ 870	face tops shall receive edges on 2 short and 1 long edge and
CT-BT-14-216		216"	14"	1 1/4"	180 Lbs.		\$ 995	double face tops shall receive edges on 2 long edges and short
CT-BT-14-252		252"	14"	1 1/4"	210 Lbs.		\$ 1,255	edges banded on end units only. Tops longer than 108" shall
CT-BT-14-288		288"	14"	1 1/4"	240 Lbs.		\$ 1,375	be joined together using tight joined fasteners.
								NOTES:
CT-BT-26-36	Double Face, 26" Depth	36"	26"	1 1/4"	60 Lbs.		\$ 380	
CT-BT-26-72		72"	26"	1 1/4"	120 Lbs.		\$ 545	*Canopy tops do not include any hardware.
CT-BT-26-108		108"	26"	1 1/4"	180 Lbs.		\$ 685	
CT-BT-26-144		144"	26"	1 1/4"	240 Lbs.		\$ 1,055	*When ordering tops exact dimensions must be specified,
CT-BT-26-180		180"	26"	1 1/4"	300 Lbs.		\$ 1,210	nominal dimensions are inadequate.
CT-BT-26-216		216"	26"	1 1/4"	360 Lbs.		\$ 1,355	
CT-BT-26-252		252"	26"	1 1/4"	420 Lbs.		\$ 1,750	
CT-BT-26-288		288″	26"	1 1/4"	480 Lbs.		\$ 1,895	
CT-BT-30-36	Double Face, 30" Depth	36"	30″	1 1/4"	75 Lbs.		\$ 435	
CT-BT-30-72		72″	30″	11/4"	150 Lbs.		\$ 675	
CT-BT-30-108		108"	30"	1 1/4"	225 Lbs.		\$ 725	
CT-BT-30-144		144"	30"	1 1/4"	300 Lbs.		\$ 1,140	
CT-BT-30-180		180"	30"	1 1/4"	375 Lbs.		\$ 1,385	
CT-BT-30-216		216"	30"	1 1/4"	450 Lbs.		\$ 1,430	
CT-BT-30-252		252"	30"	1 1/4"	525 Lbs.		\$ 1,820	
CT-BT-30-288		288"	30"	1 1/4"	600 Lbs.		\$ 2,110	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Delicato - Canopy Top:							Canopy tops shall be 1-1/4" thick 3 ply high density particle core. Top shall receive a .050" thick plastic laminate surface
	CT-DL-14-36	Single Face, 14" Depth	36″	14"	1 1/4"	30 Lbs.		\$ 305	and a backer sheet of .020" thick for balanced construction.
	CT-DL-14-72	single race, 14 Deptil	72″	14"	1 1/4"	60 Lbs.		\$ 430	The edges shall be banded with a $1/2$ " thick x $1-1/4$ " high solid
	CT-DL-14-108		108"	14"	1 1/4"	90 Lbs.		\$ 560	external band. Edges shall be banded to top after the top and
	CT-DL-14-144		144"	14"	1 1/4"	120 Lbs.		\$ 855	bottom laminate sheets have been applied. Single face tops
	CT-DL-14-180		180″	14"	1 1/4"	150 Lbs.		\$ 980	shall receive edges on 2 short and 1 long edge and double
	CT-DL-14-216		216"	14"	1 1/4"	180 Lbs.		\$ 1,115	face tops shall receive edges on 2 long edges and short edges
	CT-DL-14-252		252″	14"	1 1/4"	210 Lbs.		\$ 1,410	banded on end units only. Tops longer than 108" shall be
	CT-DL-14-288		288"	14"	1 1/4"	240 Lbs.		\$ 1,535	joined together using tight joined fasteners.
100/000									NOTES:
	CT-DL-26-36	Double Face, 26" Depth	36"	26"	1 1/4"	60 Lbs.		\$ 435	
	CT-DL-26-72	·	72"	26"	1 1/4"	120 Lbs.		\$ 610	*Canopy tops do not include any hardware.
	CT-DL-26-108		108"	26"	1 1/4"	180 Lbs.		\$ 765	
	CT-DL-26-144		144"	26"	1 1/4"	240 Lbs.		\$ 1,135	*When ordering tops exact dimensions must be specified,
	CT-DL-26-180		180"	26"	1 1/4"	300 Lbs.		\$ 1,360	nominal dimensions are inadequate.
	CT-DL-26-216		216"	26"	1 1/4"	360 Lbs.		\$ 1,520	
	CT-DL-26-252		252"	26"	1 1/4"	420 Lbs.		\$ 1,955	
	CT-DL-26-288		288″	26"	1 1/4"	480 Lbs.		\$ 2,110	
	CT-DL-30-36	Double Face 20" Dooth	36″	30"	1 1/4"	75 Lbs.		\$ 485	
	CT-DL-30-36 CT-DL-30-72	Double Face, 30" Depth	30 72″	30"	1 1/4"	75 Lbs. 150 Lbs.		\$ 465 \$ 760	
	CT-DL-30-72 CT-DL-30-108		7 Z 1 08"	30"	1 1/4"	225 Lbs.		\$ 760 \$ 810	
	CT-DL-30-108		144"	30"	1 1/4"	300 Lbs.		\$ 1,275	
	CT-DL-30-144 CT-DL-30-180		180"	30"	1 1/4"	375 Lbs.		\$ 1,273 \$ 1,555	
	CT-DL-30-180		216"	30"	1 1/4"	450 Lbs.		\$ 1,605	
	CT-DL-30-210 CT-DL-30-252		252"	30"	1 1/4"	525 Lbs.		\$ 1,005	
	CT-DL-30-232 CT-DL-30-288		288"	30"	1 1/4"	600 Lbs.		\$ 2,073	
	C. DL 30 200		200	50	1 / 1	000 Eb3.		7 2,550	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Element - Canopy Top:							Canopy tops shall be 1-1/4" thick 3 ply high density particle core. Top shall receive a .050" thick plastic laminate surface
CT-EL-14-36	Single Face, 14" Depth	36"	14"	11/4"	30 Lbs.		\$ 290	and a backer sheet of not less than .020" thick for balanced
CT-EL-14-72	single race, in Deptin	72″	14"	1 1/4"	60 Lbs.		\$ 410	construction. The edges shall be banded with a 1/4" thick x
CT-EL-14-108		108"	14"	1 1/4"	90 Lbs.		\$ 535	1-1/4" high solid external band. Edges shall be banded to top
CT-EL-14-144		144"	14"	1 1 / 4"	120 Lbs.		\$ 810	after laminate sheets have been applied. All edges are eased.
CT-EL-14-180		180″	14"	1 1 / 4"	150 Lbs.		\$ 935	Single face tops shall receive edges on 2 short and 1 long
CT-EL-14-216		216"	14"	1 1/4"	180 Lbs.		\$ 1,070	edge and double face tops shall receive edges on 2 long sides
CT-EL-14-252		252"	14"	1 1/4"	210 Lbs.		\$ 1,345	only. Tops longer than 108" shall be joined together using
CT-EL-14-288		288"	14"	1 1/4"	240 Lbs.		\$ 1,465	tight joined fasteners.
								NOTES:
CT-EL-26-36	Double Face, 26" Depth	36"	26"	1 1/4"	60 Lbs.		\$ 405	
CT-EL-26-72	·	72"	26"	1 1/4"	120 Lbs.		\$ 575	*Canopy tops do not include hardware.
CT-EL-26-108		108"	26"	1 1/4"	180 Lbs.		\$ 725	
CT-EL-26-144		144"	26"	1 1/4"	240 Lbs.		\$ 1,080	*When ordering tops, exact dimensions are required. Nominal
CT-EL-26-180		180"	26"	1 1/4"	300 Lbs.		\$ 1,295	dimensions are inadequate.
CT-EL-26-216		216"	26"	1 1/4"	360 Lbs.		\$ 1,445	
CT-EL-26-252		252"	26"	1 1/4"	420 Lbs.		\$ 1,865	
CT-EL-26-288		288"	26"	1 1/4"	480 Lbs.		\$ 2,025	
CT-EL-30-36	Double Face 30" Dooth	24"	20″	1 <sup>1</sup> /4"	7F l bc		\$ 460	
CT-EL-30-36 CT-EL-30-72	Double Face, 30" Depth	36" 72"	30" 30"	1 ' / 4 1 <sup>1</sup> / 4"	75 Lbs. 150 Lbs.		\$ 460 \$ 720	
CT-EL-30-72 CT-EL-30-108		7 Z 1 0 8 "	30"	1 1/4"	225 Lbs.		\$ 720 \$ 765	
CT-EL-30-108		144"	30"	1 1/4"	300 Lbs.		\$ 765 \$ 1,215	
CT-EL-30-144 CT-EL-30-180		180"	30″	1 /4 1 1 / 4"	375 Lbs.		\$ 1,480	
CT-EL-30-180		216"	30″	1 /4 1 1 / 4"	450 Lbs.		\$ 1,520	
CT-EL-30-216 CT-EL-30-252		252"	30"	1 1/4"	525 Lbs.		\$ 1,320 \$ 1,980	
CT-EL-30-232 CT-EL-30-288		288"	30″	1 /4 1 1 / 4"	600 Lbs.		\$ 2,240	
C1-LL-30-200		200	50	I / T	OOO LD3.		⊋ ∠,∠ rU	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Ronda - Canopy Top:							Canopy tops shall be 1-1/4" thick 3 ply high density particle
	CT-RD-14-36	Single Face 14" Death	36"	14"	1 1/4"	30 Lbs.		\$ 320	core. Top shall receive a .050" thick plastic laminate surface and a backer sheet of .020" thick for balanced construction.
	CT-RD-14-36 CT-RD-14-72	Single Face, 14" Depth	36 72"	14"	1 1/4"	60 Lbs.		\$ 320 \$ 440	The edges shall be banded with a $3/4$ " thick x $1-1/4$ " high solid
	CT-RD-14-72 CT-RD-14-108		7 Z 1 0 8 "	14"	1 1/4"	90 Lbs.		\$ 585	external band with top and bottom edges radiused 1/2"
	CT-RD-14-108		144"	14"	1 1/4"	120 Lbs.		\$ 363 \$ 875	forming a full bullnose edge detail. Edges shall be banded
	CT-RD-14-140		180"	14"	1 /4 1 1 / 4"	150 Lbs.		\$ 1,015	to top after the top and bottom laminate sheets have been
	CT-RD-14-180		216"	14"	1 1/4"	180 Lbs.		\$ 1,015	applied. Edges shall be butt joined together. Single face tops
	CT-RD-14-252		252"	14"	1 / 4 1 1 / 4"	210 Lbs.		\$ 1,155	shall receive edges on 2 short and 1 long edge and double
2523	CT-RD-14-232 CT-RD-14-288		288"	14"	1 /4 1 1 / 4"	240 Lbs.		\$ 1,590	face tops shall receive edges on 2 long edges and short edges
	C1-KD-14-200		200	14	1 74	240 LD3.		\$ 1,570	banded on end units only. Tops longer than 108" shall be joined together using tight joined fasteners.
	CT-RD-26-36	Double Face, 26" Depth	36"	26"	1 1/4"	60 Lbs.		\$ 445	
	CT-RD-26-72	Double Face, 20 Depti.	72"	26"	1 1/4"	120 Lbs.		\$ 625	NOTES:
	CT-RD-26-108		108"	26"	1 1/4"	180 Lbs.		\$ 795	
	CT-RD-26-144		144"	26"	1 1/4"	240 Lbs.		\$ 1,175	*Canopy tops do not include any hardware.
	CT-RD-26-180		180"	26"	1 1/4"	300 Lbs.		\$ 1,410	
	CT-RD-26-216		216"	26"	1 1/4"	360 Lbs.		\$ 1,570	*When ordering tops exact dimensions must be specified,
	CT-RD-26-252		252"	26"	1 1/4"	420 Lbs.		\$ 2,025	nominal dimensions are inadequate.
	CT-RD-26-288		288″	26"	1 1/4"	480 Lbs.		\$ 2,185	·
	CT-RD-30-36	Double Face, 30" Depth	36″	30"	1 1/4"	75 Lbs.		\$ 510	
	CT-RD-30-30 CT-RD-30-72	Double Face, 30 Deptil	72″	30"	1 /4 1 1 / 4"	150 Lbs.		\$ 790	
	CT-RD-30-12		108"	30"	1 1/4"	225 Lbs.		\$ 825	
	CT-RD-30-108		144"	30"	1 1/4"	300 Lbs.		\$ 1,320	
	CT-RD-30-144 CT-RD-30-180		180"	30"	1 1/4"	375 Lbs.		\$ 1,520	
	CT-RD-30-100		216"	30"	1 1/4"	450 Lbs.		\$ 1,690	
	CT-RD-30-210		252"	30"	1 1/4"	525 Lbs.		\$ 2,150	
	CT-RD-30-232		288"	30"	1 1/4"	600 Lbs.		\$ 2,130	
					·	<del> </del>		<i>+ -,</i> : - <i>-</i>	





Aspen - End Panel: Single Face, 48" Height Single Face, 66" Height Single Face, 78" Height Single Face, 96" Height	10" 12" 14"  10" 12" 14"  10" 12" 14"	1 1/4" 1 1/4"	48" 48" 48" 66" 66" 66" 78" 78" 78" 78" 96" 96"	14 Lbs. 14 Lbs. 14 Lbs. 14 Lbs. 16 Lbs. 16 Lbs. 16 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 485 \$ 555 \$ 625 \$ 525 \$ 605 \$ 675 \$ 625 \$ 695 \$ 785 \$ 645 \$ 740 \$ 835	PANEL CONSTRUCTION:  End panels constructed from 1-1/4" thick high density particleboard core, with grade "A" veneer faces. End panels shall be externally banded top and bottom with 2-1/2" wide a 1-1/4" thick solid hardwood edges. The two long vertical edges will be banded with 1/4" thick x 1-1/4" wide solid hardwood, all panel edges and corners will be eased.  NOTES:  *End panels do include any hardware.  *When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
Single Face, 66" Height  Single Face, 78" Height  Single Face, 96" Height	12" 14" 10" 12" 14" 10" 12" 14"	1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4"	48" 48" 66" 66" 66" 78" 78" 78" 96"	14 Lbs. 14 Lbs. 16 Lbs. 16 Lbs. 16 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 555 \$ 625 \$ 525 \$ 605 \$ 675 \$ 625 \$ 695 \$ 785 \$ 645 \$ 740	particleboard core, with grade "A" veneer faces. End panels shall be externally banded top and bottom with 2-1/2" wide a 1-1/4" thick solid hardwood edges. The two long vertical edges will be banded with 1/4" thick x 1-1/4" wide solid hardwood, all panel edges and corners will be eased.  NOTES:  *End panels do include any hardware.  *When ordering panels exact dimensions must be specified,
Single Face, 78" Height Single Face, 96" Height	14" 10" 12" 14" 10" 12" 14"	1 1/4"  1 1/4"  1 1/4"  1 1/4"  1 1/4"  1 1/4"  1 1/4"  1 1/4"	48" 66" 66" 78" 78" 78" 78" 96"	14 Lbs.  16 Lbs. 16 Lbs. 16 Lbs.  20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 625 \$ 525 \$ 605 \$ 675 \$ 625 \$ 695 \$ 785 \$ 645 \$ 740	shall be externally banded top and bottom with 2-1/2" wide a 1-1/4" thick solid hardwood edges. The two long vertical edges will be banded with 1/4" thick x 1-1/4" wide solid hardwood, all panel edges and corners will be eased.  NOTES:  *End panels do include any hardware.  *When ordering panels exact dimensions must be specified,
Single Face, 78" Height Single Face, 96" Height	10" 12" 14" 10" 12" 14"	1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4"	66" 66" 78" 78" 78" 96"	16 Lbs. 16 Lbs. 16 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 1 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 525 \$ 605 \$ 675 \$ 625 \$ 695 \$ 785 \$ 645 \$ 740	a 1-1/4" thick solid hardwood edges. The two long vertical edges will be banded with 1/4" thick x 1-1/4" wide solid hardwood, all panel edges and corners will be eased.  NOTES:  *End panels do include any hardware.  *When ordering panels exact dimensions must be specified,
Single Face, 78" Height Single Face, 96" Height	12" 14" 10" 12" 14" 10" 12"	1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4"	66" 66" 78" 78" 78" 96" 96"	16 Lbs. 16 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 1 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 605 \$ 675 \$ 625 \$ 695 \$ 785 \$ 645 \$ 740	edges will be banded with 1/4" thick x 1-1/4" wide solid hardwood, all panel edges and corners will be eased.  NOTES:  *End panels do include any hardware.  *When ordering panels exact dimensions must be specified,
Single Face, 78" Height Single Face, 96" Height	14" 10" 12" 14" 10" 12"	1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4"	66" 78" 78" 78" 96"	16 Lbs. 16 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 605 \$ 675 \$ 625 \$ 695 \$ 785 \$ 645 \$ 740	hardwood, all panel edges and corners will be eased.  NOTES:  *End panels do include any hardware.  *When ordering panels exact dimensions must be specified,
Single Face, 96" Height	14" 10" 12" 14" 10" 12"	1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4"	66" 78" 78" 78" 96"	16 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs.	1 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 675 \$ 625 \$ 695 \$ 785 \$ 645 \$ 740	NOTES:  *End panels do include any hardware.  *When ordering panels exact dimensions must be specified,
Single Face, 96" Height	10" 12" 14" 10" 12"	1 1/4" 1 1/4" 1 1/4" 1 1/4" 1 1/4"	78" 78" 78" 96" 96"	20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs.	2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 625 \$ 695 \$ 785 \$ 645 \$ 740	*End panels do include any hardware.  *When ordering panels exact dimensions must be specified,
Single Face, 96" Height	12" 14" 10" 12"	1 <sup>1</sup> /4" 1 <sup>1</sup> /4" 1 <sup>1</sup> /4"	78" 78" 96" 96"	20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs.	2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 695 \$ 785 \$ 645 \$ 740	*End panels do include any hardware.  *When ordering panels exact dimensions must be specified,
Single Face, 96" Height	12" 14" 10" 12"	1 <sup>1</sup> /4" 1 <sup>1</sup> /4" 1 <sup>1</sup> /4"	78" 78" 96" 96"	20 Lbs. 20 Lbs. 20 Lbs. 20 Lbs.	2 Cu.Ft 2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 695 \$ 785 \$ 645 \$ 740	*When ordering panels exact dimensions must be specified,
	14" 10" 12"	1 <sup>1</sup> /4" 1 <sup>1</sup> /4" 1 <sup>1</sup> /4"	78" 96" 96"	20 Lbs. 20 Lbs. 20 Lbs.	2 Cu.Ft 2 Cu.Ft 2 Cu.Ft	\$ 785 \$ 645 \$ 740	*When ordering panels exact dimensions must be specified,
	10" 12"	1 <sup>1</sup> /4" 1 <sup>1</sup> /4"	96" 96"	20 Lbs. 20 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 645 \$ 740	
	12"	11/4"	96"	20 Lbs.	2 Cu.Ft	\$ 740	
	12"	11/4"	96"	20 Lbs.	2 Cu.Ft	\$ 740	nominal differsions are madequate.
	14	1.74	70	ZU LDS.			
Double Face, 48" Height	20"	1 <sup>1</sup> /4"	48"	28 Lbs.	1 Cu.Ft	\$ 695	
Double Face, 46 Fleight	24"	1 / 4	48"	28 Lbs.	2 Cu.Ft	\$ 805	
	28"	1 1/4"	48"	28 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 915	
	20 30″	1 1/4 1 1/4"	48"			\$ 915 \$ 975	
	30	1 '74	48	28 Lbs.	2 Cu.Ft	\$ 975	
Double Face, 66" Height	20"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 760	
J	24"	11/4"	66"	32 Lbs.	2 Cu.Ft	\$ 885	
	28"	11/4"	66"	32 Lbs.	3 Cu.Ft	\$ 1,005	
	30"	11/4"	66"	32 Lbs.	3 Cu.Ft	\$ 1,070	
Double Face, 78″ Height	20"	1 <sup>1</sup> /4"	78"	40 Lbs.	3 Cu.Ft	\$ 890	
J	24"	11/4"	78″	40 Lbs.	3 Cu.Ft	\$ 1,035	
	28"	1 1/4"	78″	40 Lbs.			
	30′	1 1/4"	78″	40 Lbs.	4 Cu.Ft	\$ 1,255	
Double Face, 96" Height	20"	1 <sup>1</sup> /4"	96″	40 Lbs.	3 Cu.Ft	\$ 955	
J							
5							
		24" 28" 30' Double Face, 96" Height 20" 24" 28"	24" 11/4" 28" 11/4" 30' 11/4" Double Face, 96" Height 20" 11/4" 24" 11/4"	24" 11/4" 78" 28" 11/4" 78" 30' 11/4" 78" Double Face, 96" Height 20" 11/4" 96" 24" 11/4" 96" 28" 11/4" 96"	24" 11/4" 78" 40 Lbs. 28" 11/4" 78" 40 Lbs. 30' 11/4" 78" 40 Lbs.  Double Face, 96" Height 20" 11/4" 96" 40 Lbs. 24" 11/4" 96" 40 Lbs. 28" 11/4" 96" 40 Lbs.	24" 11/4" 78" 40 Lbs. 3 Cu.Ft 28" 11/4" 78" 40 Lbs. 4 Cu.Ft 30' 11/4" 78" 40 Lbs. 4 Cu.Ft  Double Face, 96" Height 20" 11/4" 96" 40 Lbs. 3 Cu.Ft 24" 11/4" 96" 40 Lbs. 3 Cu.Ft 28" 11/4" 96" 40 Lbs. 4 Cu.Ft	24" 11/4" 78" 40 Lbs. 3 Cu.Ft \$ 1,035 28" 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,185 30' 11/4" 78" 40 Lbs. 4 Cu.Ft \$ 1,255 Double Face, 96" Height 20" 11/4" 96" 40 Lbs. 3 Cu.Ft \$ 955 24" 11/4" 96" 40 Lbs. 3 Cu.Ft \$ 1,115 28" 11/4" 96" 40 Lbs. 4 Cu.Ft \$ 1,275





	MODEL NUMBER	PRODUCT	WIDTH	DEPTI	H HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Aspen II, Simple Shaker End Panel:							PANEL CONSTRUCTION:
									End panels constructed from 1" thick high density
	EP-AP2-4810	Single Face, 48" Height	10"	1"	48"	14 Lbs.	1 Cu.Ft	\$ 540	particleboard core, with grade "A" veneer faces. All edges
	EP-AP2-4812	3	12"	1"	48"	14 Lbs.	1 Cu.Ft	\$ 615	banded with 2-1/2" wide x 1-1/4" thick solid hardwood. All
	EP-AP2-4814		14"	1″	48"	14 Lbs.	1 Cu.Ft	\$ 680	panel edges and corners will be eased.
	EP-AP2-6610	Single Face, 66" Height	10"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 605	NOTES:
	EP-AP2-6612	-	12"	1"	66"	16 Lbs.	1 Cu.Ft	\$ 680	
Andrew Street	EP-AP2-6614		14"	1"	66"	16 Lbs.	1 Cu.Ft	\$ 760	*End panels do include any hardware.
	EP-AP2-7810	Single Face, 78" Height	10"	1"	78″	20 Lbs.	2 Cu.Ft	\$ 725	*When ordering panels exact dimensions must be specified,
	EP-AP2-7812	-	12"	1"	78"	20 Lbs.	2 Cu.Ft	\$ 820	nominal dimensions are inadequate.
	EP-AP2-7814		14"	1"	78"	20 Lbs.	2 Cu.Ft	\$ 910	
	EP-AP2-9610	Single Face, 96" Height	10"	1″	96″	20 Lbs.	2 Cu.Ft	\$ 780	
	EP-AP2-9612	<i>y</i> , <i>y</i>	12"	1"	96"	20 Lbs.	2 Cu.Ft	\$ 885	
	EP-AP2-9614		14	1″	96″	20 Lbs.	2 Cu.Ft	\$ 990	
	EP-AP2-4820	Double Face, 48" Height	20"	1"	48"	28 Lbs.	1 Cu.Ft	\$ 795	
	EP-AP2-4824		24"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 915	
	EP-AP2-4828		28"	1"	48"	28 Lbs.	2 Cu.Ft	\$ 1,025	
	EP-AP2-4830		30"	1"	48"	28 Lbs.	2 Cu.Ft	\$ 1,080	
	EP-AP2-6620	Double Face, 66" Height	20"	1"	66"	32 Lbs.	2 Cu.Ft	\$ 895	
	EP-AP2-6624	3	24"	1"	66"	32 Lbs.	2 Cu.Ft	\$ 1,020	
	EP-AP2-6628		28"	1"	66"	32 Lbs.	3 Cu.Ft	\$ 1,150	
	EP-AP2-6630		30"	1 "	66"	32 Lbs.	3 Cu.Ft	\$ 1,215	
	EP-AP2-7820	Double Face, 78″ Height	20"	1"	78″	40 Lbs.	3 Cu.Ft	\$ 1,085	
	EP-AP2-7824	· •	24"	1 "	78"	40 Lbs.	3 Cu.Ft	\$ 1,240	
	EP-AP2-7828		28"	1 "	78"	40 Lbs.	4 Cu.Ft	\$ 1,400	
	EP-AP2-7830		30′	1"	78″	40 Lbs.	4 Cu.Ft	\$ 1,480	
	EP-AP2-9620	Double Face, 96" Height	20"	1"	96″	40 Lbs.	3 Cu.Ft	\$ 1,185	
	EP-AP2-9624	, 5	24"	1"	96"	40 Lbs.	3 Cu.Ft	\$ 1,405	
	EP-AP2-9628		28"	1"	96"	40 Lbs.	4 Cu.Ft	\$ 1,525	
	EP-AP2-9630		30″	1 "	96"	40 Lbs.	4 Cu.Ft	\$ 1,610	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Bannister - End Panel:							PANEL CONSTRUCTION:
	EP-BA-4810	Single Face, 48" Height	10"	1 <sup>1</sup> /4"	48"	14 Lbs.	1 Cu.Ft	\$ 995	Panels constructed from 3/4" thick 3 ply particleboard core
	EP-BA-4812	3	12"	11/4"	48"	14 Lbs.	1 Cu.Ft	\$ 1,080	with grade "A" select veneers both faces. Panels are framed on
Mary San S	EP-BA-4814		14"	11/4"	48"	14 Lbs.	1 Cu.Ft	\$ 1,065	two vertical sides with 1-1/4" thick x 2" wide solid hardwood.
Total Control								. ,	Top arched member is 1-1/4" thick x 2" wide solid hardwood.
	EP-BA-6610	Single Face, 66" Height	10"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 1,245	Bottom member is 1-1/4" thick x 4" wide. The panel will then
100	EP-BA-6612	5 , 5	12"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 1,350	be fitted with a horizontal 1/2" thick x 2" wide stile member.
B 12 B 12	EP-BA-6614		14"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 1,475	All spaces are then miter framed with 7/16" thick x 3/4" wide
	2. 2,					. 6 2.55.		Ų .,	angled solid hardwood trim creating a raised frame effect. All
	EP-BA-7810	Single Face, 78" Height	10"	11/4"	78"	20 Lbs.	2 Cu.Ft	\$ 1,310	edges of panel frame and trim will be eased.
	EP-BA-7812	single race, 70 meight	12"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 1,450	eages of parter frame and anii wiii be easea.
	EP-BA-7814		14"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 1,585	NOTES:
	LI B/(/OTI			1 / 1	7 0	20 203.	2 Cd.1 t	Ų 1,505	TVOTES.
	EP-BA-9610	Single Face, 96" Height	10"	1 <sup>1</sup> /4"	96"	20 Lbs.	2 Cu.Ft	\$ 1,680	*End Panels do not include any hardware.
	EP-BA-9612	single race, 70 meight	12"	1 <sup>1</sup> /4"	96"	20 Lbs.	2 Cu.Ft	\$ 1,830	End I difeis do not include diffy flandware.
	EP-BA-9614		14	1 1/4"	96"	20 Lbs.	2 Cu.Ft	\$ 1,975	*When ordering panels exact dimensions must be specified,
	E1 -D/ (-701 1		1 1	1 / 4	70	20 E03.	2 Cu.i t	\$ 1,775	nominal dimensions are inadequate.
E MARCHAN	EP-BA-4820	Double Face, 48" Height	20"	11/4"	48"	28 Lbs.	1 Cu.Ft	\$ 1,795	
	EP-BA-4824		24"	11/4"	48"	28 Lbs.	2 Cu.Ft	\$ 1,855	
	EP-BA-4828		28"	1 <sup>1</sup> /4"	48"	28 Lbs.	2 Cu.Ft	\$ 1,925	
	EP-BA-4830		30"	11/4"	48"	28 Lbs.	2 Cu.Ft	\$ 2,005	
	EP-BA-6620	Double Face, 66" Height	20"	1 <sup>1</sup> /4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,895	
	EP-BA-6624		24"	11/4"	66"	32 Lbs.	2 Cu.Ft	\$ 1,990	
	EP-BA-6628		28"	11/4"	66"	32 Lbs.	3 Cu.Ft	\$ 2,080	
	EP-BA-6630		30"	11/4"	66"	32 Lbs.	3 Cu.Ft	\$ 2,270	
	EP-BA-7820	Double Face, 78" Height	20"	11/4"	78"	40 Lbs.	3 Cu.Ft	\$ 1,610	
	EP-BA-7824	, ,	24"	11/4"	78"	40 Lbs.	3 Cu.Ft	\$ 1,850	
	EP-BA-7828		28"	11/4"	78"	40 Lbs.	4 Cu.Ft	\$ 2,100	
	EP-BA-7830		30′	11/4"	78"	40 Lbs.	4 Cu.Ft	\$ 2,385	
	, , , , , , , , , , , , , , , , ,		_ ~		. <del>-</del>	. 5 2.55.		, _,555	
	EP-BA-9620	Double Face, 96" Height	20"	11/4"	96"	40 Lbs.	3 Cu.Ft	\$ 1,935	
	EP-BA-9624	2 3 3 2 . 2 . 2 . 7 . 7 . 1 . 1 . 1 . 1 . 1 . 1 . 1	24"	1 1/4"	96"	40 Lbs.	3 Cu.Ft	\$ 2,265	
	EP-BA-9628		28"	1 1/4"	96"	40 Lbs.	4 Cu.Ft	\$ 2,590	
	EP-BA-9630		30"	1 1/4"	96"	40 Lbs.	4 Cu.Ft	\$ 2,910	
	LI D/( 7050		30	1 / T	, 0	10 603.	1 CG.1 t	7 2,710	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Beta - End Panel:							PANEL CONSTRUCTION:
EP-BT-4810	Single Face, 48" Height	10"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 155	Panels constructed from 3/4" thick 3 ply particleboard core
EP-BT-4812		12"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 175	with grade "A" select veneers both faces. All edges banded
EP-BT-4814		14"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 195	with 1/4" thick solid external banding.
EP-BT-6610	Single Face, 66" Height	10"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 180	NOTES:
EP-BT-6612		12"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 210	
EP-BT-6614		14"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 235	*End Panels do not include any hardware.
EP-BT-7810	Single Face, 78″ Height	10"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 220	*When ordering panels exact dimensions must be specified,
EP-BT-7812		12"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 255	nominal dimensions are inadequate.
EP-BT-7814		14"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 295	
								OPTION: High pressure plastic laminate both faces and
EP-BT-9610	Single Face, 96" Height	10"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 245	laminate self edged.
EP-BT-9612		12"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 285	
EP-BT-9614		14	<sup>3</sup> /4"	96″	20 Lbs.	1 Cu.Ft	\$ 325	
EP-BT-4810P	Single Face, 48" Height	10"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 165	
EP-BT-4812P	Laminate, Self Edge	12"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 185	
EP-BT-4814P	, ,	14"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 205	
EP-BT-6610P	Single Face, 66" Height	10"	<sup>3</sup> /4"	66"	16 Lbs.	1 Cu.Ft	\$ 190	
EP-BT-6612P	Laminate, Self Edge	12"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 220	
EP-BT-6614P	, ,	14"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 250	
EP-BT-7810P	Single Face, 78" Height	10"	<sup>3</sup> /4"	78"	20 Lbs.	1 Cu.Ft	\$ 230	
EP-BT-7812P	Laminate, Self Edge	12"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 270	
EP-BT-7814P	, 5-	14"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 310	
EP-BT-9610P	Single Face, 96" Height	10"	3/4"	96″	20 Lbs.	1 Cu.Ft	\$ 260	
EP-BT-9612P	Laminate, Self Edge	12"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 300	
EP-BT-9614P	, J	14	3/4"	96″	20 Lbs.	1 Cu.Ft	\$ 345	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	I HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Beta - End Panel:							PANEL CONSTRUCTION:
EP-BT-4820	Double Face, 48" Height	20″	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 270	Panels constructed from 3/4" thick 3 ply particleboard core
EP-BT-4824	Bodbie Face, To Trengthe	24"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 315	with grade "A" select veneers both faces. All edges banded
EP-BT-4828		28"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 360	with 1/4" thick solid external banding.
EP-BT-4830		30"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 385	with 177 thek solid externed behaving.
E1 B1 1030		30	, ,	10	20 253.	r ca.re	<b>\$ 303</b>	NOTES:
EP-BT-6620	Double Face, 66" Height	20"	3/4"	66"	32 Lbs.	1 Cu.Ft	\$ 320	1.0 . 20.
EP-BT-6624	2 daste i dee, de Treigne	24"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 370	*End Panels do not include any hardware.
EP-BT-6628		28"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 425	2.1d rentels do 110t intelade en ly transaviere
EP-BT-6630		30"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 450	*When ordering panels exact dimensions must be specified,
21 21 333		30	, ,		32 283.	2 Cd.1 C	Ų 130	nominal dimensions are inadequate.
EP-BT-7820	Double Face, 78" Height	20"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 410	annensions are madequate.
EP-BT-7824	, g	24"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 485	OPTION: High pressure plastic laminate both faces and
EP-BT-7828		28"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 550	laminate self edged.
EP-BT-7830		30′	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 590	tanning sen eagea.
2. 2. 7000			, ,	. •	. 5 2.55.	2 00	<b>4</b> 3 7 3	
EP-BT-9620	Double Face, 96" Height	20"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 460	
EP-BT-9624	, g	24"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 535	
EP-BT-9628		28"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 615	
EP-BT-9630		30"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 655	
							,	
EP-BT-4820P	Double Face, 48" Height	20"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 285	
EP-BT-4824P	Laminate, Self Edge	24"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 330	
EP-BT-4828P		28"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 380	
EP-BT-4830P		30"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 405	
EP-BT-6620P	Double Face, 66" Height	20"	3/4"	66"	32 Lbs.	1 Cu.Ft	\$ 340	
EP-BT-6624P	Laminate, Self Edge	24"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 390	
EP-BT-6628P		28"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 450	
EP-BT-6630P		30"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 475	
EP-BT-7820P	Double Face, 78" Height	20"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 435	
EP-BT-7824P	Laminate, Self Edge	24"	3/4"	78″	40 Lbs.	2 Cu.Ft	\$ 510	
EP-BT-7828P		28"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 580	
EP-BT-7830P		30′	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 620	
EP-BT-9620P	Double Face, 96" Height	20"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 485	
EP-BT-9624P	Laminate, Self Edge	24"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 565	
EP-BT-9628P		28"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 645	
EP-BT-9630P		30"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 690	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	PRICE	DESCRIPTION
		Delicato - End Panel:				_				PANEL CONSTRUCTION:
	EP-DL-4810	Single Face, 48" Height	10"	1"	48"		14 Lbs.	1 Cu.Ft	\$ 225	Panels constructed from 1" thick 3 ply particleboard core with
	EP-DL-4812		12"	1 "	48"		14 Lbs.	1 Cu.Ft	\$ 260	grade "A" select veneers both faces. All edges banded with
	EP-DL-4814		14"	1 "	48"		14 Lbs.	1 Cu.Ft	\$ 290	1/4" thick solid external banding. All edges will be eased.
	EP-DL-6610	Single Face, 66" Height	10"	1 "	66"		16 Lbs.	1 Cu.Ft	\$ 265	NOTES:
	EP-DL-6612		12"	1 "	66"		16 Lbs.	1 Cu.Ft	\$ 300	
	EP-DL-6614		14"	1"	66"		16 Lbs.	1 Cu.Ft	\$ 340	*End Panels do not include any hardware.
	EP-DL-7810	Single Face, 78" Height	10"	1″	78″		20 Lbs.	1 Cu.Ft	\$ 330	*When ordering panels exact dimensions must be specified,
	EP-DL-7812	3	12"	1 "	78"		20 Lbs.	1 Cu.Ft	\$ 380	nominal dimensions are inadequate.
	EP-DL-7814		14"	1"	78"		20 Lbs.	1 Cu.Ft	\$ 435	·
										OPTION: High pressure plastic laminate both faces with 1/4"
	EP-DL-9610	Single Face, 96" Height	10"	1″	96"		20 Lbs.	1 Cu.Ft	\$ 360	thick external solid band edges.
	EP-DL-9612	J , J	12"	1″	96"		20 Lbs.	1 Cu.Ft	\$ 425	3
1,03531675,175311.4761.3853	EP-DL-9614		14	1"	96"		20 Lbs.	1 Cu.Ft	\$ 485	
1 CO 1 C C C C C C C C C C C C C C C C C	EP-DL-4810PX	Single Face, 48" Height	10"	1"	48"		14 Lbs.	1 Cu.Ft	\$ 245	
	EP-DL-4812PX	Laminate, Wood Edge	12"	1"	48"		14 Lbs.	1 Cu.Ft	\$ 285	
	EP-DL-4814PX		14"	1″	48"		14 Lbs.	1 Cu.Ft	\$ 315	
	EP-DL-6610PX	Single Face, 66" Height	10"	1"	66"		16 Lbs.	1 Cu.Ft	\$ 290	
	EP-DL-6612PX	Laminate, Wood Edge	12"	1 "	66"		16 Lbs.	1 Cu.Ft	\$ 325	
	EP-DL-6614PX		14"	1 "	66"		16 Lbs.	1 Cu.Ft	\$ 370	
	EP-DL-7810PX	Single Face, 78" Height	10"	1″	78″		20 Lbs.	1 Cu.Ft	\$ 360	
	EP-DL-7812PX	Laminate, Wood Edge	12"	1 "	78"		20 Lbs.	1 Cu.Ft	\$ 410	
	EP-DL-7814PX	,	14"	1 "	78″		20 Lbs.	1 Cu.Ft	\$ 470	
		<u> </u>								
	EP-DL-9610PX	Single Face, 96" Height	10"	1"	96"		20 Lbs.	1 Cu.Ft	\$ 390	
	EP-DL-9612PX	Laminate, Wood Edge	12"	1"	96"		20 Lbs.	1 Cu.Ft	\$ 460	
	EP-DL-9614PX		14	1″	96"		20 Lbs.	1 Cu.Ft	\$ 525	





	MODEL NUMBER	PRODUCT	WIDTH	DEPT	H HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	TAGIVIDEIX	TRODUCT	WIDIII	DEITI	TILIGITI	W LIGITI	VOLOIVIE	TRICE	DESCRIPTION
		Delicato - End Panel:							PANEL CONSTRUCTION:
	EP-DL-4820	Double Face, 48" Height	20"	1″	48"	28 Lbs.	1 Cu.Ft	\$ 380	Panels constructed from 1" thick 3 ply particleboard core with
	EP-DL-4824	, , , , , , , , , , , , , , , , , , , ,	24"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 445	grade "A" select veneers both faces. All edges banded with
	EP-DL-4828		28"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 510	1/4" thick solid external banding. All edges will be eased.
	EP-DL-4830		30"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 545	3 3
									NOTES:
	EP-DL-6620	Double Face, 66" Height	20"	1 "	66"	32 Lbs.	1 Cu.Ft	\$ 450	
	EP-DL-6624		24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 530	*End Panels do not include any hardware.
	EP-DL-6628		28"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 600	
	EP-DL-6630		30″	1″	66"	32 Lbs.	2 Cu.Ft	\$ 640	*When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
	EP-DL-7820	Double Face, 78" Height	20"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 510	·
	EP-DL-7824	3	24"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 600	OPTION: High pressure plastic laminate both faces with 1/4"
	EP-DL-7828		28"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 685	thick external solid band edges.
	EP-DL-7830		30′	1″	78″	40 Lbs.	2 Cu.Ft	\$ 730	
	EP-DL-9620	Double Face, 96" Height	20"	1″	96″	40 Lbs.	2 Cu.Ft	\$ 570	
5 TO 1 SECURITY OF THE SECOND	EP-DL-9624		24"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 665	
1. (2. (j. 13) 13 (Mr. 12.4) 11 (13.1) 18 (M.	EP-DL-9628		28"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 765	
	EP-DL-9630		30″	1″	96″	40 Lbs.	2 Cu.Ft	\$ 815	
	EP-DL-4820PX	Double Face, 48" Height	20"	1″	48"	28 Lbs.	1 Cu.Ft	\$ 415	
	EP-DL-4824PX	Laminate, Wood Edge	24"	1"	48"	28 Lbs.	1 Cu.Ft	\$ 485	
	EP-DL-4828PX		28"	1"	48"	28 Lbs.	1 Cu.Ft	\$ 555	
	EP-DL-4830PX		30"	1"	48"	28 Lbs.	1 Cu.Ft	\$ 590	
	EP-DL-6620PX	Double Face, 66" Height	20"	1″	66"	32 Lbs.	1 Cu.Ft	\$ 490	
	EP-DL-6624PX	Laminate, Wood Edge	24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 575	
	EP-DL-6628PX		28"	1"	66"	32 Lbs.	2 Cu.Ft	\$ 650	
	EP-DL-6630PX		30"	1″	66"	32 Lbs.	2 Cu.Ft	\$ 695	
	EP-DL-7820PX	Double Face, 78" Height	20"	1"	78"	40 Lbs.	2 Cu.Ft	\$ 555	
	EP-DL-7824PX	Laminate, Wood Edge	24"	1"	78"	40 Lbs.	2 Cu.Ft	\$ 650	
	EP-DL-7828PX		28"	1"	78"	40 Lbs.	2 Cu.Ft	\$ 745	
	EP-DL-7830PX		30′	1″	78″	40 Lbs.	2 Cu.Ft	\$ 795	
	EP-DL-9620PX	Double Face, 96" Height	20"	1″	96"	40 Lbs.	2 Cu.Ft	\$ 625	
	EP-DL-9624PX	Laminate, Wood Edge	24"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 725	
	EP-DL-9628PX		28"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 835	
	EP-DL-9630PX		30"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 890	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Element - End Panel:							PANEL CONSTRUCTION:
	EP-EL-4810	Single Face, 48" Height	10"	1 <sup>1</sup> /4"	48"	14 Lbs.	1 Cu.Ft	\$ 250	Panels constructed from 1-1/4" thick 3 ply particleboard core
1910	EP-EL-4812		12"	11/4"	48"	14 Lbs.	1 Cu.Ft	\$ 285	with grade "A" select veneers both faces. All edges banded
14.48	EP-EL-4814		14"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 320	with 1/4" thick solid external banding. All edges will be eased. Two horizontal embedded 1/2" wide steel bars will be applied
100	EP-EL-6610	Single Face, 66" Height	10"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 295	5" evenly spaced at upper end panel portion.
	EP-EL-6612	<i>y</i> , <i>y</i>	12"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 335	
	EP-EL-6614		14"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 375	NOTES:
	EP-EL-7810	Single Face, 78" Height	10"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 365	*End panels do not include any mounting hardware.
	EP-EL-7812		12"	11/4"	78"	20 Lbs.	2 Cu.Ft	\$ 425	
	EP-EL-7814		14"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 485	*When ordering panels exact dimensions are required, nominal dimensions are inadequate.
A THE STREET STREET	EP-EL-9610	Single Face, 96" Height	10"	11/4"	96"	20 Lbs.	2 Cu.Ft	\$ 400	'
Charles Street Blocks and I	EP-EL-9612	<i>y</i> , <i>y</i>	12"	11/4"	96"	20 Lbs.	2 Cu.Ft	\$ 470	
	EP-EL-9614		14	1 1/4"	96"	20 Lbs.	2 Cu.Ft	\$ 540	
	EP-EL-4820	Double Face, 48" Height	20"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 425	
	EP-EL-4824		24"	11/4"	48"	28 Lbs.	2 Cu.Ft	\$ 500	
	EP-EL-4828		28"	11/4"	48"	28 Lbs.	2 Cu.Ft	\$ 575	
	EP-EL-4830		30"	1 1/4"	48"	28 Lbs.	2 Cu.Ft	\$ 610	
	EP-EL-6620	Double Face, 66" Height	20"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 505	
	EP-EL-6624		24"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 595	
	EP-EL-6628		28"	11/4"	66"	32 Lbs.	3 Cu.Ft	\$ 675	
	EP-EL-6630		30"	1 1/4"	66"	32 Lbs.	3 Cu.Ft	\$ 720	
	EP-EL-7820	Double Face, 78" Height	20"	1 <sup>1</sup> /4"	78"	40 Lbs.	3 Cu.Ft	\$ 605	
	EP-EL-7824	2 3 d.2. c 1 d.2.c, 7 3 1 1 e.g. 1.	24"	1 1/4"	78"	40 Lbs.	3 Cu.Ft	\$ 705	
	EP-EL-7828		28"	1 <sup>1</sup> /4"	78"	40 Lbs.	4 Cu.Ft	\$ 805	
	EP-EL-7830		30′	1 <sup>1</sup> /4"	78"	40 Lbs.	4 Cu.Ft	\$ 855	
	EP-EL-9620	Double Face, 96" Height	20"	1 <sup>1</sup> /4"	96"	40 Lbs.	3 Cu.Ft	\$ 660	
	EP-EL-9624	Č	24"	11/4"	96"	40 Lbs.	3 Cu.Ft	\$ 790	
	EP-EL-9628		28"	11/4"	96"	40 Lbs.	4 Cu.Ft	\$ 885	
	EP-EL-9630		30"	1 1/4"	96"	40 Lbs.	4 Cu.Ft	\$ 945	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Fusion - End Panel:							PANEL CONSTRUCTION:
EP-FS-4810	Single Face, 48" Height	10"	1 <sup>1</sup> /2"	48"	14 Lbs.	1 Cu.Ft	\$ 470	Panels constructed from 1-1/2" thick 3 ply particleboard core
EP-FS-4812	3	12"	1 <sup>1</sup> /2"	48"	14 Lbs.	1 Cu.Ft	\$ 505	with grade "A" select veneers both faces. All edges banded
EP-FS-4814		14"	1 <sup>1</sup> /2"	48"	14 Lbs.	1 Cu.Ft	\$ 540	with 1/4" thick solid external banding. Vertical sides will be
								machined and fitted with key-hole lock fastners in order to
EP-FS-6610	Single Face, 66" Height	10"	1 <sup>1</sup> /2"	66"	16 Lbs.	1 Cu.Ft	\$ 520	receive 1-1/2" x 1-1/2" square tubular steel posts. Single faced
EP-FS-6612		12"	1 <sup>1</sup> /2"	66"	16 Lbs.	1 Cu.Ft	\$ 565	panel receives one post, double faced panel receives two.
EP-FS-6614		14"	11/2"	66"	16 Lbs.	1 Cu.Ft	\$ 600	
							·	NOTES:
EP-FS-7810	Single Face, 78" Height	10"	11/2"	78"	20 Lbs.	2 Cu.Ft	\$ 625	
EP-FS-7812	5 , ,	12"	11/2"	78"	20 Lbs.	2 Cu.Ft	\$ 680	*End panels do not include any mounting hardware.
EP-FS-7814		14"	1 1/2"	78"	20 Lbs.	2 Cu.Ft	\$ 735	p
_, , _ , , , , ,							*	*When ordering panels exact dimensions are required,
EP-FS-9610	Single Face, 96" Height	10"	1 <sup>1</sup> /2"	96"	20 Lbs.	2 Cu.Ft	\$ 675	nominal dimensions are inadequate.
EP-FS-9612	Jingle Face, 70 Theight	12"	1 <sup>1</sup> /2"	96"	20 Lbs.	2 Cu.Ft	\$ 735	Trommer annensions are madequate.
EP-FS-9614		14	1 <sup>1</sup> /2"	96"	20 Lbs.	2 Cu.Ft	\$ 795	
EP-FS-4820	Double Face, 48″ Height		1 <sup>1</sup> /2"	48"	28 Lbs.	1 Cu.Ft	° \$ 745	
	Double Face, 46 Height	20" 24"	1 1 / 2"	48"		2 Cu.Ft		
EP-FS-4824					28 Lbs.		\$ 815	
EP-FS-4828		28"	1 <sup>1</sup> /2"	48"	28 Lbs.	2 Cu.Ft	\$ 885	
EP-FS-4830		30″	1 <sup>1</sup> /2"	48"	28 Lbs.	2 Cu.Ft	\$ 920	
EP-FS-6620	Double Face, 66" Height	20"	1 <sup>1</sup> /2"	66"	32 Lbs.	2 Cu.Ft	\$ 845	
EP-FS-6624	3	24"	1 <sup>1</sup> /2"	66"	32 Lbs.	2 Cu.Ft	\$ 930	
EP-FS-6628		28"	1 <sup>1</sup> /2"	66"	32 Lbs.	3 Cu.Ft	\$ 1,010	
EP-FS-6630		30"	1 <sup>1</sup> /2"	66"	32 Lbs.	3 Cu.Ft	\$ 1,055	
EP-FS-7820	Double Face, 78" Height	20"	1 <sup>1</sup> /2"	78"	40 Lbs.	3 Cu.Ft	\$ 1,045	
EP-FS-7824		24"	11/2"	78"	40 Lbs.	3 Cu.Ft	\$ 1,155	
EP-FS-7828		28"	1 1/2"	78"	40 Lbs.	4 Cu.Ft	\$ 1,260	
EP-FS-7830		30'	1 <sup>1</sup> /2"	78"	40 Lbs.	4 Cu.Ft	\$ 1,315	
EP-FS-9620	Double Face, 96" Height	20"	1 <sup>1</sup> /2"	96″	40 Lbs.	3 Cu.Ft	\$ 1,140	
EP-FS-9624	3	24"	11/2"	96"	40 Lbs.	3 Cu.Ft	\$ 1,265	
EP-FS-9628		28"	11/2"	96"	40 Lbs.	4 Cu.Ft	\$ 1,385	
EP-FS-9630		30"	1 <sup>1</sup> /2"	96"	40 Lbs.	4 Cu.Ft	\$ 1,445	
							•	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
1 100		Princeton - End Panel:							PANEL CONSTRUCTION:
100 1000	EP-PT-4810	Single Face, 48" Height	10"	11/4"	48"	14 Lbs.	1 Cu.Ft	\$ 510	End panels shall be constructed 1-1/4" thick high density
	EP-PT-4812	<u> </u>	12"	11/4"	48"	14 Lbs.	1 Cu.Ft	\$ 565	particle core, with premium grade "A" face veneers. The front
1000	EP-PT-4814		14"	11/4"	48"	14 Lbs.	1 Cu.Ft	\$ 625	panel face shall be designed using rift-cut veneers 2" wide
									running horizontally and vertically around the perimeter of the
12 To	EP-PT-6610	Single Face, 66" Height	10"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 570	panel meeting at mitered corners, thus giving a framed panel
	EP-PT-6612	5 , 5	12"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 635	effect. Panels are framed on top and two vertical sides with
THE R. P. LEWIS CO., LANSING	EP-PT-6614		14"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 705	1/8" thick x 1-1/4" wide solid hardwood, having the top edge
	2					. 6 2.85.		Ų . US	overlapping the vertical edges. The center of the double face
	EP-PT-7810	Single Face, 78" Height	10"	11/4"	78"	20 Lbs.	2 Cu.Ft	\$ 695	panel is routed to insert a 3/16" wide x 1/8" deep solid black
	EP-PT-7812	single race, 70 meight	12"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 775	inlay. The inlay will end 2" from the top and bottom of the
	EP-PT-7814		14"	1 1/4"	78"	20 Lbs.	2 Cu.Ft	\$ 860	panel. Single face end panel shall not receive black inlay. The
	LI-1 1-701+		17	1 /4	70	20 Lb3.	Z Cu.it	\$ 000	base shall consist of a 1-3/8" thick x 4" high solid hardwood
	EP-PT-9610	Single Face, 96" Height	10"	1 <sup>1</sup> /4"	96"	20 Lbs.	2 Cu.Ft	\$ 750	with 1/4" ins-step front and two sides, flush at back.
	EP-PT-9610 EP-PT-9612	single race, 96 Height	12"	1 1/4"	96"	20 Lbs. 20 Lbs.	2 Cu.Ft 2 Cu.Ft	\$ 750 \$ 845	with 174 lins-step from and two sides, hush at back.
				1 1/4 1 1/4"					NOTEC.
	EP-PT-9614		14	1'/4	96"	20 Lbs.	2 Cu.Ft	\$ 930	NOTES:
									*Ford Donale de continuida con la continuida
	ED DT 4030	D 11 5 40"11 11	20"	. 1 . "	4.0"	2011	1.6.5.	ć 745	*End Panels do not include any hardware.
	EP-PT-4820	Double Face, 48" Height	20"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 745	
	EP-PT-4824		24"	1 1/4"	48"	28 Lbs.	2 Cu.Ft	\$ 845	*When ordering panels exact dimensions must be specified,
	EP-PT-4828		28"	11/4"	48"	28 Lbs.	2 Cu.Ft	\$ 945	nominal dimensions are inadequate.
	EP-PT-4830		30"	1 1/4"	48"	28 Lbs.	2 Cu.Ft	\$ 995	
	EP-PT-6620	Double Face, 66" Height	20"	11/4"	66"	32 Lbs.	2 Cu.Ft	\$ 850	
	EP-PT-6624	-	24"	1 <sup>1</sup> /4"	66"	32 Lbs.	2 Cu.Ft	\$ 955	
	EP-PT-6628		28"	11/4"	66"	32 Lbs.	3 Cu.Ft	\$ 1,075	
	EP-PT-6630		30"	11/4"	66"	32 Lbs.	3 Cu.Ft	\$ 1,125	
	EP-PT-7820	Double Face, 78" Height	20"	1 <sup>1</sup> /4"	78"	40 Lbs.	3 Cu.Ft	\$ 1,045	
	EP-PT-7824	J	24"	11/4"	78"	40 Lbs.	3 Cu.Ft	\$ 1,190	
	EP-PT-7828		28"	11/4"	78"	40 Lbs.	4 Cu.Ft	\$ 1,335	
	EP-PT-7830		30′	11/4"	78"	40 Lbs.	4 Cu.Ft	\$ 1,405	
								4 .,	
	EP-PT-9620	Double Face, 96" Height	20"	11/4"	96"	40 Lbs.	3 Cu.Ft	\$ 1,145	
	EP-PT-9624		24"	11/4"	96"	40 Lbs.	3 Cu.Ft	\$ 1,305	
	EP-PT-9628		28"	1 <sup>1</sup> /4"	96"	40 Lbs.	4 Cu.Ft	\$ 1,460	
	EP-PT-9630		30"	1 1/4"	96"	40 Lbs.	4 Cu.Ft	\$ 1,545	
	LI -I I-7030		50	1 / 4	, ,	TO LD3.	ı Cu.i t	, I,JTJ	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Ronda - End Panel:							PANEL CONSTRUCTION:
	EP-RD-4810	Single Face, 48" Height	10"	1 <sup>1</sup> /4"	48"	14 Lbs.	1 Cu.Ft	\$ 235	Panels constructed from 1-1/4" thick 3 ply particleboard core
	EP-RD-4812		12"	11/4"	48"	14 Lbs.	1 Cu.Ft	\$ 270	with grade "A" select veneers both faces. All edges banded
	EP-RD-4814		14"	1 <sup>1</sup> /4"	48"	14 Lbs.	1 Cu.Ft	\$ 305	with 3/4" thick x 1-1/4" solid external banding. All edges will be radiused to a full bullnose detail and all four corners
	EP-RD-6610	Single Face, 66" Height	10"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 275	radiused 1/2". Edges shall be butt joined together
	EP-RD-6612	<i>y</i> , <i>y</i>	12"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 315	3 3
	EP-RD-6614		14"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 355	NOTES:
	EP-RD-7810	Single Face, 78" Height	10"	1 1/4"	78"	20 Lbs.	1 Cu.Ft	\$ 350	*End Panels do not include any hardware.
	EP-RD-7812		12"	11/4"	78"	20 Lbs.	1 Cu.Ft	\$ 405	
	EP-RD-7814		14"	1 <sup>1</sup> /4"	78″	20 Lbs.	1 Cu.Ft	\$ 455	*When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
-	EP-RD-9610	Single Face, 96" Height	10"	11/4"	96"	20 Lbs.	1 Cu.Ft	\$ 385	·
BURNESS OF THE PERSON NAMED IN	EP-RD-9612		12"	11/4"	96"	20 Lbs.	1 Cu.Ft	\$ 445	OPTIONS: High pressure plastic laminate both faces with 3/4"
	EP-RD-9614		14	1 1/4"	96"	20 Lbs.	1 Cu.Ft	\$ 505	external bullnose edges.
	EP-RD-4810P	Single Face, 48" Height	10"	1 <sup>1</sup> /4"	48"	14 Lbs.	1 Cu.Ft	\$ 260	
	EP-RD-4812P	Laminate, Bullnose Edge	12"	11/4"	48"	14 Lbs.	1 Cu.Ft	\$ 300	
	EP-RD-4814P		14"	1 1/4"	48"	14 Lbs.	1 Cu.Ft	\$ 340	
	EP-RD-6610P	Single Face, 66" Height	10"	1 <sup>1</sup> /4"	66"	16 Lbs.	1 Cu.Ft	\$ 305	
	EP-RD-6612P	Laminate, Bullnose Edge	12"	11/4"	66"	16 Lbs.	1 Cu.Ft	\$ 350	
	EP-RD-6614P		14"	1 1/4"	66"	16 Lbs.	1 Cu.Ft	\$ 395	
	EP-RD-7810P	Single Face, 78" Height	10"	1 <sup>1</sup> /4"	78"	20 Lbs.	1 Cu.Ft	\$ 385	
	EP-RD-7812P	Laminate, Bullnose Edge	12"	11/4"	78"	20 Lbs.	1 Cu.Ft	\$ 450	
	EP-RD-7814P	<u> </u>	14"	1 1/4"	78″	20 Lbs.	1 Cu.Ft	\$ 505	
	EP-RD-9610P	Single Face, 96" Height	10"	1 1/4"	96"	20 Lbs.	1 Cu.Ft	\$ 425	
	EP-RD-9612P	Laminate, Bullnose Edge	12"	11/4"	96"	20 Lbs.	1 Cu.Ft	\$ 490	
	EP-RD-9614P	<u> </u>	14	1 1/4"	96"	20 Lbs.	1 Cu.Ft	\$ 560	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Ronda - End Panel:							PANEL CONSTRUCTION:
	EP-RD-4820	Double Face, 48" Height	20"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 410	Panels constructed from 1-1/4" thick 3 ply particleboard core
	EP-RD-4824		24"	11/4"	48"	28 Lbs.	1 Cu.Ft	\$ 475	with grade "A" select veneers both faces. All edges banded
	EP-RD-4828		28"	11/4"	48"	28 Lbs.	1 Cu.Ft	\$ 540	with 3/4" thick x 1-1/4" solid external banding. All edges will
	EP-RD-4830		30"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 575	be radiused to a full bullnose detail and all four corners radiused 1/2". Edges shall be butt joined together.
	EP-RD-6620	Double Face, 66" Height	20"	1 1/4"	66"	32 Lbs.	1 Cu.Ft	\$ 480	3 3
	EP-RD-6624		24"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 555	NOTES:
	EP-RD-6628		28"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 635	
	EP-RD-6630		30"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 670	*End Panels do not include any hardware.
	EP-RD-7820	Double Face, 78" Height	20"	1 <sup>1</sup> /4"	78″	40 Lbs.	2 Cu.Ft	\$ 620	*When ordering panels exact dimensions must be specified,
	EP-RD-7824		24"	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 715	nominal dimensions are inadequate.
-	EP-RD-7828		28"	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 820	nonmar amrensions are malacquate.
	EP-RD-7830		30′	1 1/4"	78″	40 Lbs.	2 Cu.Ft	\$ 875	OPTIONS: High pressure plastic laminate both faces with 3/4" external bullnose edges.
	EP-RD-9620	Double Face, 96" Height	20"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 660	external ballitose eages.
	EP-RD-9624	Double Face, 70 Theight	24"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 765	
	EP-RD-9628		28"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 875	
	EP-RD-9630		30"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 930	
	EI -RD-7030		50	1 74	70	TO EBS.	Z Cu.i t	\$ 750	
	EP-RD-4820P	Double Face, 48″ Height	20"	1 <sup>1</sup> /4"	48"	28 Lbs.	1 Cu.Ft	\$ 455	
	EP-RD-4824P	Laminate, Bullnose Edge	24"	1 <sup>1</sup> /4"	48"	28 Lbs.	1 Cu.Ft	\$ 525	
	EP-RD-4828P		28"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 595	
	EP-RD-4830P		30"	1 1/4"	48"	28 Lbs.	1 Cu.Ft	\$ 635	
	EP-RD-6620P	Double Face, 66" Height	20"	1 <sup>1</sup> /4"	66"	32 Lbs.	1 Cu.Ft	\$ 530	
	EP-RD-6624P	Laminate, Bullnose Edge	24"	1 <sup>1</sup> /4"	66"	32 Lbs.	2 Cu.Ft	\$ 615	
	EP-RD-6628P		28"	1 <sup>1</sup> /4"	66"	32 Lbs.	2 Cu.Ft	\$ 700	
	EP-RD-6630P		30"	1 1/4"	66"	32 Lbs.	2 Cu.Ft	\$ 740	
	EP-RD-7820P	Double Face, 78″ Height	20"	1 <sup>1</sup> /4"	78"	40 Lbs.	2 Cu.Ft	\$ 685	
	EP-RD-7824P	Laminate, Bullnose Edge	24"	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 790	
	EP-RD-7828P		28"	11/4"	78"	40 Lbs.	2 Cu.Ft	\$ 905	
	EP-RD-7830P		30′	1 1/4"	78"	40 Lbs.	2 Cu.Ft	\$ 965	
	EP-RD-9620P	Double Face, 96" Height	20"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 730	
	EP-RD-9624P	Laminate, Bullnose Edge	24"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 845	
	EP-RD-9628P		28"	1 1/4"	96"	40 Lbs.	2 Cu.Ft	\$ 965	
	EP-RD-9630P		30"	1 <sup>1</sup> /4"	96"	40 Lbs.	2 Cu.Ft	\$ 1,025	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Vista - End Panel:							PANEL CONSTRUCTION:
	EP-VT-4810	Single Face, 48" Height	10"	1″	48"	14 Lbs.	1 Cu.Ft	\$ 660	Panels constructed from 3/4" thick 3 ply particleboard core
	EP-VT-4812		12"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 705	with grade "A" select veneers both faces. Panels are framed on
	EP-VT-4814		14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 750	two vertical sides with 1" thick x 2-1/2" wide solid
									hardwood. Top member is 1" thick x 2-1/2" wide and bottom
	EP-VT-6610	Single Face, 66" Height	10"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 720	member is 1" thick x 5" wide. The panel will then be fitted with
100000	EP-VT-6612		12"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 770	a horizontal 1/4" thick x 2-1/2" wide stile member.
	EP-VT-6614		14"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 820	Upper panel portion square frame with three 1/4" thick x 3/4"
									wide vertical slats. All edges of panel frame will be eased.
	EP-VT-7810	Single Face, 78" Height	10"	1 "	78"	20 Lbs.	2 Cu.Ft	\$ 825	
	EP-VT-7812		12"	1 "	78"	20 Lbs.	2 Cu.Ft	\$ 890	NOTES:
	EP-VT-7814		14"	1 "	78"	20 Lbs.	2 Cu.Ft	\$ 955	
									*End Panels do not include any hardware.
	EP-VT-9610	Single Face, 96" Height	10"	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 875	
Married Belleville	EP-VT-9612		12"	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 950	*When ordering panels exact dimensions must be specified,
	EP-VT-9614		14	1 "	96"	20 Lbs.	2 Cu.Ft	\$ 1,025	nominal dimensions are inadequate.
	EP-VT-4820	Double Face, 48" Height	20"	1″	48"	28 Lbs.	1 Cu.Ft	\$ 880	
	EP-VT-4824	J	24"	1"	48"	28 Lbs.	2 Cu.Ft	\$ 965	
	EP-VT-4828		28"	1 "	48"	28 Lbs.	2 Cu.Ft	\$ 1,050	
	EP-VT-4830		30"	1″	48"	28 Lbs.	2 Cu.Ft	\$ 1,095	
	EP-VT-6620	Double Face, 66" Height	20"	1″	66"	32 Lbs.	2 Cu.Ft	\$ 975	
	EP-VT-6624		24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 1,075	
	EP-VT-6628		28"	1 "	66"	32 Lbs.	3 Cu.Ft	\$ 1,175	
	EP-VT-6630		30"	1″	66"	32 Lbs.	3 Cu.Ft	\$ 1,230	
	EP-VT-7820	Double Face, 78" Height	20"	1″	78"	40 Lbs.	3 Cu.Ft	\$ 1,200	
	EP-VT-7824	J	24"	1"	78"	40 Lbs.	3 Cu.Ft	\$ 1,295	
	EP-VT-7828		28"	1 "	78"	40 Lbs.	4 Cu.Ft	\$ 1,425	
	EP-VT-7830		30'	1″	78"	40 Lbs.	4 Cu.Ft	\$ 1,495	
	EP-VT-9620	Double Face, 96" Height	20"	1″	96"	40 Lbs.	3 Cu.Ft	\$ 1,255	
	EP-VT-9624	5	24"	1"	96"	40 Lbs.	3 Cu.Ft	\$ 1,405	
	EP-VT-9628		28"	1 "	96"	40 Lbs.	4 Cu.Ft	\$ 1,550	
	EP-VT-9630		30"	1"	96"	40 Lbs.	4 Cu.Ft	\$ 1,630	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIG	HT	VOLUME	PRICE	DESCRIPTION
	Slatwall, Unfinished Insert - End Panel:								PANEL CONSTRUCTION:
									Panels constructed from 3/4" thick 3 ply medium density
EP-SWU-4810	Single Face, 48" Height	10"	3/4"	48"	14 Lb	S.	1 Cu.Ft	\$ 180	fiberboard with grade "A" select veneers both faces. All edges
EP-SWU-4812		12"	3/4"	48"	14 Lb	S.	1 Cu.Ft	\$ 205	banded with 1/4" thick solid external banding. All edges will
EP-SWU-4814		14"	3/4"	48"	14 Lb	S.	1 Cu.Ft	\$ 230	be eased. Grooved slots are unfinished.
EP-SWU-6610	Single Face, 66" Height	10"	3/4"	66"	16 Lb	S.	1 Cu.Ft	\$ 215	NOTES:
EP-SWU-6612	-	12"	3/4"	66"	16 Lb	S.	1 Cu.Ft	\$ 250	
EP-SWU-6614		14"	3/4"	66"	16 Lb	S.	1 Cu.Ft	\$ 285	*End Panels do not include any hardware.
EP-SWU-7810	Single Face, 78″ Height	10"	<sup>3</sup> / <sub>4</sub> "	78″	20 Lb	S.	1 Cu.Ft	\$ 260	*When ordering panels exact dimensions must be specified,
EP-SWU-7812	5 , 5	12"	3/4"	78"	20 Lb		1 Cu.Ft	\$ 305	nominal dimensions are inadequate.
EP-SWU-7814		14"	3/4"	78"	20 Lb		1 Cu.Ft	\$ 355	'
									*3/4" thick panels are for wall mount applications and 1" thick
EP-SWU-9610	Single Face, 96" Height	10"	3/4"	96"	20 Lb	S.	1 Cu.Ft	\$ 295	panels are for steel shelving mount applications.
EP-SWU-9612	3 ,	12"	3/4"	96"	20 Lb		1 Cu.Ft	\$ 345	J 11
EP-SWU-9614		14	3/4"	96″	20 Lb	S.	1 Cu.Ft	\$ 400	*High pressure plastic laminate both faces with 1/4" thick external solid band edge
EP-SWU-4810PX	Single Face, 48" Height	10"	<sup>3</sup> / <sub>4</sub> "	48"	14 Lb	S.	1 Cu.Ft	\$ 190	
EP-SWU-4812PX	Laminate, Wood Edge	12"	3/4"	48"	14 Lb		1 Cu.Ft	\$ 215	
EP-SWU-4814PX	·	14"	3/4"	48"	14 Lb		1 Cu.Ft	\$ 240	
EP-SWU-6610PX	Single Face, 66" Height	10"	<sup>3</sup> / <sub>4</sub> "	66"	16 Lb	S.	1 Cu.Ft	\$ 225	
EP-SWU-6612PX	Laminate, Wood Edge	12"	3/4"	66"	16 Lb		1 Cu.Ft	\$ 265	
EP-SWU-6614PX	·	14"	3/4"	66"	16 Lb		1 Cu.Ft	\$ 300	
EP-SWU-7810PX	Single Face, 78" Height	10"	<sup>3</sup> / <sub>4</sub> "	78″	20 Lb	S.	1 Cu.Ft	\$ 275	
EP-SWU-7812PX	Laminate, Wood Edge	12"	3/4"	78"	20 Lb		1 Cu.Ft	\$ 320	
EP-SWU-7814PX	,	14"	3/4"	78"	20 Lb		1 Cu.Ft	\$ 370	
EP-SWU-9610PX	Single Face, 96" Height	10"	<sup>3</sup> / <sub>4</sub> "	96″	20 Lb	S.	1 Cu.Ft	\$ 310	
EP-SWU-9612PX	Laminate, Wood Edge	12"	3/4"	96"	20 Lb		1 Cu.Ft	\$ 360	
EP-SWU-9614PX		14	3/4"	96"	20 Lb		1 Cu.Ft	\$ 415	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	H HEIGHT		WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall, Unfinished Insert -				-				PANEL CONSTRUCTION:
	End Panel:								TAINEL CONSTRUCTION.
		· ·	2						Panels constructed from 3/4" thick 3 ply medium density
EP-SWU-4820	Double Face, 48" Height	20"	<sup>3</sup> / <sub>4</sub> "	48"		28 Lbs.	1 Cu.Ft	\$ 320	fiberboard with grade "A" select veneers both faces. All edges
EP-SWU-4824		24"	<sup>3</sup> /4" <sup>3</sup> /4"	48"		28 Lbs.	1 Cu.Ft	\$ 375	banded with 1/4" thick solid external banding. All edges will
EP-SWU-4828 EP-SWU-4830		28" 30"	<sup>3</sup> / <sub>4</sub> "	48″ 48″		28 Lbs. 28 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 430 \$ 460	be eased. Grooved slots are unfinished.
EL-3MO-4030		30	-/4	40		ZO LD3.	i Cu.rt	\$ 400	NOTES:
EP-SWU-6620	Double Face, 66" Height	20"	3/4"	66"		32 Lbs.	1 Cu.Ft	\$ 390	NOTES.
EP-SWU-6624	Double Face, 66 Fleight	24"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 450	*End Panels do not include any hardware.
EP-SWU-6628		28"	<sup>3</sup> / <sub>4</sub> "	66"		32 Lbs.	2 Cu.Ft	\$ 520	End raneis do not include any hardware.
EP-SWU-6630		30"	<sup>3</sup> / <sub>4</sub> "	66"		32 Lbs.	2 Cu.Ft	\$ 550	*When ordering panels exact dimensions must be specified,
2. 3 3 3333						32 2.33.	2 23 1	Ų 330	nominal dimensions are inadequate.
EP-SWU-7820	Double Face, 78" Height	20"	3/4"	78″		40 Lbs.	2 Cu.Ft	\$ 490	
EP-SWU-7824	, ,	24"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 585	*3/4" thick panels are for wall mount applications and 1" thick
EP-SWU-7828		28"	3/4"	78″		40 Lbs.	2 Cu.Ft	\$ 665	panels are for steel shelving mount applications.
EP-SWU-7830		30′	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 710	
									*High pressure plastic laminate both faces with 1/4" thick
EP-SWU-9620	Double Face, 96" Height	20"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 560	external solid band edge
EP-SWU-9624		24"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 655	
EP-SWU-9628		28"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 755	
EP-SWU-9630		30″	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 805	
ED C/W/II 4020D/	Davible Fees 40" Heigh	20"	37."	4.0"		20.15-	1 6 5	ć عمد	
EP-SWU-4820PX	Double Face, 48" Height	20"	<sup>3</sup> /4" <sup>3</sup> /4"	48"		28 Lbs. 28 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 335 \$ 390	
EP-SWU-4824PX EP-SWU-4828PX	Laminate, Wood Edge	24" 28"	<sup>3</sup> / <sub>4</sub> "	48" 48"		28 Lbs. 28 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 390 \$ 450	
EP-SWU-4830PX		20 30"	<sup>3</sup> / <sub>4</sub> "	48"		28 Lbs.	1 Cu.Ft	\$ 450 \$ 480	
LI -3W O-40301 X		50	7 4	40		20 LD3.	r Cu.r t	\$ 400	
EP-SWU-6620PX	Double Face, 66" Height	20"	3/4"	66"		32 Lbs.	1 Cu.Ft	\$ 405	
EP-SWU-6624PX	Laminate, Wood Edge	24"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 475	
EP-SWU-6628PX		28"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 545	
EP-SWU-6630PX		30"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 575	
EP-SWU-7820PX	Double Face, 78" Height	20"	3/4"	78″		40 Lbs.	2 Cu.Ft	\$ 515	
EP-SWU-7824PX	Laminate, Wood Edge	24"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 605	
EP-SWU-7828PX		28"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 695	
EP-SWU-7830PX		30′	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 740	
EP-SWU-9620PX	Double Face, 96" Height	20"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 585	
EP-SWU-9624PX	Laminate, Wood Edge	24"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 685	
EP-SWU-9628PX	3	28"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 785	
EP-SWU-9630PX		30"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 840	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall, Black Plastic Insert - End Panel:							PANEL CONSTRUCTION:
	2.14. 1 6.176.1							Panels constructed from 3/4" thick 3 ply medium density
EP-SWP-4810	Single Face, 48" Height	10"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 205	fiberboard with grade "A" select veneers both faces. All edges
EP-SWP-4812	3	12"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 235	banded with 1/4" thick solid external banding. All edges will
EP-SWP-4814		14"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 265	be eased. Grooved slots include black plastic channel inserts.
EP-SWP-6610	Single Face, 66" Height	10"	<sup>3</sup> /4"	66"	16 Lbs.	1 Cu.Ft	\$ 250	NOTES:
EP-SWP-6612	3	12"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 290	
EP-SWP-6614		14"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 330	*End Panels do not include any hardware.
EP-SWP-7810	Single Face, 78" Height	10"	<sup>3</sup> /4"	78″	20 Lbs.	1 Cu.Ft	\$ 300	*When ordering panels exact dimensions must be specified,
EP-SWP-7812	, , , , , , , , , , , , , , , , , , ,	12"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 350	nominal dimensions are inadequate.
EP-SWP-7814		14"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 410	•
							•	*3/4" thick panels are for wall mount applications and 1" thick
EP-SWP-9610	Single Face, 96" Height	10"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 345	panels are for steel shelving mount applications.
EP-SWP-9612	g,	12"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 405	F
EP-SWP-9614		14	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 465	*High pressure plastic laminate both faces with 1/4" thick external solid band edge
EP-SWP-4810PX	Single Face, 48" Height	10"	<sup>3</sup> / <sub>4</sub> "	48"	14 Lbs.	1 Cu.Ft	\$ 215	
EP-SWP-4812PX	Laminate, Wood Edge	12"	<sup>3</sup> / <sub>4</sub> "	48"	14 Lbs.	1 Cu.Ft	\$ 245	
EP-SWP-4814PX	Lailillate, wood Luge	14"	<sup>3</sup> / <sub>4</sub> "	48"	14 Lbs.	1 Cu.Ft	\$ 275	
EL-2ML-4014LV		14	-74	40	14 LD3.	r Cu.Ft	\$ 275	
EP-SWP-6610PX	Single Face, 66" Height	10"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 260	
EP-SWP-6612PX	Laminate, Wood Edge	12"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 305	
EP-SWP-6614PX	J	14"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 345	
EP-SWP-7810PX	Single Face, 78" Height	10"	<sup>3</sup> /4"	78″	20 Lbs.	1 Cu.Ft	\$ 315	
EP-SWP-7812PX	Laminate, Wood Edge	12"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 365	
EP-SWP-7814PX	, , , , , , , , , , , , , , , , , , , ,	14"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 425	
EP-SWP-9610PX	Single Face, 96" Height	10"	<sup>3</sup> / <sub>4</sub> "	96"	20 Lbs.	1 Cu.Ft	\$ 360	
EP-SWP-9612PX	Laminate, Wood Edge	12"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 420	
EP-SWP-9614PX		14	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 485	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall, Black Plastic Insert - End Panel:							PANEL CONSTRUCTION:
								Panels constructed from 3/4" thick 3 ply medium density
EP-SWP-4820	Double Face, 48" Height	20"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 365	fiberboard with grade "A" select veneers both faces. All edges
EP-SWP-4824	3	24"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 430	banded with 1/4" thick solid external banding. All edges will
EP-SWP-4828		28"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 495	be eased. Grooved slots include black plastic channel inserts.
EP-SWP-4830		30"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 530	'
								NOTES:
EP-SWP-6620	Double Face, 66" Height	20"	3/4"	66"	32 Lbs.	1 Cu.Ft	\$ 455	
EP-SWP-6624	,	24"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 530	*End Panels do not include any hardware.
EP-SWP-6628		28"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 615	
EP-SWP-6630		30"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 650	*When ordering panels exact dimensions must be specified,
21 3111 0030		30	, ,		32 2.53.	2 CG.1 C	Ų 030	nominal dimensions are inadequate.
EP-SWP-7820	Double Face, 78" Height	20"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 570	Hommen annersions are madequate.
EP-SWP-7824	Double Face, 70 Fleight	24"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 680	*3/4" thick panels are for wall mount applications and 1" thick
EP-SWP-7828		28"	3/4"	78″	40 Lbs.	2 Cu.Ft	\$ 775	panels are for steel shelving mount applications.
EP-SWP-7830		30′	<sup>3</sup> / <sub>4</sub> "	78"	40 Lbs.	2 Cu.Ft	\$ 830	parters are for steer stretting mount applications.
LI -3WI -7030		30	7 4	70	TO LDS.	Z Cu.it	\$ 020	*High pressure plastic laminate both faces with 1/4" thick
EP-SWP-9620	Double Face, 96" Height	20"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 660	external solid band edge
EP-SWP-9624	Double Face, 96 Height		<sup>3</sup> / <sub>4</sub> "			2 Cu.Ft 2 Cu.Ft		external solid barid edge
		24"		96"	40 Lbs.		\$ 775	
EP-SWP-9628		28" 30"	<sup>3</sup> /4" <sup>3</sup> /4"	96"	40 Lbs.	2 Cu.Ft	\$ 895	
EP-SWP-9630		30	3/4	96"	40 Lbs.	2 Cu.Ft	\$ 950	
EP-SWP-4820PX	Double Face, 48" Height	20″	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 380	
EP-SWP-4824PX	Laminate, Wood Edge	24"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 445	
EP-SWP-4828PX		28"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 515	
EP-SWP-4830PX		30"	3/4"	48"	28 Lbs.	1 Cu.Ft	\$ 550	
EP-SWP-6620PX	Double Face, 66" Height	20"	3/4"	66"	32 Lbs.	1 Cu.Ft	\$ 475	
EP-SWP-6624PX	Laminate, Wood Edge	24"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 555	
EP-SWP-6628PX		28"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 635	
EP-SWP-6630PX		30"	3/4"	66"	32 Lbs.	2 Cu.Ft	\$ 675	
EP-SWP-7820PX	Double Face, 78" Height	20"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 595	
EP-SWP-7824PX	Laminate, Wood Edge	24"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 700	
EP-SWP-7828PX		28"	3/4"	78"	40 Lbs.	2 Cu.Ft	\$ 805	
EP-SWP-7830PX		30′	3/4"	78″	40 Lbs.	2 Cu.Ft	\$ 860	
EP-SWP-9620PX	Double Face, 96" Height	20"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 685	
EP-SWP-9624PX	Laminate, Wood Edge	24"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 805	
EP-SWP-9628PX	3	28"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 925	
EP-SWP-9630PX		30"	3/4"	96"	40 Lbs.	2 Cu.Ft	\$ 990	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Slatwall, Extruded Aluminum Insert - End Panel:							PANEL CONSTRUCTION:
									Panels constructed from 3/4" thick 3 ply medium density
	EP-SWA-4810	Single Face, 48" Height	10"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 230	fiberboard with grade "A" select veneers both faces. All edges
	EP-SWA-4812		12"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 265	banded with 1/4" thick solid external banding. All edges will
	EP-SWA-4814		14"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 295	be eased. Grooved slots include extruded aluminum channel inserts.
	EP-SWA-6610	Single Face, 66" Height	10"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 280	
	EP-SWA-6612	3	12"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 330	NOTES:
	EP-SWA-6614		14"	3/4"	66"	16 Lbs.	1 Cu.Ft	\$ 380	
									*End Panels do not include any hardware.
	EP-SWA-7810	Single Face, 78" Height	10"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 340	·
	EP-SWA-7812	3	12"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 400	*When ordering panels exact dimensions must be specified,
	EP-SWA-7814		14"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 465	nominal dimensions are inadequate.
									·
	EP-SWA-9610	Single Face, 96" Height	10"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 410	*3/4" thick panels are for wall mount applications and 1" thick
	EP-SWA-9612		12"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 465	panels are for steel shelving mount applications.
The second second second	EP-SWA-9614		14	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 535	- · · · · · · · · · · · · · · · · · · ·
									*High pressure plastic laminate both faces with 1/4" thick external solid band edge
	EP-SWA-4810PX	Single Face, 48" Height	10"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 235	<b>3</b>
	EP-SWA-4812PX	Laminate, Wood Edge	12"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 275	
	EP-SWA-4814PX	,	14"	3/4"	48"	14 Lbs.	1 Cu.Ft	\$ 305	
	ED CW/A / / 10DV	Circle Face //" Haidh	1.0"	<sup>3</sup> / <sub>4</sub> "	66"	1/    -	1 6 5*	¢ 200	
	EP-SWA-6610PX EP-SWA-6612PX	Single Face, 66" Height	10"	<sup>3</sup> / <sub>4</sub> "	66"	16 Lbs.	1 Cu.Ft	\$ 290	
		Laminate, Wood Edge	12" 14"	<sup>3</sup> /4"	66"	16 Lbs.	1 Cu.Ft	\$ 345	
	EP-SWA-6614PX		14	5/4	00	16 Lbs.	1 Cu.Ft	\$ 370	
	EP-SWA-7810PX	Single Face, 78" Height	10"	3/4"	78″	20 Lbs.	1 Cu.Ft	\$ 355	
	EP-SWA-7812PX	Laminate, Wood Edge	12"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 415	
	EP-SWA-7814PX		14"	3/4"	78"	20 Lbs.	1 Cu.Ft	\$ 480	
				2					
	EP-SWA-9610PX	Single Face, 96" Height	10"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 425	
	EP-SWA-9612PX	Laminate, Wood Edge	12"	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 480	
	EP-SWA-9614PX		14	3/4"	96"	20 Lbs.	1 Cu.Ft	\$ 555	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	I HEIGHT		WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall, Extruded Aluminum Insert - End Panel:				_				PANEL CONSTRUCTION:
a.v.			2 . "					A	Panels constructed from 3/4" thick 3 ply medium density
EP-SWA-4820	Double Face, 48" Height	20"	3/4"	48"		28 Lbs.	1 Cu.Ft	\$ 415	fiberboard with grade "A" select veneers both faces. All edges
EP-SWA-4824		24"	<sup>3</sup> / <sub>4</sub> "	48"		28 Lbs.	1 Cu.Ft	\$ 490	banded with 1/4" thick solid external banding. All edges will
EP-SWA-4828		28"	<sup>3</sup> / <sub>4</sub> "	48"		28 Lbs.	1 Cu.Ft	\$ 565	be eased. Grooved slots include extruded aluminum channel
EP-SWA-4830		30"	3/4"	48"		28 Lbs.	1 Cu.Ft	\$ 600	inserts.
EP-SWA-6620	Double Face, 66" Height	20"	3/4"	66"		32 Lbs.	1 Cu.Ft	\$ 520	NOTES:
EP-SWA-6624	Doddie Face, dd Freigin	24"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 610	
EP-SWA-6628		28"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 705	*End Panels do not include any hardware.
EP-SWA-6630		30"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 750	2.1d ranes do not melade any nandrale.
21 300 (0030		30	, ,			32 283.	2 CG.11	Ų , 30	*When ordering panels exact dimensions must be specified,
EP-SWA-7820	Double Face, 78" Height	20"	3/4"	78″		40 Lbs.	2 Cu.Ft	\$ 650	nominal dimensions are inadequate.
EP-SWA-7824	Bodbie Face, 70 Theight	24"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 775	Hommai amensions are madequate.
EP-SWA-7828		28"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 885	*3/4" thick panels are for wall mount applications and 1" thick
EP-SWA-7830		30'	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 950	panels are for steel shelving mount applications.
E1-3W/(-7030		30	7 4	70		10 Lb3.	Z Cu.i t	\$ 750	pariets are for steer stretving mount applications.
EP-SWA-9620	Double Face, 96" Height	20"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 755	*High pressure plastic laminate both faces with 1/4" thick
EP-SWA-9624		24"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 890	external solid band edge
EP-SWA-9628		28"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 1,030	
EP-SWA-9630		30"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 1,100	
EP-SWA-4820PX	Double Face, 48" Height	20"	<sup>3</sup> / <sub>4</sub> "	48"		28 Lbs.	1 Cu.Ft	\$ 430	
EP-SWA-4824PX	Laminate, Wood Edge	24"	<sup>3</sup> / <sub>4</sub> "	48"		28 Lbs.	1 Cu.Ft	\$ 505	
EP-SWA-4828PX	Laminate, wood Edge	28"	<sup>3</sup> / <sub>4</sub> "	48"		28 Lbs. 28 Lbs.	1 Cu.Ft 1 Cu.Ft	\$ 505 \$ 580	
		30"	<sup>3</sup> / <sub>4</sub> "	48"		28 Lbs.	1 Cu.Ft	\$ 625	
EP-SWA-4830PX		30	3/4	40		20 LD3.	i Cu.rt	\$ 025	
EP-SWA-6620PX	Double Face, 66" Height	20"	3/4"	66"		32 Lbs.	1 Cu.Ft	\$ 540	
EP-SWA-6624PX	Laminate, Wood Edge	24"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 635	
EP-SWA-6628PX	3	28"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 730	
EP-SWA-6630PX		30"	3/4"	66"		32 Lbs.	2 Cu.Ft	\$ 775	
EP-SWA-7820PX	Double Face, 78" Height	20"	3/4"	78″		40 Lbs.	2 Cu.Ft	\$ 675	
EP-SWA-7824PX	Laminate, Wood Edge	24"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 795	
EP-SWA-7828PX	zammate, weed zage	28"	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 915	
EP-SWA-7830PX		30'	3/4"	78"		40 Lbs.	2 Cu.Ft	\$ 980	
			2 .						
EP-SWA-9620PX	Double Face, 96" Height	20"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 785	
EP-SWA-9624PX	Laminate, Wood Edge	24"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 920	
EP-SWA-9628PX		28"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 1,060	
EP-SWA-9630PX		30"	3/4"	96"		40 Lbs.	2 Cu.Ft	\$ 1,135	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall 1", Unfinished Insert - End Panel:							PANEL CONSTRUCTION:
								Panels constructed from 1" thick 3 ply medium density
EP-SWU1-4810	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 250	fiberboard with grade "A" select veneers both faces. All edges
EP-SWU1-4812		12"	1"	48"	14 Lbs.	1 Cu.Ft	\$ 290	banded with 1/4" thick solid external banding. All edges will
EP-SWU1-4814		14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 325	be eased. Grooved slots are unfinished.
EP-SWU1-6610	Single Face, 66" Height	10"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 300	NOTES:
EP-SWU1-6612	3	12"	1″	66"	16 Lbs.	1 Cu.Ft	\$ 345	
EP-SWU1-6614		14"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 385	*End Panels do not include any hardware.
EP-SWU1-7810	Single Face, 78" Height	10"	1 "	78″	20 Lbs.	1 Cu.Ft	\$ 375	*When ordering panels exact dimensions must be specified,
EP-SWU1-7812	3 , , ,	12"	1″	78"	20 Lbs.	1 Cu.Ft	\$ 430	nominal dimensions are inadequate.
EP-SWU1-7814		14"	1″	78"	20 Lbs.	1 Cu.Ft	\$ 490	'
							·	*3/4" thick panels are for wall mount applications and 1" thick
EP-SWU1-9610	Single Face, 96" Height	10"	1″	96"	20 Lbs.	1 Cu.Ft	\$ 415	panels are for steel shelving mount applications.
EP-SWU1-9612	g,	12"	1"	96"	20 Lbs.	1 Cu.Ft	\$ 485	h
EP-SWU1-9614		14	1"	96″	20 Lbs.	1 Cu.Ft	\$ 560	*High pressure plastic laminate both faces with 1/4" thick external solid band edge
EP-SWU1-4810PX	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 270	
EP-SWU1-4812PX	<u> </u>	12"	1"	48"	14 Lbs.	1 Cu.Ft	\$ 315	
EP-SWU1-4814PX	,	14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 350	
EP-SWU1-6610PX	Single Face, 66" Height	10"	1″	66"	16 Lbs.	1 Cu.Ft	\$ 325	
EP-SWU1-6612PX	<u> </u>	12"	1"	66"	16 Lbs.	1 Cu.Ft	\$ 370	
EP-SWU1-6614PX		14"	1"	66"	16 Lbs.	1 Cu.Ft	\$ 420	
EP-SWU1-7810PX	Single Face, 78" Height	10"	1 "	78″	20 Lbs.	1 Cu.Ft	\$ 405	
EP-SWU1-7812PX	<u> </u>	12"	1"	78"	20 Lbs.	1 Cu.Ft	\$ 460	
EP-SWU1-7814PX	,	14"	1"	78"	20 Lbs.	1 Cu.Ft	\$ 530	
LI-3WUI-70141A		IΤ	ı	7.0	20 LU3.	ı Cu.i t	٥ کر ډ	
EP-SWU1-9610PX	Single Face, 96" Height	10"	1"	96"	20 Lbs.	1 Cu.Ft	\$ 445	
EP-SWU1-9612PX	Laminate, Wood Edge	12"	1"	96"	20 Lbs.	1 Cu.Ft	\$ 520	
EP-SWU1-9614PX		14	1″	96"	20 Lbs.	1 Cu.Ft	\$ 595	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Slatwall 1", Unfinished Insert - End Panel:							PANEL CONSTRUCTION:
									Panels constructed from 1" thick 3 ply medium density
	EP-SWU1-4820	Double Face, 48" Height	20"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 430	fiberboard with grade "A" select veneers both faces. All edges
	EP-SWU1-4824		24"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 505	banded with 1/4" thick solid external banding. All edges will
	EP-SWU1-4828		28"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 580	be eased. Grooved slots are unfinished.
	EP-SWU1-4830		30"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 615	
									NOTES:
	EP-SWU1-6620	Double Face, 66" Height	20"	1 "	66"	32 Lbs.	1 Cu.Ft	\$ 515	
	EP-SWU1-6624		24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 610	*End Panels do not include any hardware.
	EP-SWU1-6628		28"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 695	
	EP-SWU1-6630		30"	1″	66"	32 Lbs.	2 Cu.Ft	\$ 740	*When ordering panels exact dimensions must be specified, nominal dimensions are inadequate.
	EP-SWU1-7820	Double Face, 78" Height	20"	1 "	78″	40 Lbs.	2 Cu.Ft	\$ 590	Homman dimensions are medacy detect
The second secon	EP-SWU1-7824	Bodbie Face, 70 Fielgine	24"	1"	78"	40 Lbs.	2 Cu.Ft	\$ 700	*3/4" thick panels are for wall mount applications and 1" thick
	EP-SWU1-7828		28"	1"	78"	40 Lbs.	2 Cu.Ft	\$ 795	panels are for steel shelving mount applications.
THE R. P. LEWIS CO., LANSING, MICH.	EP-SWU1-7830		30′	1"	78"	40 Lbs.	2 Cu.Ft	\$ 850	parters are for steer sherving mount applications.
The second second	LI -3 W O I - 7 0 3 0		30	1	70	TO LD3.	2 Cu.rt	\$ 000	*High pressure plastic laminate both faces with 1/4" thick
The second second	EP-SWU1-9620	Double Face, 96" Height	20"	1 "	96″	40 Lbs.	2 Cu.Ft	\$ 670	external solid band edge
NAME AND POST OFFICE ADDRESS OF THE PARTY OF	EP-SWU1-9624	Double Face, 70 Height	24"	1"	96"	40 Lbs.	2 Cu.Ft	\$ 785	external solid balld edge
1				1 "			2 Cu.Ft 2 Cu.Ft	\$ 765 \$ 905	
	EP-SWU1-9628		28″ 30″	1 "	96" 96"	40 Lbs.			
	EP-SWU1-9630		30	I	76	40 Lbs.	2 Cu.Ft	\$ 965	
	EP-SWU1-4820PX		20"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 465	
	EP-SWU1-4824PX	Laminate, Wood Edge	24"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 545	
	EP-SWU1-4828PX		28"	1 "	48"	28 Lbs.	1 Cu.Ft	\$ 625	
	EP-SWU1-4830PX		30"	1″	48"	28 Lbs.	1 Cu.Ft	\$ 665	
	EP-SWU1-6620PX	Double Face, 66" Height	20"	1″	66"	32 Lbs.	1 Cu.Ft	\$ 560	
	EP-SWU1-6624PX	Laminate, Wood Edge	24"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 655	
	EP-SWU1-6628PX	9	28"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 745	
	EP-SWU1-6630PX		30"	1 "	66"	32 Lbs.	2 Cu.Ft	\$ 800	
	EP-SWU1-7820PX	Double Face, 78" Height	20"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 635	
	EP-SWU1-7824PX	Laminate, Wood Edge	24"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 745	
	EP-SWU1-7828PX		28"	1 "	78"	40 Lbs.	2 Cu.Ft	\$ 860	
	EP-SWU1-7830PX		30′	1 "	78″	40 Lbs.	2 Cu.Ft	\$ 915	
	EP-SWU1-9620PX	Double Face, 96" Height	20"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 725	
	EP-SWU1-9624PX	Laminate, Wood Edge	24"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 840	
	EP-SWU1-9628PX		28"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 970	
	EP-SWU1-9630PX		30"	1 "	96"	40 Lbs.	2 Cu.Ft	\$ 1,040	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall 1", Black Plastic Insert - End Panel:				_				PANEL CONSTRUCTION:
									Panels constructed from 1" thick 3 ply medium density
EP-SWP1-4810	Single Face, 48" Height	10"	1 "	48"		14 Lbs.	1 Cu.Ft	\$ 275	fiberboard with grade "A" select veneers both faces. All edges
EP-SWP1-4812		12"	1 "	48"		14 Lbs.	1 Cu.Ft	\$ 320	banded with 1/4" thick solid external banding. All edges will
EP-SWP1-4814		14"	1″	48"		14 Lbs.	1 Cu.Ft	\$ 360	be eased. Grooved slots include black plastic channel inserts.
EP-SWP1-6610	Single Face, 66" Height	10"	1″	66"		16 Lbs.	1 Cu.Ft	\$ 335	NOTES:
EP-SWP1-6612	-	12"	1"	66"		16 Lbs.	1 Cu.Ft	\$ 380	
EP-SWP1-6614		14"	1″	66"		16 Lbs.	1 Cu.Ft	\$ 435	*End Panels do not include any hardware.
EP-SWP1-7810	Single Face, 78" Height	10"	1″	78″		20 Lbs.	1 Cu.Ft	\$ 410	*When ordering panels exact dimensions must be specified,
EP-SWP1-7812		12"	1"	78"		20 Lbs.	1 Cu.Ft	\$ 475	nominal dimensions are inadequate.
EP-SWP1-7814		14"	1 "	78″		20 Lbs.	1 Cu.Ft	\$ 545	·
									*3/4" thick panels are for wall mount applications and 1" thick
EP-SWP1-9610	Single Face, 96" Height	10"	1 "	96"		20 Lbs.	1 Cu.Ft	\$ 460	panels are for steel shelving mount applications.
EP-SWP1-9612	3	12"	1 "	96"		20 Lbs.	1 Cu.Ft	\$ 545	
EP-SWP1-9614		14	1 "	96"		20 Lbs.	1 Cu.Ft	\$ 625	*High pressure plastic laminate both faces with 1/4" thick external solid band edge
EP-SWP1-4810PX	Single Face, 48" Height	10"	1 "	48"		14 Lbs.	1 Cu.Ft	\$ 295	
EP-SWP1-4812PX	·	12"	1"	48"		14 Lbs.	1 Cu.Ft	\$ 345	
EP-SWP1-4814PX		14"	1 "	48"		14 Lbs.	1 Cu.Ft	\$ 385	
21 30011 101117				10		TT EBS.	r ca.re	<b>\$ 303</b>	
EP-SWP1-6610PX	Single Face, 66" Height	10"	1 "	66"		16 Lbs.	1 Cu.Ft	\$ 360	
EP-SWP1-6612PX	Laminate, Wood Edge	12"	1 "	66"		16 Lbs.	1 Cu.Ft	\$ 410	
EP-SWP1-6614PX		14"	1″	66"		16 Lbs.	1 Cu.Ft	\$ 465	
EP-SWP1-7810PX	Single Face, 78" Height	10"	1″	78″		20 Lbs.	1 Cu.Ft	\$ 445	
EP-SWP1-7812PX		12"	1 "	78″		20 Lbs.	1 Cu.Ft	\$ 510	
EP-SWP1-7814PX	<b>3</b>	14"	1″	78"		20 Lbs.	1 Cu.Ft	\$ 585	
EP-SWP1-9610PX	Single Face, 96" Height	10"	1″	96″		20 Lbs.	1 Cu.Ft	\$ 490	
EP-SWP1-9612PX		12"	1 "	96"		20 Lbs.	1 Cu.Ft	\$ 580	
EP-SWP1-9614PX		14	1 "	96"		20 Lbs.	1 Cu.Ft	\$ 665	





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	PRICE	DESCRIPTION
	Slatwall 1", Black Plastic Insert - End Panel:				_				PANEL CONSTRUCTION:
									Panels constructed from 1" thick 3 ply medium density
EP-SWP1-4820	Double Face, 48" Height	20"	1 "	48"		28 Lbs.	1 Cu.Ft	\$ 475	fiberboard with grade "A" select veneers both faces. All edges
EP-SWP1-4824		24"	1"	48"		28 Lbs.	1 Cu.Ft	\$ 560	banded with 1/4" thick solid external banding. All edges will
EP-SWP1-4828		28"	1"	48"		28 Lbs.	1 Cu.Ft	\$ 645	be eased. Grooved slots include black plastic channel inserts.
EP-SWP1-4830		30"	1"	48"		28 Lbs.	1 Cu.Ft	\$ 690	
									NOTES:
EP-SWP1-6620	Double Face, 66" Height	20"	1 "	66"		32 Lbs.	1 Cu.Ft	\$ 585	
EP-SWP1-6624		24"	1 "	66"		32 Lbs.	2 Cu.Ft	\$ 690	*End Panels do not include any hardware.
EP-SWP1-6628		28"	1"	66"		32 Lbs.	2 Cu.Ft	\$ 790	
EP-SWP1-6630		30"	1"	66"		32 Lbs.	2 Cu.Ft	\$ 840	*When ordering panels exact dimensions must be specified,
								•	nominal dimensions are inadequate.
EP-SWP1-7820	Double Face, 78" Height	20"	1″	78″		40 Lbs.	2 Cu.Ft	\$ 670	, , , , , , , , , , , , , , , , , , ,
EP-SWP1-7824	Bodole Face, 70 Fielgin	24"	1"	78"		40 Lbs.	2 Cu.Ft	\$ 795	*3/4" thick panels are for wall mount applications and 1" thick
EP-SWP1-7828		28"	1"	78"		40 Lbs.	2 Cu.Ft	\$ 910	panels are for steel shelving mount applications.
EP-SWP1-7830		30′	1 "	78"		40 Lbs.	2 Cu.Ft	\$ 970	parters are for steer sherving mount applications.
LI-3WI 1-7030		30	1	70		TO LD3.	Z Cu.i t	\$ 770	*High pressure plastic laminate both faces with 1/4" thick
ED CVV/D1 07 20	Dauble Face O/" Height	20"	1 "	0/"		10 lbs	2 Cu Ft	¢ 770	
EP-SWP1-9620	Double Face, 96" Height	20"	1 "	96"		40 Lbs.	2 Cu.Ft	\$ 770	external solid band edge
EP-SWP1-9624		24"	"	96"		40 Lbs.	2 Cu.Ft	\$ 905	
EP-SWP1-9628		28"	1"	96"		40 Lbs.	2 Cu.Ft	\$ 1,040	
EP-SWP1-9630		30″	1"	96"		40 Lbs.	2 Cu.Ft	\$ 1,110	
EP-SWP1-4820PX	Double Face, 48" Height	20"	1″	48"		28 Lbs.	1 Cu.Ft	\$ 510	
EP-SWP1-4824PX	. 3	24"	1"	48"		28 Lbs.	1 Cu.Ft	\$ 605	
EP-SWP1-4828PX		28"	1"	48"		28 Lbs.	1 Cu.Ft	\$ 690	
EP-SWP1-4830PX		30"	1 "	48"		28 Lbs.	1 Cu.Ft	\$ 735	
E1-3W11-10301X		50	•	10		20 LD3.	r Cu.r t	رو، ډ	
EP-SWP1-6620PX	Double Face, 66" Height	20"	1"	66"		32 Lbs.	1 Cu.Ft	\$ 625	
EP-SWP1-6624PX	. 3	24"	1"	66"		32 Lbs.	2 Cu.Ft	\$ 735	
EP-SWP1-6628PX		28"	1"	66"		32 Lbs.	2 Cu.Ft	\$ 840	
EP-SWP1-6630PX		30"	1"	66"		32 Lbs.	2 Cu.Ft	\$ 895	
ED (17/D1 7020D)/	5 11 5 70"11 11	20"	1 //	70"		40.11	2.6.5.	ć <b>7</b> 15	
EP-SWP1-7820PX	3	20"	1"	78"		40 Lbs.	2 Cu.Ft	\$ 715	
EP-SWP1-7824PX		24"	1"	78"		40 Lbs.	2 Cu.Ft	\$ 840	
EP-SWP1-7828PX		28"	1"	78"		40 Lbs.	2 Cu.Ft	\$ 970	
EP-SWP1-7830PX		30′	1 "	78″		40 Lbs.	2 Cu.Ft	\$ 1,035	
EP-SWP1-9620PX	Double Face, 96" Height	20"	1″	96"		40 Lbs.	2 Cu.Ft	\$ 820	
EP-SWP1-9624PX	3	24"	1"	96"		40 Lbs.	2 Cu.Ft	\$ 960	
EP-SWP1-9628PX	<b>3</b>	28"	1"	96"		40 Lbs.	2 Cu.Ft	\$ 1,110	
EP-SWP1-9630PX		30"	1 "	96"		40 Lbs.	2 Cu.Ft	\$ 1,185	
21 3 W 1 1 70301 X		50	•	,		10 203.	2 (4.1)	۷ ۱,۱۰۷	





	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	PRICE	DESCRIPTION
		Slatwall 1", Extruded Aluminum Insert - End Panel:							PANEL CONSTRUCTION:
									Panels constructed from 1" thick 3 ply medium density
	EP-SWA1-4810	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 300	fiberboard with grade "A" select veneers both faces. All edges
	EP-SWA1-4812		12"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 345	banded with 1/4" thick solid external banding. All edges will
	EP-SWA1-4814		14"	1″	48"	14 Lbs.	1 Cu.Ft	\$ 390	be eased. Grooved slots include extruded aluminum channel inserts.
	EP-SWA1-6610	Single Face, 66" Height	10"	1"	66"	16 Lbs.	1 Cu.Ft	\$ 370	
	EP-SWA1-6612	5 , 5	12"	1 "	66"	16 Lbs.	1 Cu.Ft	\$ 420	NOTES:
	EP-SWA1-6614		14"	1"	66"	16 Lbs.	1 Cu.Ft	\$ 480	112.72
	2. 5			·		. 5 2.53.		Ų . 0 0	*End Panels do not include any hardware.
	EP-SWA1-7810	Single Face, 78" Height	10"	1″	78"	20 Lbs.	1 Cu.Ft	\$ 450	2.1d reness do not melade any meramane.
	EP-SWA1-7812	5g.c c.c.c, 7.6 c.gc	12"	1"	78"	20 Lbs.	1 Cu.Ft	\$ 525	*When ordering panels exact dimensions must be specified,
	EP-SWA1-7814		14"	1"	78"	20 Lbs.	1 Cu.Ft	\$ 605	nominal dimensions are inadequate.
	21 3007(1 7011			•	, 0	20 283.	r ca.re	\$ 005	Homman annensions are madequate.
	EP-SWA1-9610	Single Face, 96" Height	10"	1″	96"	20 Lbs.	1 Cu.Ft	\$ 530	*3/4" thick panels are for wall mount applications and 1" thick
_	EP-SWA1-9612	5g.c c.c.c, 7.5 c.gc	12"	1"	96"	20 Lbs.	1 Cu.Ft	\$ 605	panels are for steel shelving mount applications.
	EP-SWA1-9614		14	1 <i>"</i>	96"	20 Lbs.	1 Cu.Ft	\$ 695	parters are for seed stretting mount applications.
	21 3 W/(1 / 01 1			·	7.0	20 LB3.	r cd.rt	<b>\$ 073</b>	*High pressure plastic laminate both faces with 1/4" thick external solid band edge
	EP-SWA1-4810PX	Single Face, 48" Height	10"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 315	external sond barra eage
	EP-SWA1-4812PX	<u> </u>	12"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 375	
	EP-SWA1-4814PX		14"	1 "	48"	14 Lbs.	1 Cu.Ft	\$ 420	
	El SWALLIOTTIA			'	10	11 203.	r cu.r c	Ş 120	
	EP-SWA1-6610PX	Single Face, 66" Height	10"	1″	66"	16 Lbs.	1 Cu.Ft	\$ 390	
	EP-SWA1-6612PX		12"	1 <i>"</i>	66"	16 Lbs.	1 Cu.Ft	\$ 450	
	EP-SWA1-6614PX	•	14"	1 <i>"</i>	66"	16 Lbs.	1 Cu.Ft	\$ 510	
	21 300711 001 1170			•		10 253.		<b>\$ 310</b>	
	EP-SWA1-7810PX	Single Face, 78" Height	10"	1″	78"	20 Lbs.	1 Cu.Ft	\$ 480	
	EP-SWA1-7812PX		12"	1"	78"	20 Lbs.	1 Cu.Ft	\$ 555	
	EP-SWA1-7814PX	•	14"	1"	78"	20 Lbs.	1 Cu.Ft	\$ 640	
	21 30000 701 1170			•	. 5	20 203.		\$ 0.10	
	EP-SWA1-9610PX	Single Face, 96" Height	10"	1″	96"	20 Lbs.	1 Cu.Ft	\$ 560	
	EP-SWA1-9612PX		12"	1"	96"	20 Lbs.	1 Cu.Ft	\$ 640	
	EP-SWA1-9614PX		14	1"	96"	20 Lbs.	1 Cu.Ft	\$ 735	
	2. 3 *** (1 7 5 1 11 7)			•	, 5	20 255.		Ų, J	





Slatwall 1", Extruded Aluminum Insert - End Panel:	
Panels construct EP-SWA1-4820 Double Face, 48" Height 20" 1" 48" 28 Lbs. 1 Cu.Ft \$ 525 fiberboard with EP-SWA1-4824 24" 1" 48" 28 Lbs. 1 Cu.Ft \$ 620 banded with 1/2"	ucted from 1" thick 3 ply medium density th grade "A" select veneers both faces. All edges 1/4" thick solid external banding. All edges will
	oved slots include extruded aluminum channel
EP-SWA1-6620       Double Face, 66" Height       20"       1"       66"       32 Lbs.       1 Cu.Ft       \$ 650       NOTES:         EP-SWA1-6624       24"       1"       66"       32 Lbs.       2 Cu.Ft       \$ 770	
EP-SWA1-6630 30" 1" 66" 32 Lbs. 2 Cu.Ft \$ 940	lo not include any hardware.  ng panels exact dimensions must be specified,
EP-SWA1-7820 Double Face, 78" Height 20" 1" 78" 40 Lbs. 2 Cu.Ft \$ 750 nominal dimen EP-SWA1-7824 24" 1" 78" 40 Lbs. 2 Cu.Ft \$ 890	nsions are inadequate.
	nels are for wall mount applications and 1" thick steel shelving mount applications.
EP-SWA1-9620 Double Face, 96" Height 20" 1" 96" 40 Lbs. 2 Cu.Ft \$ 865 *High pressure EP-SWA1-9624 24" 1" 96" 40 Lbs. 2 Cu.Ft \$ 1,020 external solid b EP-SWA1-9628 28" 1" 96" 40 Lbs. 2 Cu.Ft \$ 1,180	e plastic laminate both faces with 1/4″ thick band edge
EP-SWA1-9630 30" 1" 96" 40 Lbs. 2 Cu.Ft \$ 1,255	
EP-SWA1-4820PX Double Face, 48" Height 20" 1" 48" 28 Lbs. 1 Cu.Ft \$ 560 EP-SWA1-4824PX Laminate, Wood Edge 24" 1" 48" 28 Lbs. 1 Cu.Ft \$ 660	
EP-SWA1-4828PX       28"       1"       48"       28 Lbs.       1 Cu.Ft       \$ 755         EP-SWA1-4830PX       30"       1"       48"       28 Lbs.       1 Cu.Ft       \$ 805	
EP-SWA1-6620PX       Double Face, 66" Height       20"       1"       66"       32 Lbs.       1 Cu.Ft       \$ 690         EP-SWA1-6624PX       Laminate, Wood Edge       24"       1"       66"       32 Lbs.       2 Cu.Ft       \$ 815	
EP-SWA1-6628PX       28"       1"       66"       32 Lbs.       2 Cu.Ft       \$ 930         EP-SWA1-6630PX       30"       1"       66"       32 Lbs.       2 Cu.Ft       \$ 995	
EP-SWA1-7820PX Double Face, 78" Height 20" 1" 78" 40 Lbs. 2 Cu.Ft \$ 795 EP-SWA1-7824PX Laminate, Wood Edge 24" 1" 78" 40 Lbs. 2 Cu.Ft \$ 935 EP-SWA1-7828PX 28" 1" 78" 40 Lbs. 2 Cu.Ft \$ 1,080	
EP-SWA1-7830PX 30' 1" 78" 40 Lbs. 2 Cu.Ft \$ 1,155	
EP-SWA1-9620PX       Double Face, 96" Height       20"       1"       96"       40 Lbs.       2 Cu.Ft       \$ 920         EP-SWA1-9624PX       Laminate, Wood Edge       24"       1"       96"       40 Lbs.       2 Cu.Ft       \$ 1,080         EP-SWA1-9628PX       28"       1"       96"       40 Lbs.       2 Cu.Ft       \$ 1,245         EP-SWA1-9630PX       30"       1"       96"       40 Lbs.       2 Cu.Ft       \$ 1,335	



### PALMERANTY, TERMS & CONDITIONS

For authorized dealers the terms are Net 30 days from the date of shipment. Interest of 2% per month (24% per annum) is charged on all overdue accounts. All orders are FOB, Richmond Hill, Ontario plant, unless otherwise specified. All goods remain the property of Palmieri until paid in full. Prices are subject to change or withdrawal without notice. Specific quotations are available for custom furniture and will remain valid for 60 days unless otherwise noted. All applicable taxes are extra. Our GST REG NO. is R1 04055066. For Ontario dealers, a current Provincial Sales Tax Exemption form must be on file, otherwise PST will be added.

ORDERING: The following information is required for all orders: Model number, Description, Finish and Color selections, Quantity, Prices, Date requested and Shipping instructions. Palmieri will exercise its best efforts to meet delivery dates requested, however, we decline any liability or responsibility for delays.

SHIPPING TERMS: Please include delivery address, and carrier choice for all orders. Assistance in making delivery arrangements is available from Palmieri. Please call for details. All goods in stock are shipped immediately unless the purchaser specifies that no part of the shipment is to be back ordered. Palmieri does not assume responsibility for shipping costs of any kind whatsoever.

CANCELLATIONS: Orders cannot be canceled without written confirmation by Palmieri and the dealer. Any costs incurred up to the date of cancellation will be passed on to the dealer. Custom orders are not subject to cancellation under any conditions.

CHANGE ORDERS: Change to orders already in process are subject to a charge covering the cost of making the change. Confirmation of the additional costs is required before the change can be processed. A minimum charge of \$100 LIST will apply.

CARE AND MAINTENANCE: Wood Furniture: All wood surfaces should be dusted periodically with a damp cloth. To remove marks or dirt stains, a mild detergent can be used. Avoid allowing any access water to sit on wood surfaces.

Tables and Worksurfaces: Plastic laminate surfaces can be cleaned with a non abrasive cleanser. Do not use powdered cleaning solutions as they will scratch the surface.

Upholstery: Vacuuming with a upholstery brush weekly will help keep any upholstery furniture in good condition. For stains or spills, follow the appropriate cleaning code for the fabric selected.

DELIVERY AND CLAIMS: All goods are sold on a FOB our plant basis, therefore Palmieri accepts no liability or responsibility in transit. Any claims must be filed with the transportation company. Notwithstanding the fact that arrangements for shipping may, in certain instances, be made by Palmieri, the carrier through whom such arrangements are made shall not, in any way, be deemed to be employees or agents of Palmieri. Product will ship at time of completion. Palmieri reserves the right to transfer completed product to storage if a buyer is unable to accept delivery. Any costs incurred for storage will be the buyer's responsibility. Buyer will be responsible for any loss or damage as a result of storage. Any shipments that exceed 2 hours unloading time may be charged at \$150 LIST per hour. All orders are packed and checked with great care and picked up by freight carriers in perfect condition. If you receive damaged merchandise, the following procedure must be followed:

Visible Damage: Check for any visible damage to the packaging. If the goods are blanket wrapped, inspect each item carefully when it is being unloaded. If you see any damages they must be noted on the bill of lading when signing for the goods. Any claims must be made within 3 days. Failure to do this will cancel your right to make a claim for damages.

Concealed Damage: All packaged shipments must be inspected within 3 days of receipt of goods. In some cases, the packaging may be in perfect condition but the goods inside may be damaged. If you notice concealed damage, a claim must be made with the shipping company within 3 days to pay for repair or replacement of the goods. Keep the packaging for inspection by the shipping company if requested.

Short Shipments: Please inspect all goods immediately upon receipt. All orders include a Packing List. It is the responsibility of the receiver to confirm when unloading, that all product has been accounted for. No shortage claim will be accepted by Palmieri unless made within 3 days of receipt of goods. Palmieri is not responsible for any product that goes missing or damaged due to warehousing.

RETURNS: No merchandise may be returned for credit or exchange without the written permission of Palmieri. Only standard stock goods may be returned. Palmieri reserves the right to evaluate and consider what products may be returned. A copy of the Goods Return Authorization Form must accompany all shipments. A minimum re-stocking charge of 25% shall apply. Return freight must be prepaid.

Palmieri warrants that the furniture manufactured by them will be free of defects in material and workmanship for a period of five (5) years and Seating manufactured by them will be free of defects in material and workmanship for a period of two (2) years. If a defect in material or workmanship is found during the warranty period it shall be the option of Palmieri to: (A) repair, or (B) replace the furniture. The replacement or repair of the Furniture or Seating will be at the expense of Palmieri, provided that it is within the warranty period. If the defect or workmanship cannot be remedied on site, Palmieri will arrange to have repairs made at the factory. Freight charges are the responsibility of the customer. Palmieri will assist in any freight arrangements at the customers request. Palmieri must be notified as soon as possible of only defects in the Furniture or Seating. Palmieri will not warrant any claims made unless received within the allotted warranty period. The warranty shall begin on the date of shipment from our warehouse. Warranty work must be approved by authorized personnel of Palmieri in Richmond Hill. Ontario.

Palmieri will not warrant any furniture that is not purchased either directly from Palmieri or an approved Distributor of Palmieri. A copy of the original purchase order must accompany all claims. This warranty covers the original purchaser for products delivered in the United States, Canada, the Caribbean, and Latin America. Defects which, in the judgement of Palmieri, result from abuse, misuse, improper storage, alterations, unauthorized repairs, environmental conditions, and acts of God will not be cover by this warranty. Palmieri does not warrant the matching of colors, stains, textures, grains and any other variations in material. However, Palmieri will endeavor to try and match these variations as closely as possible.

This warranty does not apply to any type of Furniture or Seating that is sold by Palmieri which is manufactured by others. Palmieri will endeavor to pass on any warranties given by outside suppliers.

THIS WARRANTY WILL BE CONSIDERED VOID WITHOUT PALMIERI EMBOSSED COMPANY SEAL. WARRANTY IS NON-TRANSFERABLE AND VALID ONLY FOR THE ORIGINAL PURCHASER.

