



























	MODEL NUMBER	PRODUCT	W	D	H	EDGE		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	GS-200-32-SQ	Open Shelf Unit	34"	30"	32"	Square		235 Lbs.	30 Cu Ft	\$ 1,830	Unit complete with fixed bottom and two adjustable shelves. 32" high unit complete with one adjustable shelf.
	GS-200-39-SQ		34"	30"	39"	Square		235 Lbs.	30 Cu Ft	\$ 1,830	
	GS-200-32-BN		34"	30"	32"	Bullnose		235 Lbs.	30 Cu Ft	\$ 1,900	
	GS-200-39-BN		34"	30"	39"	Bullnose		235 Lbs.	30 Cu Ft	\$ 1,900	
	GS-201-32-SQ	Cupboard Unit	34"	30"	32"	Square		260 Lbs.	30 Cu Ft	\$ 2,425	Unit comes complete with two adjustable shelves. Doors function using 95 degree hinges with lock and door pulls. 32" high unit receives one adjustable shelf.
	GS-201-39-SQ		34"	30"	39"	Square		260 Lbs.	30 Cu Ft	\$ 2,425	
	GS-201-32-BN		34"	30"	32"	Bullnose		260 Lbs.	30 Cu Ft	\$ 2,495	
	GS-201-39-BN		34"	30"	39"	Bullnose		260 Lbs.	30 Cu Ft	\$ 2,495	
	GS-202T-32-SQ	Closed Triangular Corner Unit	30"	30"	32"	Square		160 Lbs.	25 Cu Ft	\$ 2,320	Triangular closed face corner unit. Unit is used to form a 90 degree angle in a circulation desk configuration.
	GS-202T-39-SQ		30"	30"	39"	Square		160 Lbs.	25 Cu Ft	\$ 2,320	
	GS-202T-32-BN		30"	30"	32"	Bullnose		160 Lbs.	25 Cu Ft	\$ 2,395	
	GS-202T-39-BN		30"	30"	39"	Bullnose		160 Lbs.	25 Cu Ft	\$ 2,395	
	GS-202C-32-SQ	Closed Curved Corner Unit	30"	30"	32"	Square		160 Lbs.	25 Cu Ft	\$ 3,145	Curved closed corner unit used to form a 90 degree angle in a circulation desk configuration.
	GS-202C-39-SQ		30"	30"	39"	Square		160 Lbs.	25 Cu Ft	\$ 3,145	
	GS-202C-32-BN		30"	30"	32"	Bullnose		160 Lbs.	25 Cu Ft	\$ 3,220	
	GS-202C-39-BN		30"	30"	39"	Bullnose		160 Lbs.	25 Cu Ft	\$ 3,220	
	GS-202S-32-SQ	Closed Square Corner Unit	30"	30"	32"	Square		160 Lbs.	25 Cu Ft	\$ 2,105	Square coner unit used to form a 90 degree angle in a ciruculation desk configuration. Unit complete with closed flush panel design.
	GS-202S-39-SQ		30"	30"	39"	Square		160 Lbs.	25 Cu Ft	\$ 2,105	
	GS-202S-32-BN		30"	30"	32"	Bullnose		160 Lbs.	25 Cu Ft	\$ 2,180	
	GS-202S-39-BN		30"	30"	39"	Bullnose		160 Lbs.	25 Cu Ft	\$ 2,180	
	GS-203-32-SQ	Knee Space Unit with Cash and Pencil Drawer	34"	30"	32"	Square		210 Lbs.	30 Cu Ft	\$ 2,260	Unit complete with one pencil drawer, one locking cash drawer and a fixed shelf. Cash drawer will be 5 1/2" high x 12" wide.
	GS-203-39-SQ		34"	30"	39"	Square		210 Lbs.	30 Cu Ft	\$ 2,260	
	GS-203-32-BN		34"	30"	32"	Bullnose		210 Lbs.	30 Cu Ft	\$ 2,330	
	GS-203-39-BN		34"	30"	39"	Bullnose		210 Lbs.	30 Cu Ft	\$ 2,330	






	MODEL NUMBER	PRODUCT	W	D	H	EDGE		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	GS-204-32-SQ	Open Triangle Corner Unit	30"	30"	32"	Square		150 Lbs.	25 Cu Ft	\$ 1,965	Triangular open face corner unit complete with two adjustable shelves. Unit is used to form a 90 degree angle in a circulation desk configuration. 32" high unit complete with one adjustable shelf.
	GS-204-39-SQ		30"	30"	39"	Square		150 Lbs.	25 Cu Ft	\$ 1,965	
	GS-204-32-BN		30"	30"	32"	Bullnose		150 Lbs.	25 Cu Ft	\$ 2,045	
	GS-204-39-BN		30"	30"	39"	Bullnose		150 Lbs.	25 Cu Ft	\$ 2,045	
	GS-206-32-SQ	Single Drawer Charge Unit	34"	30"	32"	Square		220 Lbs.	30 Cu Ft	\$ 2,180	Unit complete with one single drawer. Drawer will be 5 1/2" high x 20" deep.
	GS-206-39-SQ		34"	30"	39"	Square		220 Lbs.	30 Cu Ft	\$ 2,180	
	GS-206-32-BN		34"	30"	32"	Bullnose		220 Lbs.	30 Cu Ft	\$ 2,250	
	GS-206-39-BN		34"	30"	39"	Bullnose		220 Lbs.	30 Cu Ft	\$ 2,250	
	GS-207-32-SQ	Single Drawer Open Shelf Unit	34"	30"	32"	Square		250 Lbs.	30 Cu Ft	\$ 2,320	Unit complete with one single drawer and two adjustable shelves. Drawer will be 5 1/2" high x 20" deep. 32" high unit complete with one adjustable shelf.
	GS-207-39-SQ		34"	30"	39"	Square		250 Lbs.	30 Cu Ft	\$ 2,320	
	GS-207-32-BN		34"	30"	32"	Bullnose		250 Lbs.	30 Cu Ft	\$ 2,395	
	GS-207-39-BN		34"	30"	39"	Bullnose		250 Lbs.	30 Cu Ft	\$ 2,395	
	GS-208-32-SQ	Book Return Unit	34"	30"	32"	Square		185 Lbs.	30 Cu Ft	\$ 1,755	Unit will fit a T-100 depressible book truck. (Sold separately) Front panel complete with a 3" high x 14" long slanted book shute. Front edges of shute banded with 1/4" solid hardwood.
	GS-208-39-SQ		34"	30"	39"	Square		185 Lbs.	30 Cu Ft	\$ 1,755	
	GS-208-32-BN		34"	30"	32"	Bullnose		185 Lbs.	30 Cu Ft	\$ 1,825	
	GS-208-39-BN		34"	30"	39"	Bullnose		185 Lbs.	30 Cu Ft	\$ 1,825	

	MODEL NUMBER	PRODUCT	W	D	H	EDGE		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	GS-209-3632-SQ	34" Wide Desk Unit with Patron	34"	30"	32"	Square		200 Lbs.	30 Cu Ft	\$ 2,080	Unit is 34", 46", 58" or 70" wide x 30" deep complete with a 29" high worksurface. Alternate work surface heights may be specified at no additional charge. Patron ledge is at 39" or 32" high. A V-shaped metal keel will be fastened to the underside of the worksurface for added support on the 58" and 70" wide units.
	GS-209-3639-SQ		34"	30"	39"	Square		200 Lbs.	30 Cu Ft	\$ 2,080	
	GS-209-3632-BN		34"	30"	32"	Bullnose		200 Lbs.	30 Cu Ft	\$ 2,145	
	GS-209-3639-BN		34"	30"	39"	Bullnose		200 Lbs.	30 Cu Ft	\$ 2,145	
	GS-209-4832-SQ	46" Wide Desk Unit with Patron	46"	30"	32"	Square		250 Lbs.	40 Cu Ft	\$ 2,200	
	GS-209-4839-SQ		46"	30"	39"	Square		250 Lbs.	40 Cu Ft	\$ 2,200	
	GS-209-4832-BN		46"	30"	32"	Bullnose		250 Lbs.	40 Cu Ft	\$ 2,290	
	GS-209-4839-BN		46"	30"	39"	Bullnose		250 Lbs.	40 Cu Ft	\$ 2,290	
	GS-209-6032-SQ	58" Wide Desk Unit with Patron	58"	30"	32"	Square		320 Lbs.	50 Cu Ft	\$ 2,405	
	GS-209-6039-SQ		58"	30"	39"	Square		320 Lbs.	50 Cu Ft	\$ 2,405	
	GS-209-6032-BN		58"	30"	32"	Bullnose		320 Lbs.	50 Cu Ft	\$ 2,515	
	GS-209-6039-BN		58"	30"	39"	Bullnose		320 Lbs.	50 Cu Ft	\$ 2,515	
	GS-209-7232-SQ	70" Wide Desk Unit with Patron	70"	30"	32"	Square		390 Lbs.	60 Cu Ft	\$ 2,525	
	GS-209-7239-SQ		70"	30"	39"	Square		390 Lbs.	60 Cu Ft	\$ 2,525	
	GS-209-7232-BN		70"	30"	32"	Bullnose		390 Lbs.	60 Cu Ft	\$ 2,655	
	GS-209-7239-BN		70"	30"	39"	Bullnose		390 Lbs.	60 Cu Ft	\$ 2,655	
	GS-209CD-32-SQ	Corner Desk Unit with Surround	68 ³ / ₄ "	32"	32"	Square		500 Lbs.	70 Cu Ft	\$ 3,740	
	GS-209CD-39-SQ		68 ³ / ₄ "	32"	39"	Square		500 Lbs.	70 Cu Ft	\$ 3,740	
	GS-209CD-32-BN		68 ³ / ₄ "	32"	32"	Bullnose		500 Lbs.	70 Cu Ft	\$ 4,165	Unit has a 27" wide knee space complete with a 29" high worksurface and a surround. Unit also forms a 90 degree angle in a circulation desk configuration.
	GS-209CD-39-BN		68 ³ / ₄ "	32"	39"	Bullnose		500 Lbs.	70 Cu Ft	\$ 4,165	





	MODEL NUMBER	PRODUCT	W	D	H	EDGE		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	GS-219-3632-SQ	34" Wide Desk Unit	34"	30"	32"	Square		200 Lbs.	30 Cu Ft	\$ 1,690	Unit is 34", 46", 58" or 70" wide x 30" deep no patron ledge. A V-shaped metal keel will be fastened to the underside of the worksurface for added support on the 58" and 70" wide units.
	GS-219-3639-SQ		34"	30"	39"	Square		200 Lbs.	30 Cu Ft	\$ 1,690	
	GS-219-3632-BN	34" Wide Desk Unit	34"	30"	32"	Bullnose		200 Lbs.	30 Cu Ft	\$ 1,760	
	GS-219-3639-BN		34"	30"	39"	Bullnose		200 Lbs.	30 Cu Ft	\$ 1,760	
	GS-219-4832-SQ	46" Wide Desk Unit	46"	30"	32"	Square		250 Lbs.	40 Cu Ft	\$ 1,785	
	GS-219-4839-SQ		46"	30"	39"	Square		250 Lbs.	40 Cu Ft	\$ 1,785	
	GS-219-4832-BN	46" Wide Desk Unit	46"	30"	32"	Bullnose		250 Lbs.	40 Cu Ft	\$ 1,830	
	GS-219-4839-BN		46"	30"	39"	Bullnose		250 Lbs.	40 Cu Ft	\$ 1,830	
	GS-219-6032-SQ	58" Wide Desk Unit	58"	30"	32"	Square		320 Lbs.	50 Cu Ft	\$ 1,965	
	GS-219-6039-SQ		58"	30"	39"	Square		320 Lbs.	50 Cu Ft	\$ 1,965	
	GS-219-6032-BN	58" Wide Desk Unit	58"	30"	32"	Bullnose		320 Lbs.	50 Cu Ft	\$ 2,080	
	GS-219-6039-BN		58"	30"	39"	Bullnose		320 Lbs.	50 Cu Ft	\$ 2,080	
	GS-219-7232-SQ	70" Wide Desk Unit	70"	30"	32"	Square		390 Lbs.	60 Cu Ft	\$ 2,060	
	GS-219-7239-SQ		70"	30"	39"	Square		390 Lbs.	60 Cu Ft	\$ 2,060	
	GS-219-7232-BN	70" Wide Desk Unit	70"	30"	32"	Bullnose		390 Lbs.	60 Cu Ft	\$ 2,200	
	GS-219-7239-BN		70"	30"	39"	Bullnose		390 Lbs.	60 Cu Ft	\$ 2,200	
	GS-219CD-32-SQ	Corner Desk Unit	68 ³ / ₄ "	32"	32"	Square		500 Lbs.	70 Cu Ft	\$ 2,985	Unit has a 27" wide knee space. Unit also forms a 90 degree angle in a circulation desk configuration.
	GS-219CD-39-SQ		68 ³ / ₄ "	32"	39"	Square		500 Lbs.	70 Cu Ft	\$ 2,985	
	GS-219CD-32-BN	Corner Desk Unit	68 ³ / ₄ "	32"	32"	Bullnose		500 Lbs.	70 Cu Ft	\$ 3,210	
	GS-219CD-39-BN		68 ³ / ₄ "	32"	39"	Bullnose		500 Lbs.	70 Cu Ft	\$ 3,210	






	MODEL NUMBER	PRODUCT	W	D	H	EDGE		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	GS-212-39-SQ	Closed Cupboard with Single Drawer	34"	30"	39"	Square		270 Lbs.	30 Cu Ft	\$ 2,795	Unit complete with one single drawer 5 ¹ / ₂ " high x 20" deep, cupboard doors and one adjustable shelf. Doors function using 95 degree hinges with lock and door pulls. 32" high unit has no adjustable shelf.
	GS-212-39-BN		34"	30"	39"	Bullnose		270 Lbs.	30 Cu Ft	\$ 2,865	
	GS-213-39-SQ	Hard Drive and Drawer Unit	34"	30"	39"	Square		270 Lbs.	30 Cu Ft	\$ 4,330	Unit complete with two locking box drawers and two file drawers. Box drawers used to store and lock away discs. Cupboard used to store hard-drive. Door uses 95 degree hinges with lock and door pulls. 32" high unit has no box drawers.
	GS-213-39-BN		34"	30"	39"	Bullnose		270 Lbs.	30 Cu Ft	\$ 4,400	
	GS-214-32-SQ	Hard Drive and Open Shelf Unit	34"	30"	32"	Square		260 Lbs.	30 Cu Ft	\$ 3,415	Unit complete with one box drawer above hard-drive compartment used to store and lock away discs, cupboard, used to store hard-drive, and two adjustable shelves. Door uses 95 degree hinges with lock and door pulls. 32" high unit has no box drawer and only one adjustable shelf.
	GS-214-39-SQ		34"	30"	39"	Square		260 Lbs.	30 Cu Ft	\$ 3,415	
	GS-214-32-BN		34"	30"	32"	Bullnose		260 Lbs.	30 Cu Ft	\$ 3,485	
	GS-214-39-BN		34"	30"	39"	Bullnose		260 Lbs.	30 Cu Ft	\$ 3,485	
	GS-215-32-SQ	Drawer and Cupboard Unit	34"	30"	32"	Square		270 Lbs.	30 Cu Ft	\$ 4,345	Unit complete with one locking box drawer, two file drawers, and a cupboard compartment complete with two adjustable shelves. Door uses 95 degree hinges with, lock and door pulls. 32" high unit has no box drawer and only one adjustable shelf in cupboard section.
	GS-215-39-SQ		34"	30"	39"	Square		270 Lbs.	30 Cu Ft	\$ 4,345	
	GS-215-32-BN		34"	30"	32"	Bullnose		270 Lbs.	30 Cu Ft	\$ 4,415	
	GS-215-39-BN		34"	30"	39"	Bullnose		270 Lbs.	30 Cu Ft	\$ 4,415	
	GS-216-32-SQ	Open Shelf and Drawer Unit	34"	30"	32"	Square		270 Lbs.	30 Cu Ft	\$ 4,200	Unit complete with one locking box drawer and two file drawers, and two adjustable shelves. 32" high unit has no box drawer and only one adjustable shelf.
	GS-216-39-SQ		34"	30"	39"	Square		270 Lbs.	30 Cu Ft	\$ 4,200	
	GS-216-32-BN		34"	30"	32"	Bullnose		270 Lbs.	30 Cu Ft	\$ 4,270	
	GS-216-39-BN		34"	30"	39"	Bullnose		270 Lbs.	30 Cu Ft	\$ 4,270	





	MODEL NUMBER	PRODUCT	W	D	H	EDGE		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	GS-218-32-SQ	Curved Desk Unit	68"	32"	32"	Square		320 Lbs.	50 Cu Ft	\$ 4,195	wide knee space. Unit used to form a 90 degree angle in a circulation desk configuration.
	GS-218-39-SQ		68"	32"	39"	Square		320 Lbs.	50 Cu Ft	\$ 4,195	
	GS-218-32-BN		68"	32"	32"	Bullnose		320 Lbs.	50 Cu Ft	\$ 4,405	
	GS-218-39-BN		68"	32"	39"	Bullnose		320 Lbs.	50 Cu Ft	\$ 4,405	
	GS-218S-32-SQ	Curved Corner Desk with Surround	68"	32"	32"	Square		500 Lbs.	70 Cu Ft	\$ 4,990	Unit has 27" wide knee space complete with a 29" high worksurface and a surround. Corner desk unit is used to form a 90 degree angle in a circulation desk configuration.
	GS-218S-39-SQ		68"	32"	39"	Square		500 Lbs.	70 Cu Ft	\$ 4,990	
	GS-218S-32-BN		68"	32"	32"	Bullnose		500 Lbs.	70 Cu Ft	\$ 5,240	
	GS-218S-39-BN		68"	32"	39"	Bullnose		500 Lbs.	70 Cu Ft	\$ 5,240	
	GS-223-32-SQ	ADA Unit	68"	32"	32"	Square		200 Lbs.	30 Cu Ft	\$ 1,740	Unit used for wheelchair access for either patrons or library staff. Please specify how unit is to be positioned when ordering.
	GS-223-32-BN		68"	32"	32"	Bullnose		500 Lbs.	70 Cu Ft	\$ 1,815	

	MODEL NUMBER	PRODUCT	W	D	H	EDGE		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	GS-225-SQ	Curved Corner Desk Patron Ledge	68"	8½"	7"	Square		70 Lbs.	7 Cu Ft	\$ 2,400	Patron ledge is compatible with GS218 curved corner desk unit
	GS-225-BN		68"	8½"	7"	Bullnose		70 Lbs.	7 Cu Ft	\$ 2,520	
	GS-220-36-SQ	36" Wide Straight Patron Ledge	36"	8½"	7"	Square		30 Lbs.	3 Cu Ft	\$ 845	Patron ledge compatible with all standard units. Available 36", 48", 60" or 72" wide.
	GS-220-36-BN		36"	8½"	7"	Bullnose		30 Lbs.	3 Cu Ft	\$ 915	
	GS-220-48-SQ	48" Wide Straight Patron Ledge	48"	8½"	7"	Square		40 Lbs.	4 Cu Ft	\$ 900	
	GS-220-48-BN		48"	8½"	7"	Bullnose		40 Lbs.	4 Cu Ft	\$ 990	
	GS-220-60-SQ	60" Wide Straight Patron Ledge	60"	8½"	7"	Square		50 Lbs.	5 Cu Ft	\$ 950	
	GS-220-60-BN		60"	8½"	7"	Bullnose		50 Lbs.	5 Cu Ft	\$ 1,070	
	GS-220-72-SQ	72" Wide Straight Patron Ledge	72"	8½"	7"	Square		60 Lbs.	6 Cu Ft	\$ 1,005	
	GS-220-72-BN		72"	8½"	7"	Bullnose		60 Lbs.	6 Cu Ft	\$ 1,145	
	GS-220S-SQ	Square Corner Patron Ledge	29"	8½"	7"	Square		40 Lbs.	4 Cu Ft	\$ 1,275	Patron ledge compatible with GS202S square corner units.
	GS-220S-BN		29"	8½"	7"	Bullnose		40 Lbs.	4 Cu Ft	\$ 1,355	
	GS-220C-SQ	Curved Corner Patron Ledge	29"	8½"	7"	Square		40 Lbs.	4 Cu Ft	\$ 1,450	Patron ledge compatible with SC202C curved corner unit.
	GS-220C-BN		29"	8½"	7"	Bullnose		40 Lbs.	4 Cu Ft	\$ 1,525	
	GS-220CD-SQ	Corner Desk Patron Ledge	68¾"	8½"	7"	Square		70 Lbs.	7 Cu Ft	\$ 2,005	Patron ledge compatible with GS219CD Corner desk unit.
	GS-220CD-BN		68¾"	8½"	7"	Bullnose		70 Lbs.	7 Cu Ft	\$ 2,220	

	MODEL NUMBER	PRODUCT	W	D	H	EDGE		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	GS-EP-32	End Panels	32"	30 ¹ / ₂ "				50 Lbs.	30 Cu Ft	\$ 620	1 ¹ / ₄ " thick x 30 ¹ / ₂ " deep. Circulation desk end panel.
	GS-EP-39		39"	30 ¹ / ₂ "				50 Lbs.	30 Cu Ft	\$ 620	
	GS-MP-32	Intermediate Panels	32"	30 ¹ / ₂ "				50 Lbs.	30 Cu Ft	\$ 700	
	GS-MP-39		39"	30 ¹ / ₂ "				50 Lbs.	30 Cu Ft	\$ 700	

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	CD-M20	Mobile Pedestal: Open Shelf	20 ¹ / ₂ "	20 ¹ / ₂ "	26 ¹ / ₂ "	65 Lbs.	8 Cu.Ft	\$ 1,475	Unit complete with plastic laminate top, 4 dual swivel casters and one adjustable shelf.
	CD-M30	Mobile Pedestal: Cupboard Unit	20 ¹ / ₂ "	20 ¹ / ₂ "	26 ¹ / ₂ "	70 Lbs.	8 Cu.Ft	\$ 1,825	Unit complete with plastic laminate top, 4 dual swivel casters and one adjustable shelf. Cupboard doors function on chrome piano hinges complete with lock.
	CD-M40	Mobile Pedestal: Drawer Unit	20 ¹ / ₂ "	20 ¹ / ₂ "	26 ¹ / ₂ "	75 Lbs.	8 Cu.Ft	\$ 1,995	Unit complete with plastic laminate top, 4 dual swivel casters, two box drawers, one file drawer and lock.
	CD-M50	Mobile File Unit	20 ¹ / ₂ "	20 ¹ / ₂ "	26 ¹ / ₂ "	75 Lbs.	8 Cu.Ft	\$ 2,035	Unit complete with plastic laminate top, 4 dual swivel caster, two files drawers and lock.

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	CD-250-BF	Hanging Pedestal: 1 Box, 1 File	18"	21 ⁵ / ₈ "	20 ¹ / ₂ "	50 Lbs.	4 Cu.Ft	\$ 1,260	Hanging pedestal complete with one box drawer and one file drawer and lock. Constructed of 3/4" thick veneer particlecore.
	CD-250-B3	Handing Pedestal: 3 Box	18"	21 ⁵ / ₈ "	20 ¹ / ₂ "	50 Lbs.	4 Cu.Ft	\$ 1,410	Hanging pedestal complete with 3 box drawers and lock. Constructed of 3/4" thick veneer particlecore.
	CD-250-F2	Hanging Pedestal: 2 File	18"	21 ⁵ / ₈ "	20 ¹ / ₂ "	50 Lbs.	4 Cu.Ft	\$ 1,485	Hanging pedestal complete with 2 file drawers and lock. Constructed of 3/4" thick veneer particle core.
	CD-250-2BF	Hanging Pedestal: 2 Box, 1 File	18"	21 ⁵ / ₈ "	20 ¹ / ₂ "	50 Lbs.	4 Cu.Ft	\$ 1,520	Hanging pedestal complete with 2 box drawers and 1 file drawer and lock. Constructed of 3/4" thick veneer particle core.
	CD-250-CPU	Hanging Pedestal: CPU Storage	11 ³ / ₄ "	21 ¹ / ₂ "	20"	70 Lbs.	6 Cu.Ft	\$ 1,100	CPU pedestal with locking compartment to accomodate hard drive. Inside compartment measures. 10-1/4" wide x 21-3/4" high x 22" deep. Ventilation holes 2" x 12" are cut out on top and bottom of each side of pedestal. Cabinet constructed from 3/4" thick 3 ply veneer particleboard, assembled together by means of tongue and groove assembly. Front door operates with the use of chrome piano hinge complete with lock.

	MODEL NUMBER	PRODUCT	W	D	H	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	CD-250-P	Pencil Drawer	18"	18 ³ / ₄ "	3 ³ / ₈ "	10 Lbs.	0.5 Cu.Ft	\$ 505	Hanging pencil drawer constructed from 1/2" thick mahogany veneer plywood, bottom constructed of 1/4". Drawer front constructed from 3/4" thick x 3" high 3 ply particlecore with grade "A" select veneer faces. Drawer assembled together by means of tongue and groove assembly. Drawers run on Blum slides.
	CD-250-PK	Pull-out Keyboard	23 ¹ / ₂ "	17"	3 ³ / ₄ "	15 Lbs.	0.5 Cu.Ft	\$ 510	Keyboard tray 9-1/4" deep x 22" wide inside dimension. Keyboard constructed from black ABS plastic. Tray slides out on ball bearing drawer slides and locks into place. Unit comes complete with mounting brackets.
	CD-250-AK	Articulating Keyboard	23 ³ / ₄ "	11"	3/4"	15 Lbs.	0.5 Cu.Ft	\$ 510	Unit complete with a 9-1/4" deep x 22" wide inside dimension keyboard tray. Keyboard constructed from ABS plastic, sits and functions on an adjustable retractable metal neck. Tray swivels a full 360 degrees and tilts up 15 degrees. Available in black only.
	CD-200-32	Swing Gate 32"	34"	1"	22"	10 Lbs.	1 Cu.Ft	\$ 1,275	Gate constructed from 1" thick 3 ply veneer core, grade "A" veneer both faces. All edges banded with 1/4" solid external hardwood. Gate mounting support constructed from 3/4" thick x 3" wide solid hardwood. Gate swings using double action spring-loaded hinges.
	CD-200-39	Swing Gate 39"	34"	1"	29"	10 Lbs.	1 Cu.Ft	\$ 1,275	

WOODS & FINISHES:

Natural Maple
Standard



Natural Clear – M-NA

Maple Finishes
The following stains are available, add 10% to list



Honey Oak – M-HO




Castle Oak – M-CO



Richmond Cherry – M-RC




Mahogany – M-MA




Victorian Cherry – M-VI



Java – M-JA



Wenge – M-WE



English Oak – M-EN

Natural Red Oak
Standard



Natural Clear – O-NA

Red Oak Finishes
The following stains are available, add 10% to list



Castle Oak – O-CO



Honey Oak – O-HO




English Oak – O-EN



Victorian Cherry – O-VI



Mahogany – O-MA



Richmond Cherry – O-RC




Java – O-JA



Wenge – O-WE

Natural Cherry
Add 20% to list



Natural Clear – C-NA

Cherry Finishes
The following stains are available, add 30% to list



Honey Oak – C-HO



Richmond Cherry – C-RC

Natural Walnut
Add 20% to list



Natural Clear – W-NA


Walnut Finishes
The following stain is available, add 30% to list



Java – W-JA

LAMINATES:

Melamine Laminate Options



Hardrock Maple – L303



Fidlar's Maple – L363



Cognac Cherry – L448




Cherry Blossom – L449



Almond Cherry – L457



Samba Cherry – L460



Lambada Cherry – L461



Shiraz Cherry – L472



Tuxedo – 477



Hot Cinnamon – L480



Caramel Maple – L490



Antigua – L498



Borneo – L500



Ginger Snap Fruitwood – L518




Very Chic – L666


PAINT:
Thermal Paint Colours




Sparkle Silver – S11



Navy – B17




Charcoal – A230



Beige – H23



Blue – B11




Grey – A16



Anitque White – W11



Teal – HG266




Black – N49



White – P-111-W374



Green – G58



Black Sandtex – N31
Textured Finish



Ruby – R7

HARDWOODS: All hardwood materials used in the manufacturing of P2 products shall be Northern grown hardwoods. Hardwoods will be air and kiln dried to a moisture content of 5-7%. All hardwoods shall be of grade “A” material, free of material stains, imperfections, conformity of grain, texture and color. Hardwood species shall be Northern grown Red Oak, Clear White Northern Maple and Birch. American Cherry and Honduras Mahogany and Walnut are available. Please inquire for pricing.

VENEER: Exposed face veneers shall be not less than 1/28" thick plain sliced veneers. Veneers are to be selected for conformity of grain direction and color. Veneers are to be stitched tightly in a book match, slip match or plain sliced configuration. Unexposed veneers are to be of hardwood but not selected for color, or grain quality. Veneers are not to be lap joined or reveal any tape or glue lines.

PARTICLE BOARD CORE: The particleboard shall be formed of wood chips, bonded with a water resistance adhesive. The particleboard material is to be of a high density 45 lbs/cu. ft. having a minimum average modules of rupture of 2400 psi and a minimum average modules of elasticity of 4,000,000 psi.

VENEER CORE: Veneer core is to be constructed with odd numbers of plies. Each ply is to be laminated in pairs and cross banded in opposite directions with grain direction at a 90 degree angle to the grain of the center core. All plies are to be free from knots, wrinkles, laps or other natural or manufacturing defects.

LUMBER CORE: Lumber core is to be of the highest quality grade. Grade “A” select stock. Lumber core shall be constructed of solid random width strips not less than 2" wide nor more than 3 1/2" wide by 1" thick. Wood strips will be free from knots or other defects. All strips will be tightly joined using water resistance adhesives.

HIGH PRESSURE LAMINATE: Work surface laminate shall be .050" thick and used with balancing backer sheet of no less than .028" thick. Laminate shall conform to standards set by the National Electrical Manufactures' Association (NEMA).

FINISHING PROCEDURES: All materials shall be inspected and treated with a final sanding and polishing operation before any staining and final finishing can be performed. All machine and mill marks are to be removed. Once the polishing and sanding has been performed, the furniture will then undergo the following stain and finishing procedures:

- Step 1 A base stain will be uniformly applied, wiped and then allowed to dry under factory controlled conditions.
- Step 2 A uniform coat of sealer will be applied and allowed to dry.
- Step 3 Sealer will be lightly sanded using 240 grit silicon paper.
- Step 4 A catalytic lacquer of 34-45 degree sheen is evenly applied and allowed to dry under factory controlled conditions.

METAL FINISHING PROCEDURES: All metal components are thoroughly cleaned and coated electrostatically with an epoxy powder coat paint finish. The metal components are then oven baked and cured for a lasting finish.