









	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION		
		HALF END Tables:								Each table is constructed of a 1" thick top with a plastic laminate top surface.		
		RIGHT Conference;								There are three edge profiles available:		
	TE-HER-6024-AC-ST	Acrylic Edge; Straight Leg	60"	24"	29"	___ Lbs.	___ Cu Ft	\$ 710		Model "AC" Acrylic Edge		
	TE-HER-6024-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 1,005				Model "BN" 3/4" Bullnose Edge
	TE-HER-6024-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 755				
	TE-HER-6024-BN-ST	Bullnose Edge; Straight Leg						\$ 920				
	TE-HER-6024-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,215				
	TE-HER-6024-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 965				
	TE-HER-6024-SQ-ST	Square Edge; Straight Leg						\$ 845				
	TE-HER-6024-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,140				
	TE-HER-6024-SQ-WF	Square Edge; Wave Fixed Leg						\$ 890				
										There are three different leg styles available:		
	TE-HER-6030-AC-ST	Acrylic Edge; Straight Leg	60"	30"	29"	___ Lbs.	___ Cu Ft	\$ 740		Model "ST" Straight 1 1/2" Diameter Leg		
	TE-HER-6030-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 1,040				Model "WF" Wave Fixed Leg
	TE-HER-6030-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 790				
	TE-HER-6030-BN-ST	Bullnose Edge; Straight Leg						\$ 965				
	TE-HER-6030-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,260				
	TE-HER-6030-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 1,010				
	TE-HER-6030-SQ-ST	Square Edge; Straight Leg						\$ 885				
	TE-HER-6030-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,180				
	TE-HER-6030-SQ-WF	Square Edge; Wave Fixed Leg						\$ 930				
			LEFT Conference;									
TE-HEL-6024-AC-ST		Acrylic Edge; Straight Leg	60"	24"	29"	___ Lbs.	___ Cu Ft	\$ 710		Model "ST" Straight 1 1/2" Diameter Leg		
TE-HEL-6024-AC-WC		Acrylic Edge; Wave Caster Leg						\$ 1,005				Model "WF" Wave Fixed Leg
TE-HEL-6024-AC-WF		Acrylic Edge; Wave Fixed Leg						\$ 755				
TE-HEL-6024-BN-ST		Bullnose Edge; Straight Leg						\$ 920				
TE-HEL-6024-BN-WC		Bullnose Edge; Wave Caster Leg						\$ 1,215				
TE-HEL-6024-BN-WF		Bullnose Edge; Wave Fixed Leg						\$ 965				
TE-HEL-6024-SQ-ST		Square Edge; Straight Leg						\$ 845				
TE-HEL-6024-SQ-WC		Square Edge; Wave Caster Leg						\$ 1,140				
TE-HEL-6024-SQ-WF		Square Edge; Wave Fixed Leg						\$ 890				
												
	TE-HEL-6030-AC-ST	Acrylic Edge; Straight Leg	60"	30"	29"	___ Lbs.	___ Cu Ft	\$ 740		Model "ST" Straight 1 1/2" Diameter Leg		
	TE-HEL-6030-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 1,040				Model "WF" Wave Fixed Leg
	TE-HEL-6030-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 790				
	TE-HEL-6030-BN-ST	Bullnose Edge; Straight Leg						\$ 965				
	TE-HEL-6030-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,260				
	TE-HEL-6030-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 1,010				
	TE-HEL-6030-SQ-ST	Square Edge; Straight Leg						\$ 885				
	TE-HEL-6030-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,180				
	TE-HEL-6030-SQ-WF	Square Edge; Wave Fixed Leg						\$ 930				





MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	END CAP Conference Tables:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	24" Depth;	60"	24"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-EC-6024-AC-ST	Acrylic Edge; Straight Leg					\$ 710	
	TE-EC-6024-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,010	
	TE-EC-6024-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 760	
	TE-EC-6024-BN-ST	Bullnose Edge; Straight Leg					\$ 920	
	TE-EC-6024-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,220	
	TE-EC-6024-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 970	
	TE-EC-6024-SQ-ST	Square Edge; Straight Leg					\$ 845	
	TE-EC-6024-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,145	
	TE-EC-6024-SQ-WF	Square Edge; Wave Fixed Leg					\$ 895	
	30" Depth;	60"	30"	29"	___ Lbs.	___ Cu Ft		There are three different leg styles available:
	TE-EC-6030-AC-ST	Acrylic Edge; Straight Leg					\$ 745	
	TE-EC-6030-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,045	
	TE-EC-6030-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 790	
	TE-EC-6030-BN-ST	Bullnose Edge; Straight Leg					\$ 970	
	TE-EC-6030-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,265	
	TE-EC-6030-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,015	
	TE-EC-6030-SQ-ST	Square Edge; Straight Leg					\$ 890	
	TE-EC-6030-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,185	
	TE-EC-6030-SQ-WF	Square Edge; Wave Fixed Leg					\$ 935	


	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		CURVE Conference Tables, 24" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
		30" Width;	30"	24"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-CU-3024-AC-ST	Acrylic Edge; Straight Leg						\$ 635	
	TE-CU-3024-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 930	
	TE-CU-3024-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 680	
	TE-CU-3024-BN-ST	Bullnose Edge; Straight Leg						\$ 780	
	TE-CU-3024-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,075	
	TE-CU-3024-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 825	
	TE-CU-3024-SQ-ST	Square Edge; Straight Leg						\$ 730	
	TE-CU-3024-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,025	
	TE-CU-3024-SQ-WF	Square Edge; Wave Fixed Leg						\$ 775	
		36" Width;	36"	24"	29"	___ Lbs.	___ Cu Ft		There are three different leg styles available:
	TE-CU-3624-AC-ST	Acrylic Edge; Straight Leg						\$ 650	
	TE-CU-3624-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 945	
	TE-CU-3624-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 695	
	TE-CU-3624-BN-ST	Bullnose Edge; Straight Leg						\$ 810	
	TE-CU-3624-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,105	
	TE-CU-3624-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 855	
	TE-CU-3624-SQ-ST	Square Edge; Straight Leg						\$ 755	
	TE-CU-3624-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,050	
	TE-CU-3624-SQ-WF	Square Edge; Wave Fixed Leg						\$ 800	
		42" Width;	42"	24"	29"	___ Lbs.	___ Cu Ft		
	TE-CU-4224-AC-ST	Acrylic Edge; Straight Leg						\$ 665	
	TE-CU-4224-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 960	
	TE-CU-4224-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 710	
	TE-CU-4224-BN-ST	Bullnose Edge; Straight Leg						\$ 840	
	TE-CU-4224-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,135	
	TE-CU-4224-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 885	
	TE-CU-4224-SQ-ST	Square Edge; Straight Leg						\$ 780	
	TE-CU-4224-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,075	
	TE-CU-4224-SQ-WF	Square Edge; Wave Fixed Leg						\$ 825	



MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	CURVE Conference Tables, 24" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	48" Width;	48"	24"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-CU-4824-AC-ST	Acrylic Edge; Straight Leg					\$ 680	  
	TE-CU-4824-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 975	
	TE-CU-4824-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 725	
	TE-CU-4824-BN-ST	Bullnose Edge; Straight Leg					\$ 870	Model "AC" Acrylic Edge
	TE-CU-4824-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,165	
	TE-CU-4824-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 915	
	TE-CU-4824-SQ-ST	Square Edge; Straight Leg					\$ 805	There are three different leg styles available:
	TE-CU-4824-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,100	
	TE-CU-4824-SQ-WF	Square Edge; Wave Fixed Leg					\$ 850	
	54" Width;	54"	24"	29"	___ Lbs.	___ Cu Ft		  
	TE-CU-5424-AC-ST	Acrylic Edge; Straight Leg					\$ 695	
	TE-CU-5424-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 990	
	TE-CU-5424-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 740	
	TE-CU-5424-BN-ST	Bullnose Edge; Straight Leg					\$ 900	
	TE-CU-5424-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,200	
	TE-CU-5424-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 945	
	TE-CU-5424-SQ-ST	Square Edge; Straight Leg					\$ 825	
	TE-CU-5424-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,125	
	TE-CU-5424-SQ-WF	Square Edge; Wave Fixed Leg					\$ 875	
	60" Width;	60"	24"	29"	___ Lbs.	___ Cu Ft		
	TE-CU-6024-AC-ST	Acrylic Edge; Straight Leg					\$ 710	
	TE-CU-6024-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,005	
	TE-CU-6024-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 755	
	TE-CU-6024-BN-ST	Bullnose Edge; Straight Leg					\$ 930	
	TE-CU-6024-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,230	
	TE-CU-6024-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 975	
	TE-CU-6024-SQ-ST	Square Edge; Straight Leg					\$ 850	
	TE-CU-6024-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,150	
	TE-CU-6024-SQ-WF	Square Edge; Wave Fixed Leg					\$ 900	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		CURVE Conference Tables, 30" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
		30" Width;	30"	30"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-CU-3030-AC-ST	Acrylic Edge; Straight Leg						\$ 655	  
	TE-CU-3030-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 950	
	TE-CU-3030-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 700	
	TE-CU-3030-BN-ST	Bullnose Edge; Straight Leg						\$ 815	Model "AC" Acrylic Edge
	TE-CU-3030-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,110	
	TE-CU-3030-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 860	
	TE-CU-3030-SQ-ST	Square Edge; Straight Leg						\$ 755	There are three different leg styles available:
	TE-CU-3030-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,055	
	TE-CU-3030-SQ-WF	Square Edge; Wave Fixed Leg						\$ 800	
		36" Width;	36"	30"	29"	___ Lbs.	___ Cu Ft		  
	TE-CU-3630-AC-ST	Acrylic Edge; Straight Leg						\$ 670	
	TE-CU-3630-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 970	
	TE-CU-3630-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 715	
	TE-CU-3630-BN-ST	Bullnose Edge; Straight Leg						\$ 845	
	TE-CU-3630-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,145	
	TE-CU-3630-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 895	
	TE-CU-3630-SQ-ST	Square Edge; Straight Leg						\$ 785	
	TE-CU-3630-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,080	
	TE-CU-3630-SQ-WF	Square Edge; Wave Fixed Leg						\$ 830	
		42" Width;	42"	30"	29"	___ Lbs.	___ Cu Ft		
	TE-CU-4230-AC-ST	Acrylic Edge; Straight Leg						\$ 690	
	TE-CU-4230-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 985	
	TE-CU-4230-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 735	
	TE-CU-4230-BN-ST	Bullnose Edge; Straight Leg						\$ 880	
	TE-CU-4230-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,175	
	TE-CU-4230-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 925	
	TE-CU-4230-SQ-ST	Square Edge; Straight Leg						\$ 815	
	TE-CU-4230-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,110	
	TE-CU-4230-SQ-WF	Square Edge; Wave Fixed Leg						\$ 860	



	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		CURVE Conference Tables, 30" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
		48" Width;	48"	30"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-CU-4830-AC-ST	Acrylic Edge; Straight Leg						\$ 705	  
	TE-CU-4830-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 1,005	
	TE-CU-4830-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 755	
	TE-CU-4830-BN-ST	Bullnose Edge; Straight Leg						\$ 915	Model "AC" Acrylic Edge
	TE-CU-4830-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,210	
	TE-CU-4830-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 960	
	TE-CU-4830-SQ-ST	Square Edge; Straight Leg						\$ 840	Model "BN" 3/4" Bullnose Edge
	TE-CU-4830-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,135	
	TE-CU-4830-SQ-WF	Square Edge; Wave Fixed Leg						\$ 885	
		54" Width;	54"	30"	29"	___ Lbs.	___ Cu Ft		There are three different leg styles available:
	TE-CU-5430-AC-ST	Acrylic Edge; Straight Leg						\$ 725	  
	TE-CU-5430-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 1,020	
	TE-CU-5430-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 770	
	TE-CU-5430-BN-ST	Bullnose Edge; Straight Leg						\$ 950	Model "ST" Straight 1 1/2" Diameter Leg
	TE-CU-5430-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,245	
	TE-CU-5430-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 995	
	TE-CU-5430-SQ-ST	Square Edge; Straight Leg						\$ 870	Model "WF" Wave Fixed Leg
	TE-CU-5430-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,165	
	TE-CU-5430-SQ-WF	Square Edge; Wave Fixed Leg						\$ 915	
		60" Width;	60"	30"	29"	___ Lbs.	___ Cu Ft		Model "WC" Wave Caster Leg
	TE-CU-6030-AC-ST	Acrylic Edge; Straight Leg						\$ 745	
	TE-CU-6030-AC-WC	Acrylic Edge; Wave Caster Leg						\$ 1,040	
	TE-CU-6030-AC-WF	Acrylic Edge; Wave Fixed Leg						\$ 790	
	TE-CU-6030-BN-ST	Bullnose Edge; Straight Leg						\$ 980	
	TE-CU-6030-BN-WC	Bullnose Edge; Wave Caster Leg						\$ 1,280	
	TE-CU-6030-BN-WF	Bullnose Edge; Wave Fixed Leg						\$ 1,030	
	TE-CU-6030-SQ-ST	Square Edge; Straight Leg						\$ 895	
	TE-CU-6030-SQ-WC	Square Edge; Wave Caster Leg						\$ 1,195	
	TE-CU-6030-SQ-WF	Square Edge; Wave Fixed Leg						\$ 940	


MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	ROUND END Conference Tables:	72"	48"	29"	___ Lbs.	___ Cu Ft		Each table is constructed of a 1" thick top with a plastic laminate top surface.
	TE-RE-7248-AC-ST	Acrylic Edge; Straight Leg					\$ 1,365	
	TE-RE-7248-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,810	There are three edge profiles available:
	TE-RE-7248-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 1,435	
	TE-RE-7248-BN-ST	Bullnose Edge; Straight Leg					\$ 1,655	
	TE-RE-7248-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 2,100	
	TE-RE-7248-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,725	Model "AC" Acrylic Edge
	TE-RE-7248-SQ-ST	Square Edge; Straight Leg					\$ 1,555	Model "BN" 3/4" Bullnose Edge
	TE-RE-7248-SQ-WC	Square Edge; Wave Caster Leg					\$ 2,000	Model "SQ" 1/4" Square Edge
	TE-RE-7248-SQ-WF	Square Edge; Wave Fixed Leg					\$ 1,620	
	SQUARE Computer Stations, T-Base:							There are three different leg styles available:
	30" Width;	30"	30"	29"	___ Lbs.	___ Cu Ft		
	TE-3030-AC-TF	Acrylic Edge; T-Base Fixed					\$ 1,005	Model "WF" Wave Fixed Leg
	TE-3030-AC-TC	Acrylic Edge; T-Base Caster					\$ 1,210	Model "WC" Wave Caster Leg
	TE-3030-BN-TF	Bullnose Edge; T-Base Fixed					\$ 1,165	
	TE-3030-BN-TC	Bullnose Edge; T-Base Caster					\$ 1,370	
	TE-3030-SQ-TF	Square Edge; T-Base Fixed					\$ 1,105	
	TE-3030-SQ-TC	Square Edge; T-Base Caster					\$ 1,310	
	36" Width;	36"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-3636-AC-TF	Acrylic Edge; T-Base Fixed					\$ 1,045	
	TE-3636-AC-TC	Acrylic Edge; T-Base Caster					\$ 1,250	The T-Base is constructed of double support 1" x 2" tubular 16 gauge steel with a 3" wide perforated screen separation and an intergrated modesty J-Channel for wire management. One 3" wide grommet at center. Model "TF" is T-Base Fixed, and "TC" is T-Base Caster.
	TE-3636-BN-TF	Bullnose Edge; T-Base Fixed					\$ 1,235	
	TE-3636-BN-TC	Bullnose Edge; T-Base Caster					\$ 1,440	
	TE-3636-SQ-TF	Square Edge; T-Base Fixed					\$ 1,165	
	TE-3636-SQ-TC	Square Edge; T-Base Caster					\$ 1,370	


MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	RECTANGLE Computer Stations, T-Base, 30" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	36" Width;	36"	30"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-3630-AC-TF	Acrylic Edge; T-Base Fixed					\$ 1,020	   Model "AC" Acrylic Edge Model "BN" 3/4" Bullnose Edge Model "SQ" 1/4" Square Edge
	TE-3630-AC-TC	Acrylic Edge; T-Base Caster					\$ 1,225	
	TE-3630-BN-TF	Bullnose Edge; T-Base Fixed					\$ 1,200	
	TE-3630-BN-TC	Bullnose Edge; T-Base Caster					\$ 1,405	
	TE-3630-SQ-TF	Square Edge; T-Base Fixed					\$ 1,135	
	TE-3630-SQ-TC	Square Edge; T-Base Caster					\$ 1,340	
	42" Width;	42"	30"	29"	___ Lbs.	___ Cu Ft		The T-Base is constructed of double support 1" x 2" tubular 16 gauge steel with a 3" wide perforated screen separation and an intergrated modesty J-Channel for wire management. One 3" wide grommet at center. Model "TF" is T-Base Fixed, and "TC" is T-Base Caster. 
	TE-4230-AC-TF	Acrylic Edge; T-Base Fixed					\$ 1,070	
	TE-4230-AC-TC	Acrylic Edge; T-Base Caster					\$ 1,275	
	TE-4230-BN-TF	Bullnose Edge; T-Base Fixed					\$ 1,260	
	TE-4230-BN-TC	Bullnose Edge; T-Base Caster					\$ 1,465	
	TE-4230-SQ-TF	Square Edge; T-Base Fixed					\$ 1,195	
	TE-4230-SQ-TC	Square Edge; T-Base Caster					\$ 1,400	
	48" Width;	48"	30"	29"	___ Lbs.	___ Cu Ft		
	TE-4830-AC-TF	Acrylic Edge; T-Base Fixed					\$ 1,110	
	TE-4830-AC-TC	Acrylic Edge; T-Base Caster					\$ 1,315	
	TE-4830-BN-TF	Bullnose Edge; T-Base Fixed					\$ 1,320	
	TE-4830-BN-TC	Bullnose Edge; T-Base Caster					\$ 1,525	
	TE-4830-SQ-TF	Square Edge; T-Base Fixed					\$ 1,245	
	TE-4830-SQ-TC	Square Edge; T-Base Caster					\$ 1,450	


MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	RECTANGLE Computer Stations, T-Base, 30" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	54" Width;	54"	30"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-5430-AC-TF	Acrylic Edge; T-Base Fixed					\$ 1,130	   Model "AC" Model "BN" Model "SQ" Acrylic Edge 3/4" Bullnose Edge 1/4" Square Edge
	TE-5430-AC-TC	Acrylic Edge; T-Base Caster					\$ 1,335	
	TE-5430-BN-TF	Bullnose Edge; T-Base Fixed					\$ 1,350	
	TE-5430-BN-TC	Bullnose Edge; T-Base Caster					\$ 1,555	
	TE-5430-SQ-TF	Square Edge; T-Base Fixed					\$ 1,270	
	TE-5430-SQ-TC	Square Edge; T-Base Caster					\$ 1,475	
	60" Width;	60"	30"	29"	___ Lbs.	___ Cu Ft		The T-Base is constructed of double support 1" x 2" tubular 16 gauge steel with a 3" wide perforated screen separation and an intergrated modesty J-Channel for wire management. One 3" wide grommet at center. Model "TF" is T-Base Fixed, and "TC" is T-Base Caster. 
	TE-6030-AC-TF	Acrylic Edge; T-Base Fixed					\$ 1,145	
	TE-6030-AC-TC	Acrylic Edge; T-Base Caster					\$ 1,350	
	TE-6030-BN-TF	Bullnose Edge; T-Base Fixed					\$ 1,385	
	TE-6030-BN-TC	Bullnose Edge; T-Base Caster					\$ 1,590	
	TE-6030-SQ-TF	Square Edge; T-Base Fixed					\$ 1,300	
	TE-6030-SQ-TC	Square Edge; T-Base Caster					\$ 1,505	
	72" Width;	72"	30"	29"	___ Lbs.	___ Cu Ft		
	TE-7230-AC-TF	Acrylic Edge; T-Base Fixed					\$ 1,320	
	TE-7230-AC-TC	Acrylic Edge; T-Base Caster					\$ 1,525	
	TE-7230-BN-TF	Bullnose Edge; T-Base Fixed					\$ 1,590	
	TE-7230-BN-TC	Bullnose Edge; T-Base Caster					\$ 1,800	
	TE-7230-SQ-TF	Square Edge; T-Base Fixed					\$ 1,495	
	TE-7230-SQ-TC	Square Edge; T-Base Caster					\$ 1,700	


	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		RECTANGLE Computer Stations, T-Base, 36" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
		42" Width;	42"	36"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-4236-AC-TF	Acrylic Edge; T-Base Fixed						\$ 1,060	
	TE-4236-AC-TC	Acrylic Edge; T-Base Caster						\$ 1,300	
	TE-4236-BN-TF	Bullnose Edge; T-Base Fixed						\$ 1,300	
	TE-4236-BN-TC	Bullnose Edge; T-Base Caster						\$ 1,510	
	TE-4236-SQ-TF	Square Edge; T-Base Fixed						\$ 1,230	
	TE-4236-SQ-TC	Square Edge; T-Base Caster						\$ 1,435	
		48" Width;	48"	36"	29"	___ Lbs.	___ Cu Ft		The T-Base is constructed of double support 1" x 2" tubular 16 gauge steel with a 3" wide perforated screen separation and an intergrated modesty J-Channel for wire management. One 3" wide grommet at center. Model "TF" is T-Base Fixed, and "TC" is T-Base Caster. 
	TE-4836-AC-TF	Acrylic Edge; T-Base Fixed						\$ 1,140	
	TE-4836-AC-TC	Acrylic Edge; T-Base Caster						\$ 1,345	
	TE-4836-BN-TF	Bullnose Edge; T-Base Fixed						\$ 1,360	
	TE-4836-BN-TC	Bullnose Edge; T-Base Caster						\$ 1,565	
	TE-4836-SQ-TF	Square Edge; T-Base Fixed						\$ 1,280	
	TE-4836-SQ-TC	Square Edge; T-Base Caster						\$ 1,485	
		54" Width;	54"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-5436-AC-TF	Acrylic Edge; T-Base Fixed						\$ 1,160	
	TE-5436-AC-TC	Acrylic Edge; T-Base Caster						\$ 1,365	
	TE-5436-BN-TF	Bullnose Edge; T-Base Fixed						\$ 1,400	
	TE-5436-BN-TC	Bullnose Edge; T-Base Caster						\$ 1,605	
	TE-5436-SQ-TF	Square Edge; T-Base Fixed						\$ 1,315	
	TE-5436-SQ-TC	Square Edge; T-Base Caster						\$ 1,520	
		60" Width;	60"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-6036-AC-TF	Acrylic Edge; T-Base Fixed						\$ 1,190	
	TE-6036-AC-TC	Acrylic Edge; T-Base Caster						\$ 1,395	
	TE-6036-BN-TF	Bullnose Edge; T-Base Fixed						\$ 1,445	
	TE-6036-BN-TC	Bullnose Edge; T-Base Caster						\$ 1,650	
	TE-6036-SQ-TF	Square Edge; T-Base Fixed						\$ 1,355	
	TE-6036-SQ-TC	Square Edge; T-Base Caster						\$ 1,560	
		72" Width;	72"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-7236-AC-TF	Acrylic Edge; T-Base Fixed						\$ 1,360	
	TE-7236-AC-TC	Acrylic Edge; T-Base Caster						\$ 1,565	
	TE-7236-BN-TF	Bullnose Edge; T-Base Fixed						\$ 1,650	
	TE-7236-BN-TC	Bullnose Edge; T-Base Caster						\$ 1,855	
	TE-7236-SQ-TF	Square Edge; T-Base Fixed						\$ 1,545	
	TE-7236-SQ-TC	Square Edge; T-Base Caster						\$ 1,750	


	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
		PUZZLE RIGHT, Computer Stations, T-Base:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
		60" Width;	60"	36"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-PR-6036-AC-TF	Acrylic Edge; T-Base Fixed						\$ 1,190	  
	TE-PR-6036-AC-TC	Acrylic Edge; T-Base Caster						\$ 1,395	
	TE-PR-6036-BN-TF	Bullnose Edge; T-Base Fixed						\$ 1,445	
	TE-PR-6036-BN-TC	Bullnose Edge; T-Base Caster						\$ 1,650	
	TE-PR-6036-SQ-TF	Square Edge; T-Base Fixed						\$ 1,355	
	TE-PR-6036-SQ-TC	Square Edge; T-Base Caster						\$ 1,560	
		72" Width;	72"	36"	29"	___ Lbs.	___ Cu Ft		The T-Base is constructed of double support 1" x 2" tubular 16 gauge steel with a 3" wide perforated screen separation and an intergrated modesty J-Channel for wire management. One 3" wide grommet at center. Model "TF" is T-Base Fixed, and "TC" is T-Base Caster.
	TE-PR-7236-AC-TF	Acrylic Edge; T-Base Fixed						\$ 1,360	
	TE-PR-7236-AC-TC	Acrylic Edge; T-Base Caster						\$ 1,565	
	TE-PR-7236-BN-TF	Bullnose Edge; T-Base Fixed						\$ 1,650	
	TE-PR-7236-BN-TC	Bullnose Edge; T-Base Caster						\$ 1,855	
	TE-PR-7236-SQ-TF	Square Edge; T-Base Fixed						\$ 1,545	
	TE-PR-7236-SQ-TC	Square Edge; T-Base Caster						\$ 1,750	
		PUZZLE LEFT, Computer Stations, T-Base:							
		60" Width;	60"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-PL-6036-AC-TF	Acrylic Edge; T-Base Fixed						\$ 1,190	
	TE-PL-6036-AC-TC	Acrylic Edge; T-Base Caster						\$ 1,395	
	TE-PL-6036-BN-TF	Bullnose Edge; T-Base Fixed						\$ 1,445	
	TE-PL-6036-BN-TC	Bullnose Edge; T-Base Caster						\$ 1,650	
	TE-PL-6036-SQ-TF	Square Edge; T-Base Fixed						\$ 1,355	
	TE-PL-6036-SQ-TC	Square Edge; T-Base Caster						\$ 1,560	
		72" Width;	72"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-PL-7236-AC-TF	Acrylic Edge; T-Base Fixed						\$ 1,360	
	TE-PL-7236-AC-TC	Acrylic Edge; T-Base Caster						\$ 1,565	
	TE-PL-7236-BN-TF	Bullnose Edge; T-Base Fixed						\$ 1,650	
	TE-PL-7236-BN-TC	Bullnose Edge; T-Base Caster						\$ 1,855	
	TE-PL-7236-SQ-TF	Square Edge; T-Base Fixed						\$ 1,545	
	TE-PL-7236-SQ-TC	Square Edge; T-Base Caster						\$ 1,750	


MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	SQUARE Computer Station, Leg Base:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	30" Width;	30"	30"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-3030-AC-ST	Acrylic Edge; Straight Leg					\$ 685	
	TE-3030-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 980	
	TE-3030-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 730	
	TE-3030-BN-ST	Bullnose Edge; Straight Leg					\$ 845	
	TE-3030-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,140	
	TE-3030-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 890	
	TE-3030-SQ-ST	Square Edge; Straight Leg					\$ 785	
	TE-3030-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,085	
	TE-3030-SQ-WF	Square Edge; Wave Fixed Leg					\$ 835	
								There are three different leg styles available:
	36" Width;	36"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-3636-AC-ST	Acrylic Edge; Straight Leg					\$ 710	
	TE-3636-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,005	
	TE-3636-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 755	
	TE-3636-BN-ST	Bullnose Edge; Straight Leg					\$ 900	
	TE-3636-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,200	
	TE-3636-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 950	
	TE-3636-SQ-ST	Square Edge; Straight Leg					\$ 835	
	TE-3636-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,130	
	TE-3636-SQ-WF	Square Edge; Wave Fixed Leg					\$ 880	

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	RECTANGLE Computer Station, Leg Base, 30" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	36" Width;	36"	30"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-3630-AC-ST	Acrylic Edge; Straight Leg					\$ 735	
	TE-3630-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,030	
	TE-3630-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 780	
	TE-3630-BN-ST	Bullnose Edge; Straight Leg					\$ 910	
	TE-3630-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,205	
	TE-3630-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 955	
	TE-3630-SQ-ST	Square Edge; Straight Leg					\$ 845	
	TE-3630-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,140	
	TE-3630-SQ-WF	Square Edge; Wave Fixed Leg					\$ 890	
	42" Width;	42"	30"	29"	___ Lbs.	___ Cu Ft		There are three different leg styles available:
	TE-4230-AC-ST	Acrylic Edge; Straight Leg					\$ 750	
	TE-4230-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,045	
	TE-4230-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 795	
	TE-4230-BN-ST	Bullnose Edge; Straight Leg					\$ 940	
	TE-4230-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,240	
	TE-4230-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 985	
	TE-4230-SQ-ST	Square Edge; Straight Leg					\$ 875	
	TE-4230-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,170	
	TE-4230-SQ-WF	Square Edge; Wave Fixed Leg					\$ 920	
	48" Width;	48"	30"	29"	___ Lbs.	___ Cu Ft		
	TE-4830-AC-ST	Acrylic Edge; Straight Leg					\$ 770	
	TE-4830-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,065	
	TE-4830-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 815	
	TE-4830-BN-ST	Bullnose Edge; Straight Leg					\$ 975	
	TE-4830-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,270	
	TE-4830-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,020	
	TE-4830-SQ-ST	Square Edge; Straight Leg					\$ 900	
	TE-4830-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,200	
	TE-4830-SQ-WF	Square Edge; Wave Fixed Leg					\$ 945	

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	RECTANGLE Computer Station, Leg Base, 30" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	54" Width;	54"	30"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-5430-AC-ST	Acrylic Edge; Straight Leg					\$ 785	
	TE-5430-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,080	
	TE-5430-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 830	
	TE-5430-BN-ST	Bullnose Edge; Straight Leg					\$ 1,010	
	TE-5430-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,305	
	TE-5430-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,055	
	TE-5430-SQ-ST	Square Edge; Straight Leg					\$ 930	
	TE-5430-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,225	
	TE-5430-SQ-WF	Square Edge; Wave Fixed Leg					\$ 975	
	60" Width;	60"	30"	29"	___ Lbs.	___ Cu Ft		There are three different leg styles available:
	TE-6030-AC-ST	Acrylic Edge; Straight Leg					\$ 805	
	TE-6030-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,100	
	TE-6030-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 850	
	TE-6030-BN-ST	Bullnose Edge; Straight Leg					\$ 1,045	
	TE-6030-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,340	
	TE-6030-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,090	
	TE-6030-SQ-ST	Square Edge; Straight Leg					\$ 960	
	TE-6030-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,255	
	TE-6030-SQ-WF	Square Edge; Wave Fixed Leg					\$ 1,005	
	72" Width;	72"	30"	29"	___ Lbs.	___ Cu Ft		
	TE-7230-AC-ST	Acrylic Edge; Straight Leg					\$ 840	
	TE-7230-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,135	
	TE-7230-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 885	
	TE-7230-BN-ST	Bullnose Edge; Straight Leg					\$ 1,110	
	TE-7230-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,405	
	TE-7230-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,155	
	TE-7230-SQ-ST	Square Edge; Straight Leg					\$ 1,015	
	TE-7230-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,310	
	TE-7230-SQ-WF	Square Edge; Wave Fixed Leg					\$ 1,060	

MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	RECTANGLE Computer Station, Leg Base, 36" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	42" Width;	42"	36"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-4236-AC-ST	Acrylic Edge; Straight Leg					\$ 775	
	TE-4236-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,070	
	TE-4236-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 820	
	TE-4236-BN-ST	Bullnose Edge; Straight Leg					\$ 985	
	TE-4236-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,280	
	TE-4236-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,030	
	TE-4236-SQ-ST	Square Edge; Straight Leg					\$ 910	
	TE-4236-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,205	
	TE-4236-SQ-WF	Square Edge; Wave Fixed Leg					\$ 955	
								There are three different leg styles available:
	48" Width;	48"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-4836-AC-ST	Acrylic Edge; Straight Leg					\$ 795	
	TE-4836-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,095	
	TE-4836-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 845	
	TE-4836-BN-ST	Bullnose Edge; Straight Leg					\$ 1,020	
	TE-4836-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,315	
	TE-4836-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,065	
	TE-4836-SQ-ST	Square Edge; Straight Leg					\$ 940	
	TE-4836-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,235	
	TE-4836-SQ-WF	Square Edge; Wave Fixed Leg					\$ 985	
	54" Width;	54"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-5436-AC-ST	Acrylic Edge; Straight Leg					\$ 820	
	TE-5436-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,115	
	TE-5436-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 865	
	TE-5436-BN-ST	Bullnose Edge; Straight Leg					\$ 1,055	
	TE-5436-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,355	
	TE-5436-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,105	
	TE-5436-SQ-ST	Square Edge; Straight Leg					\$ 970	
	TE-5436-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,270	
	TE-5436-SQ-WF	Square Edge; Wave Fixed Leg					\$ 1,015	


MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	RECTANGLE Computer Station, Leg Base, 36" Depths:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	60" Width;	60"	36"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-6036-AC-ST	Acrylic Edge; Straight Leg					\$ 840	 Model "AC" Acrylic Edge
	TE-6036-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,135	
	TE-6036-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 885	
	TE-6036-BN-ST	Bullnose Edge; Straight Leg					\$ 1,095	 Model "BN" 3/4" Bullnose Edge
	TE-6036-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,390	
	TE-6036-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,140	
	TE-6036-SQ-ST	Square Edge; Straight Leg					\$ 1,005	 Model "SQ" 1/4" Square Edge
	TE-6036-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,300	
	TE-6036-SQ-WF	Square Edge; Wave Fixed Leg					\$ 1,050	
								There are three different leg styles available:
	72" Width;	72"	36"	29"	___ Lbs.	___ Cu Ft		 Model "ST" Straight 1 1/2" Diameter Leg
	TE-7236-AC-ST	Acrylic Edge; Straight Leg					\$ 880	
	TE-7236-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,175	
	TE-7236-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 925	 Model "WF" Wave Fixed Leg
	TE-7236-BN-ST	Bullnose Edge; Straight Leg					\$ 1,170	
	TE-7236-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,465	
	TE-7236-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,215	 Model "WC" Wave Caster Leg
	TE-7236-SQ-ST	Square Edge; Straight Leg					\$ 1,065	
	TE-7236-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,360	
	TE-7236-SQ-WF	Square Edge; Wave Fixed Leg					\$ 1,110	


MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	PUZZLE RIGHT, Computer Stations, Leg Base:							Each table is constructed of a 1" thick top with a plastic laminate top surface.
	60" Width;	60"	36"	29"	___ Lbs.	___ Cu Ft		There are three edge profiles available:
	TE-PR-6036-AC-ST	Acrylic Edge; Straight Leg					\$ 840	  
	TE-PR-6036-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,135	
	TE-PR-6036-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 1,020	
	TE-PR-6036-BN-ST	Bullnose Edge; Straight Leg					\$ 1,085	Model "AC" Acrylic Edge
	TE-PR-6036-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,380	Model "BN" 3/4" Bullnose Edge
	TE-PR-6036-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,130	Model "SQ" 1/4" Square Edge
	TE-PR-6036-SQ-ST	Square Edge; Straight Leg					\$ 995	
	TE-PR-6036-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,295	
	TE-PR-6036-SQ-WF	Square Edge; Wave Fixed Leg					\$ 980	
	72" Width;	72"	36"	29"	___ Lbs.	___ Cu Ft		There are three different leg styles available:
	TE-PR-7236-AC-ST	Acrylic Edge; Straight Leg					\$ 880	  
	TE-PR-7236-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,175	
	TE-PR-7236-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 925	
	TE-PR-7236-BN-ST	Acrylic Edge; Wave Fixed Leg					\$ 925	Model "ST" Straight 1 1/2" Diameter Leg
	TE-PR-7236-BN-WC	Bullnose Edge; Straight Leg					\$ 1,160	Model "WF" Wave Fixed Leg
	TE-PR-7236-BN-WF	Bullnose Edge; Wave Caster Leg					\$ 1,455	Model "WC" Wave Caster Leg
	TE-PR-7236-SQ-ST	Bullnose Edge; Wave Fixed Leg					\$ 1,205	
	TE-PR-7236-SQ-WC	Square Edge; Straight Leg					\$ 1,060	
	TE-PR-7236-SQ-WF	Square Edge; Wave Caster Leg					\$ 1,355	
		Square Edge; Wave Fixed Leg					\$ 1,105	
	PUZZLE LEFT, Computer Stations, Leg Base:							
	60" Width;	60"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-PL-6036-AC-ST	Acrylic Edge; Straight Leg					\$ 840	
	TE-PL-6036-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,135	
	TE-PL-6036-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 1,020	
	TE-PL-6036-BN-ST	Bullnose Edge; Straight Leg					\$ 1,085	
	TE-PL-6036-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,380	
	TE-PL-6036-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,130	
	TE-PL-6036-SQ-ST	Square Edge; Straight Leg					\$ 995	
	TE-PL-6036-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,295	
	TE-PL-6036-SQ-WF	Square Edge; Wave Fixed Leg					\$ 980	
	72" Width;	72"	36"	29"	___ Lbs.	___ Cu Ft		
	TE-PL-7236-AC-ST	Acrylic Edge; Straight Leg					\$ 880	
	TE-PL-7236-AC-WC	Acrylic Edge; Wave Caster Leg					\$ 1,175	
	TE-PL-7236-AC-WF	Acrylic Edge; Wave Fixed Leg					\$ 925	
	TE-PL-7236-BN-ST	Bullnose Edge; Straight Leg					\$ 1,160	
	TE-PL-7236-BN-WC	Bullnose Edge; Wave Caster Leg					\$ 1,455	
	TE-PL-7236-BN-WF	Bullnose Edge; Wave Fixed Leg					\$ 1,205	
	TE-PL-7236-SQ-ST	Square Edge; Straight Leg					\$ 1,060	
	TE-PL-7236-SQ-WC	Square Edge; Wave Caster Leg					\$ 1,355	
	TE-PL-7236-SQ-WF	Square Edge; Wave Fixed Leg					\$ 1,105	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	TE-PDL-BBF-6030-AC-WC	BBF Pedestal, LEFT Desk: Acrylic Edge; Wave Caster	60"	30"	29"	___ Lbs.	___ Cu Ft	\$ 2,825	Each table is constructed of a 1" thick top with a plastic laminate top surface. There are three edge profiles available:    Model "AC" Acrylic Edge Model "BN" 3/4" Bullnose Edge Model "SQ" 1/4" Square Edge There is one leg styles available: 
	TE-PDL-BBF-6030-BN-WC							\$ 3,065	
	TE-PDL-BBF-6030-SQ-WC							\$ 2,980	
	TE-PDL-BBF-7230-AC-WC	Acrylic Edge; Wave Caster	72"	30"	29"	___ Lbs.	___ Cu Ft	\$ 2,865	
	TE-PDL-BBF-7230-BN-WC							\$ 3,135	
	TE-PDL-BBF-7230-SQ-WC							\$ 3,035	
	TE-PDR-BBF-6030-AC-WC	BBF Pedestal, RIGHT Desk: Acrylic Edge; Wave Caster	60"	30"	29"	___ Lbs.	___ Cu Ft	\$ 2,825	
	TE-PDR-BBF-6030-BN-WC							\$ 3,065	
	TE-PDR-BBF-6030-SQ-WC							\$ 2,980	
	TE-PDR-BBF-7230-AC-WC	Acrylic Edge; Wave Caster	72"	30"	29"	___ Lbs.	___ Cu Ft	\$ 2,865	
	TE-PDR-BBF-7230-BN-WC							\$ 3,135	
	TE-PDR-BBF-7230-SQ-WC							\$ 3,035	
	TE-PDL-FF-6030-AC-WC	FF Pedestal, LEFT Desk: Acrylic Edge; Wave Caster	60"	30"	29"	___ Lbs.	___ Cu Ft	\$ 2,820	
	TE-PDL-FF-6030-BN-WC							\$ 3,060	
	TE-PDL-FF-6030-SQ-WC							\$ 2,975	
	TE-PDL-FF-7230-AC-WC	Acrylic Edge; Wave Caster	72"	30"	29"	___ Lbs.	___ Cu Ft	\$ 2,855	
	TE-PDL-FF-7230-BN-WC							\$ 3,130	
	TE-PDL-FF-7230-SQ-WC							\$ 3,030	
	TE-PDR-FF-6030-AC-WC	FF Pedestal, RIGHT Desk: Acrylic Edge; Wave Caster	60"	30"	29"	___ Lbs.	___ Cu Ft	\$ 2,820	
	TE-PDR-FF-6030-BN-WC							\$ 3,060	
	TE-PDR-FF-6030-SQ-WC							\$ 2,975	
	TE-PDR-FF-7230-AC-WC	Acrylic Edge; Wave Caster	72"	30"	29"	___ Lbs.	___ Cu Ft	\$ 2,855	
	TE-PDR-FF-7230-BN-WC							\$ 3,130	
	TE-PDR-FF-7230-SQ-WC							\$ 3,030	
	TE-FXB-7230-AC-WC	FF and BBF, Pedestal Desk Acrylic Edge; Wave Caster	72"	30"	29"	___ Lbs.	___ Cu Ft	\$ 4,695	
	TE-FXB-7230-BN-WC							\$ 4,965	
	TE-FXB-7230-SQ-WC							\$ 4,870	
	TE-D-BBF-7230-AC-WC	FF and BBF, Pedestal Desk Acrylic Edge; Wave Caster	72"	30"	29"	___ Lbs.	___ Cu Ft	\$ 4,700	
	TE-D-BBF-7230-BN-WC							\$ 4,975	
	TE-D-BBF-7230-SQ-WC							\$ 4,875	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	TE-MS-AV-30	Audio Visual Cart: 2 Adjustable Shelves	36"	18"	30"	___ Lbs.	___ Cu Ft	\$ 1,890	
	TE-MS-AV-30-LD	Audio Visual Cart: 2 Adjustable Shelves, Locking Doors	36"	18"	30"	___ Lbs.	___ Cu Ft	\$ 2,020	
	TE-MS-WR-60	Mobile Wardrobe: Locking Cupboard, 1 File, 4 Adjustable Shelves	36"	24"	60"	___ Lbs.	___ Cu Ft	\$ 2,255	
	TE-MS-WR-72	Mobile Wardrobe: Locking Cupboard, 2 File, 3 Adjustable Shelves	36"	24"	72"	___ Lbs.	___ Cu Ft	\$ 2,460	
	TE-MS-SU-30-A	Mobile Support Unit: Locking Box and File, 2 Adjustable Shelves, Acrylic Screen	36"	24"	30"	___ Lbs.	___ Cu Ft	\$ 2,340	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	TE-MS-SU-30-B	Mobile Support Unit: Locking Box and File, 2 Pencil, Open Cubbie, Acrylic Screen	36"	24"	30"	___ Lbs.	___ Cu Ft	\$ 2,440	
	TE-MS-S-28	Mobile Shelving: 2 Adjustable Shelves	18"	24"	28"	___ Lbs.	___ Cu Ft	\$ 1,265	
	TE-MS-CB-28	Mobile Cupboard: 2 Adjustable Shelves, Locking Door	18"	24"	28"	___ Lbs.	___ Cu Ft	\$ 1,590	
	TE-MS-BBF-28	Mobile Unit: Locking Pencil, Box, File	18"	24"	28"	___ Lbs.	___ Cu Ft	\$ 2,100	
	TE-MS-FF-28	Mobile Unit: Locking 2 File	18"	24"	28"	___ Lbs.	___ Cu Ft	\$ 2,095	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT		WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	S-FA-S	Frosted Acrylic Screen - Small	20"		8"		2.5 Lbs.	0.5 Cu Ft	\$ 265	
	S-FA-L	Frosted Acrylic Screen - Large	32"		8"		2.5 Lbs.	0.5 Cu Ft	\$ 280	
	S-FAS	Frosted Acrylic Screen Surround	32"	13	8"		9.5 Lbs.	0.5 Cu Ft	\$ 545	
	S-WS	Wood Screen Surround	32"	7	8"		8 Lbs. 8 Lbs.	0.5 Cu Ft 0.5 Cu Ft	\$ 270	
	S-SWM-S	Wood Frame Perforated Metal Screen Small	20"		8"				\$ 500	
	S-SWM-L	Large	32"		16"				\$ 745	
	S-SWW-S	Wood Screen, Metal Posts Small	20"		8"				\$ 330	
	S-SWW-L	Large	32"		16"				\$ 495	
	S-SWA	Wood Frame, Metal Posts, Frosted Acrylic Screen	24"		16"				\$ 745	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	PD-BL	Pencil Drawer	20 ⁷ / ₈ "	18 ¹ / ₂ "	1 ⁷ / ₈ "	___ Lbs.	___ Cu Ft	\$ 140	Pencil & paper drawer. Includes roller slides and frame for under-desk mounting. Black finish.
	CD-250-PK	Pullout Keyboard	24"	11"		___ Lbs.	___ Cu Ft	\$ 510	
	CD-250-AK	Articulating Keyboard and Mouse	21"	10"		___ Lbs.	___ Cu Ft	\$ 510	
	PW-G2D	Plastic Grommet 2"	2"	2"	³ / ₄ "	0.1 Lbs.	___ Cu Ft	\$ 85	
	PW-G3D	Plastic Grommet 3"	3"	3"	³ / ₄ "			\$ 85	
	P-TC-V	Vertical Flex Wire Leg	3"	2"	32 ¹ / ₂ "	___ Lbs.	___ Cu Ft	\$ 165	32 ¹ / ₂ " Silver Plastic. Separates wire in different channels for easier maintenance. Kit includes: 1 top bracket, 15 spine wheels, 2 fixing clips for horizontal applications and 1 weighted base. Also comes in Black.
	P-TC	Table Connector	3"	2"		___ Lbs.	___ Cu Ft	\$ 40	
	PW-OWMT-30	Wire Manager	30"	2"		___ Lbs.	___ Cu Ft	\$ 85	

	MODEL NUMBER	PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT	VOLUME	LIST PRICE	DESCRIPTION
	PW-100-F	Flip-Up Power - 2 outlet, 2 data	9"		5 1/2"	___ Lbs.	___ Cu Ft	\$ 625	Black Metal
	PW-100-J	Jr. Flip-Up Power - 2 outlet, 2 data	5 3/4"		5 1/2"	___ Lbs.	___ Cu Ft	\$ 505	Black Metal
	DTP-BL	Desktop Power and Data	7"		3"	___ Lbs.	___ Cu Ft	\$ 230	Black Plastic
	P-PS-B	Power Sphere - 4 outlets - Black	3"		3"	___ Lbs.	___ Cu Ft	\$ 275	Black Plastic
	P-PDS-B	Power Sphere - 2 outlets, 2 data - Black	3"		3"	___ Lbs.	___ Cu Ft	\$ 215	
	P-PS-T	Power Sphere - 4 outlets - Translucent	3"		3"	___ Lbs.	___ Cu Ft	\$ 275	Translucent Plastic
	P-PDS-T	Power Sphere - 2 outlets, 2 data - Translucent	3"		3"	___ Lbs.	___ Cu Ft	\$ 215	
	PW-SPC-6	6 Outlet Power Bar	11"		2"	___ Lbs.	___ Cu Ft	\$ 125	White Plastic - 15 amp 120V


WOODS & FINISHES:

Natural Maple
Standard



Natural Clear – M-NA

Maple Finishes
The following stains are available, add 10% to list



Honey Oak – M-HO




Castle Oak – M-CO



Richmond Cherry – M-RC




Mahogany – M-MA




Victorian Cherry – M-VI



Java – M-JA




Wenge – M-WE




English Oak – M-EN

Natural Red Oak
Standard



Natural Clear – O-NA

Red Oak Finishes
The following stains are available, add 10% to list



Castle Oak – O-CO



Honey Oak – O-HO



English Oak – O-EN



Victorian Cherry – O-VI



Mahogany – O-MA



Richmond Cherry – O-RC




Java – O-JA




Wenge – O-WE

Natural Cherry
Add 20% to list



Natural Clear – C-NA

Cherry Finishes
The following stains are available, add 30% to list




Honey Oak – C-HO




Richmond Cherry – C-RC

Natural Walnut
Add 20% to list



Natural Clear – W-NA


Walnut Finishes
The following stain is available, add 30% to list



Java – W-JA

LAMINATES:

Melamine Laminate Options




Hardrock Maple – L303



Fidlar's Maple – L363



Cognac Cherry – L448



Cherry Blossom – L449



Almond Cherry – L457



Samba Cherry – L460



Lambada Cherry – L461



Shiraz Cherry – L472



Tuxedo – 477



Hot Cinnamon – L480



Caramel Maple – L490



Antigua – L498



Borneo – L500



Ginger Snap Fruitwood – L518



Very Chic – L666

METAL THERMAL PAINT COLOURS:



Sparkle Silver – S11



Beige – H23



Antique White – W11



White – PS-111-W374



Ruby – R7



Navy – B17




Blue – B11



Teal – HG266




Green – G58



Charcoal – A230



Grey – A16



Black – N49



Black Sandtex – N31
Textured Finish

HARDWOODS: All hardwood materials used in the manufacturing of P2 products shall be Northern grown hardwoods. Hardwoods will be air and kiln dried to a moisture content of 5-7%. All hardwoods shall be of grade “A” material, free of material stains, imperfections, conformity of grain, texture and color. Hardwood species shall be Northern grown Red Oak, Clear White Northern Maple and Birch. American Cherry and Honduras Mahogany and Walnut are available. Please inquire for pricing.

veneer: Exposed face veneers shall be not less than 1/28" thick plain sliced veneers. Veneers are to be selected for conformity of grain direction and color. Veneers are to be stitched tightly in a book match, slip match or plain sliced configuration. Unexposed veneers are to be of hardwood but not selected for color, or grain quality. Veneers are not to be lap joined or reveal any tape or glue lines.

PARTICLE BOARD CORE: The particleboard shall be formed of wood chips, bonded with a water resistance adhesive. The particleboard material is to be of a high density 45 lbs/cu. ft. having a minimum average modules of rupture of 2400 psi and a minimum average modules of elasticity of 4,000,000 psi.

veneer core: Veneer core is to be constructed with odd numbers of plies. Each ply is to be laminated in pairs and cross banded in opposite directions with grain direction at a 90 degree angle to the grain of the center core. All plies are to be free from knots, wrinkles, laps or other natural or manufacturing defects.

HIGH PRESSURE LAMINATE: Work surface laminate shall be .050" thick and used with balancing backer sheet of no less than .028" thick. Laminate shall conform to standards set by the National Electrical Manufactures' Association (NEMA).

FINISHING PROCEDURES: All materials shall be inspected and treated with a final sanding and polishing operation before any staining and final finishing can be performed. All machine and mill marks are to be removed. Once the polishing and sanding has been performed, the furniture will then undergo the following stain and finishing procedures:

- Step 1: A base stain will be uniformly applied, wiped and then allowed to dry under factory controlled conditions.
- Step 2: A uniform coat of sealer will be applied and allowed to dry.
- Step 3: Sealer will be lightly sanded using 240 grit silicon paper.
- Step 4: A catalytic lacquer of 34-45 degree sheen is evenly applied and allowed to dry under factory controlled conditions.

METAL FINISHING PROCEDURES: All metal components are thoroughly cleaned and coated electrostatically with an epoxy powder coat paint finish. The metal components are then oven baked and cured for a lasting finish.

